312.09786
H2m
1994

1994

MONTANA

VITAL STATISTICS

TABLES

STATE DOCUMENTS COLLECTION

SEP 04 1996

MONTANA STATE LIBRARY
1515 E. 6th AVE.
HELENA, MONTANA 59620

PLEASE RETURN

MONTANA DEPARTMENT OF PUBLIC HEALTH AND HUMAN SERVICES

OPERATIONS AND TECHNOLOGY DIVISION

VITAL STATISTICS BUREAU

MONTANA STATE LIBRARY
3 0864 0009 8436 2

The following figures and tables, prepared by the Vital Statistics Bureau of the Department of Public Health and Human Services, are intended to provide a reference to some of the more frequently used vital statistics for Montana. They summarize information contained in certificates of live birth, death, and fetal death and reports of marriage, divorce, induced abortion, and cancer diagnoses received by the Department for the calendar year 1994.

Tables 1, 3, 4, and 29 provide summary statistics on various key vital events. Table 2 shows the U.S. Census Bureau's estimates of Montana's resident population by county. Table 30 shows summary statistics on all pregnancy outcomes reported to the Department. Tables 5 through 8 present data on natality (births). Mortality (death) data are presented in Tables 9 through 16. Tables 17 through 19A provide information on induced abortion. Marriage and marital termination data are presented in tables 20 through 28. Table 31 shows the frequency of reportable disease and tables 32 through 34 show the incidence of cancer diagnosed in Montana in 1994.

The Bureau will publish these tables, along with figures and corresponding tables for calendar year 1995, in the late fall of 1996.

Additional Vital Statistics tables can be found on the Department's homepage at http://www.dphhs.mt.gov.

SYMBOLS USED IN THESE TABLES

Quantity is zero	-
Rate or percent is less than 0.05	0.0
Data are not applicable or not available.	---

MONTANA VITAL STATISTICS FIGURES

1994

FIGURE NO.	FIGURE	PAGE
1	Resident Birth Rates for Montana and the United States, 1958-1994	viii
2	Resident Death Rates for Montana and the United States, 1958-1994	viii
3	Marriage Rates for Montana and the United States, 1958-1994	ix
4	Divorce Rates for Montana and the United States, 1958-1994	ix

MONTANA VITAL STATISTICS TABLES

1994

TABLE NO.	CONTENTS	PAGE
1	Frequency and Rate or Ratio of Death, Live Birth, and Fetal, Infant, and Maternal Death by Year - Montana, 1910-1994	1
2	State Population by County - Montana, 1994, 1990 and 1980	2
3	Frequency of Death, Live Birth, and Fetal, Infant, and Maternal Death by County of Occurrence and County of Residence - Montana, 1994	3
4	Frequency of Death, Live Birth and Fetal Death by Race and by County of Residence - Montana, 1994	4
5	Frequency and Percent Distribution of Births by Infant's Sex, Legitimacy, Plurality, and Parity - Montana Residents 1990-1994	5
6	Frequency and Percent Distribution of Live Births by Type of Facility or Attendant and by County of Occurrence - Montana, 1994	6
7	Frequency and Percent Distribution of Live Births by Birthweight and County of Residence - Montana, 1994	7
8	Frequency and Percent Distribution of Live Births to Montana Residents Delivering in Montana by Number of Children Born Alive and by Years of Education of Mother - Montana, 1994	8
9	Frequency of Death by Sex, Race, and Cause - Montana Residents, 1994	9
10	Frequency of Death by Age, Sex and Cause - Montana Residents, 1994	17
11	Frequency of Accidental Death by Age and Type of Accident - Percent of deaths in Each Age Group That Were Accidental - Montana Occurrences, 1994	29

TABLE NO.	CONTENTS	PAGE
12	Frequency of Death from Selected Causes by County of Residence - Montana 1994	30
13	Frequency of Infant Mortality by Age, Race, and County of Residence - Five-Year Infant Mortality Rate by County of Residence - Montana, 1994	31
14	Frequency of Infant Mortality from Selected Causes by Age and Race - Montana Residents, 1994	32
15	Frequency and Rate of Death from Selected Communicable Diseases by Year - Montana, 1910-1994	33
16	Frequency and Rate of Death from Selected Causes by Year - Montana, 1910-1994	35
17	Frequency of Induced Abortion by Number of Previous Induced Abortions and Number of Previous Pregnancies - Montana Occurrences, 1994	37
18	Frequency of Induced Abortion by Age of Patient - Montana Occurrences, 1994	37
19	Frequency of Induced Abortion by Completed Week of Gestation and Primary Procedure - Montana Occurrences, 1994	38
19a	Frequency of Induced Abortion by County of Residence and County of Occurrence - Montana, 1994	38
20	Frequency of Marriage and Marital Termination - Marriage Licenses Issued, Marriages Solemnized, Marital Dissolutions, and Marriages Invalidated by County of Occurrence - Montana, 1994	39
21	Frequency and Rate of Marriage and Marital Termination by Year - Montana Occurrences, 1944-1994	40
22	Frequency and Percent Distribution of Marriages by Month of Occurrence - Montana, 1994	41
23	Frequency of Marriage by Previous Marital Status and Age of Bride and by Previous Marital Status and Age of Groom - Montana Occurrences, 1994	41

TABLE NO.	CONTENTS	PAGE
24	Frequency of First Marriage by Age of Bride and Age of Groom - Montana Occurrences, 1994	42
25	Frequency of Marriage by Race of Bride and Race of Groom - Montana Occurrences, 1994	42
26	Frequency of Marital Termination by Type and by Legal Grounds for Decree - Montana Occurrences, 1994	42
27	Frequency of Marital Termination by Age of Wife and Age of Husband - Montana Occurrences, 1994	43
28	Frequency of Marital Termination by Number of Minor Children in the Household and by Age of Wife - Montana Occurrences, 1994	43
29	Selected Vital Statistics - Frequencies and Rates or Ratios by County - Montana, 1994	44
30	Frequency and Percent Distribution of Births, Fetal Deaths, and Induced Abortions by Woman's Age and County of Residence - Montana, 1994	52
31	Frequency of Reportable Diseases by County of Residence - Montana, 1994	61
32	Reported Neoplasms by Anatomical Site and Sex - Montana Residents, 1994 Diagnoses	63
33	Most Frequently Reported Neoplasms by Sit, Sex, and Age - Montana Residents, 1994 Diagnoses	64
34	Most Frequently Reported Neoplasms by Site, Sex, and County of Residence - Montana Residents, 1994 Diagnoses	65

FIGURE 1

RESIDENT BIRTH RATES FOR MONTANA AND THE UNITED STATES
1958 - 1994



FIGURE 2

RESIDENT DEATH RATES FOR MONTANA AND THE UNITED STATES
1958 - 1994



FIGURE 3

MARRIAGE RATES FOR MONTANA AND THE UNITED STATES
1958 - 1994



FIGURE 4

MARITAL TERMINATION RATES FOR MONTANA AND THE UNITED STATES
1958 - 1994



TABLE 1

FREQUENCY AND RATE OR RATIO OF
DEATH, LIVE BIRTH, AND FETAL, INFANT, AND MATERNAL DEATH BY YEAR*
MONTANA, 1910–1994

YEAR	ESTIMATED MIDYEAR POPULATION	DEATHS		LIVE BIRTHS		FETAL DEATHS		INFANT DEATHS		MATERNAL DEATHS	
		NUMBER	RATE+	NUMBER	RATE+	NUMBER	RATIO**	NUMBER	RATE**	NUMBER	RATE++
1910	376,053	3,999	10.6	6,124	16.3	NA	NA	714	116.6	62	1,012.4
1915	468,067	5,072	10.8	11,132	23.8	NA	NA	816	73.3	91	817.5
1920	548,339	5,289	9.6	11,862	21.6	NA	NA	862	72.7	104	876.7
1925	542,834	5,188	9.6	10,302	19.0	343	33.3	726	70.5	83	805.7
1930	537,606	5,435	10.1	10,004	18.6	286	28.6	569	56.9	67	669.7
1935	549,077	6,291	11.5	10,029	18.3	232	23.1	602	60.0	52	518.5
1940	559,456	5,722	10.2	11,468	20.5	216	18.8	527	46.0	39	340.1
1945	504,600	5,414	10.7	10,601	21.0	184	17.4	363	34.2	17	160.4
1946	521,900	5,595	10.7	12,858	24.6	224	17.4	448	34.8	18	140.0
1947	539,200	5,760	10.7	15,086	28.0	238	15.8	484	32.1	16	106.1
1948	556,500	5,884	10.6	15,035	27.0	236	15.7	461	30.7	14	93.1
1949	573,800	5,878	10.2	15,366	26.8	231	15.0	457	29.7	14	91.1
1950	591,024	5,817	9.8	15,592	26.4	233	14.9	441	28.3	20	128.3
1951	596,000	5,964	10.0	15,929	26.7	248	15.6	425	26.7	10	62.8
1952	602,000	5,974	9.9	16,479	27.4	253	15.4	448	27.2	8	48.5
1953	616,000	6,125	9.9	16,596	26.9	232	14.0	480	28.9	3	18.1
1954	624,000	6,030	9.7	17,276	27.7	247	14.3	398	23.0	5	28.9
1955	636,000	6,115	9.6	17,454	27.4	221	12.7	433	24.8	5	28.6
1956	656,000	6,450	9.8	17,703	27.0	239	13.5	495	28.0	2	11.3
1957	667,000	6,486	9.7	18,219	27.3	224	12.3	462	25.4	5	27.4
1958	666,000	6,265	9.4	17,275	25.9	233	13.5	444	25.7	3	17.4
1959	669,000	6,570	9.8	17,646	26.4	223	12.6	431	24.4	3	17.0
1960	674,767	6,525	9.7	17,448	25.9	190	10.9	435	24.9	5	28.7
1961	682,000	6,338	9.3	17,368	25.5	194	11.2	441	25.4	2	11.5
1962	709,000	6,418	9.1	16,818	23.7	210	12.5	436	25.9	7	41.6
1963	707,000	6,609	9.3	15,934	22.5	194	12.2	383	24.0	2	12.6
1964	705,000	6,851	9.7	15,094	21.4	200	13.3	403	26.7	7	46.4
1965	706,000	6,578	9.3	13,641	19.3	177	13.0	338	24.8	2	14.7
1966	702,000	6,864	9.8	12,623	18.0	140	11.1	286	22.7	3	23.8
1967	701,000	6,549	9.3	12,087	17.2	141	11.7	290	24.0	3	24.8
1968	693,000	6,534	9.4	11,992	17.3	146	12.2	233	19.4	1	8.3
1969	694,000	6,694	9.6	11,762	16.9	132	11.2	246	20.9	1	8.5
1970	694,409	6,597	9.5	12,622	18.2	140	11.1	272	21.5	3	23.8
1971	710,000	6,860	9.7	12,347	17.4	127	10.3	267	21.6	–	–
1972	719,000	6,896	9.6	11,444	15.9	129	11.3	225	19.7	4	35.0
1973	721,000	6,870	9 5	11,392	15.8	105	9.2	222	19.5	–	–
1974	735,000	6,552	8.9	12,273	16.7	125	10.2	202	16.5	1	8.1
1975	748,000	6,539	8.7	12,070	16.1	112	9.3	187	15.5	3	24.9
1976	753,000	6,733	8.9	12,605	16.7	104	8.3	209	16.6	–	–
1977	761,000	6,397	8.4	13,304	17.5	119	8.9	183	13.8	1	7.5
1978	785,000	6,484	8.3	13,545	17.3	110	8.1	155	11.4	3	22.1
1979	786,000	6,471	8.2	14,057	17.9	116	8.3	151	10.7	4	28.5
1980	786,690	6,664	8.5	14,208	18.1	104	7.3	176	12.4	2	14.1
1981	793,000	6,709	8.5	14,309	18.0	85	5.9	153	10.7	–	–
1982	801,000	6,625	8.3	14,538	18.1	93	6.4	147	10.1	1	6.9
1983	817,000	6,699	8.2	14,054	17.2	91	6.5	126	9.0	4	28.5
1984	824,000	6,698	8.1	14,141	17.2	110	7.8	125	8.8	1	7.1
1985	826,000	6,725	8.1	13,497	16.3	96	7.1	139	10.3	–	–
1986	819,000	6,738	8.2	12,728	15.5	95	7.5	122	9.6	2	15.7
1987	809,000	6,597	8.2	12,239	15.1	96	7.8	121	9.9	–	–
1988	805,000	6,759	8.4	11,682	14.5	92	7.9	100	8.6	1	8.6
1989	805,600	6,735	8.4	11,667	14.5	86	7.4	132	11.3	–	–
1990	799,065	6,835	8.6	11,602	14.5	78	6.7	106	9.1	–	–
1991	808,000	6,995	8.7	11,498	14.2	90	7.8	82	7.1	1	8.7
1992	823,700	7,067	8.6	11,468	13.9	84	7.3	85	7.4	–	–
1993	839,000	7,457	8.9	11,362	13.5	74	6.5	84	7.4	–	–
1994	856,240	7,331	8.6	11,062	12.9	52	4.7	82	7.4	–	–

* DATA FOR 1910–1945 ARE BY PLACE OF OCCURRENCE. BEGINNING IN 1946, DATA ARE BY PLACE OF RESIDENCE.
\+ PER 1,000 ESTIMATED MIDYEAR POPULATION. U. S. CENSUS ENUMERATIONS ARE USED FOR YEARS ENDING IN ZERO.
** PER 1,000 LIVE BIRTHS.
++ PER 100,000 LIVE BIRTHS.

TABLE 2

STATE POPULATION BY COUNTY
MONTANA, 1994, 1990 AND 1980

COUNTY	1994 ESTIMATED POPULATION*	1990 U.S. CENSUS ENUMERATION	1980 U.S. CENSUS ENUMERATION
MONTANA, TOTAL	856,240	799,065	786,690
BEAVERHEAD	8,850	8,424	8,186
BIG HORN	12,040	11,337	11,096
BLAINE	7,020	6,728	6,999
BROADWATER	3,670	3,318	3,267
CARBON	8,940	8,080	8,099
CARTER	1,530	1,503	1,799
CASCADE	81,140	77,691	80,696
CHOUTEAU	5,460	5,452	6,092
CUSTER	12,130	11,697	13,109
DANIELS	2,160	2,266	2,835
DAWSON	9,030	9,505	11,805
DEER LODGE	10,180	10,278	12,518
FALLON	3,050	3,103	3,763
FERGUS	12,600	12,083	13,076
FLATHEAD	67,380	59,218	51,966
GALLATIN	57,810	50,463	42,865
GARFIELD	1,440	1,589	1,656
GLACIER	12,450	12,121	10,628
GOLDEN VALLEY	960	912	1,026
GRANITE	2,650	2,548	2,700
HILL	17,460	17,654	17,985
JEFFERSON	8,980	7,939	7,029
JUDITH BASIN	2,240	2,282	2,646
LAKE	23,680	21,041	19,056
LEWIS & CLARK	51,600	47,485	43,039
LIBERTY	2,250	2,295	2,329
LINCOLN	18,390	17,481	17,752
MCCONE	2,130	2,276	2,702
MADISON	6,390	5,989	5,448
MEAGHER	1,840	1,819	2,154
MINERAL	3,630	3,315	3,675
MISSOULA	85,690	78,687	76,016
MUSSELSHELL	4,410	4,106	4,428
PARK	15,640	14,562	12,869
PETROLEUM	530	519	655
PHILLIPS	5,030	5,163	5,367
PONDERA	6,200	6,433	6,731
POWDER RIVER	2,020	2,090	2,520
POWELL	6,830	6,620	6,958
PRAIRIE	1,340	1,383	1,836
RAVALLI	30,710	25,010	22,493
RICHLAND	10,340	10,716	12,243
ROOSEVELT	11,160	10,999	10,467
ROSEBUD	10,790	10,505	9,899
SANDERS	9,700	8,669	8,675
SHERIDAN	4,420	4,732	5,414
SILVER BOW	34,780	33,941	38,092
STILLWATER	7,240	6,536	5,598
SWEET GRASS	3,280	3,154	3,216
TETON	6,410	6,271	6,491
TOOLE	5,100	5,046	5,559
TREASURE	870	874	981
VALLEY	8,350	8,239	10,250
WHEATLAND	2,350	2,246	2,359
WIBAUX	1,140	1,191	1,476
YELLOWSTONE	122,770	113,419	108,035
YELLOWSTONE PARK	54	52	66

* POPULATION ESTIMATES, PROVIDED BY THE U.S. BUREAU OF THE CENSUS, WERE ROUNDED TO THE NEAREST TEN FOR ALL LOCATIONS EXCEPT YELLOWSTONE PARK.

TABLE 3

FREQUENCY OF DEATH, LIVE BIRTH, AND FETAL, INFANT, AND MATERNAL DEATH
BY COUNTY OF OCCURRENCE AND COUNTY OF RESIDENCE
MONTANA, 1994

COUNTY	DEATHS		LIVE BIRTHS		FETAL DEATHS		INFANT DEATHS		MATERNAL DEATHS	
	OCC.	RES.	OCC.	RES.	OCC.	RES.	OCC.	RES.	OCC.	RES.
MONTANA, TOTAL	7,354	7,331	10,968	11,062	50	52	75	82	–	–
BEAVERHEAD	84	79	91	105	–	–	–	1	–	–
BIG HORN	80	106	251	253	–	1	1	1	–	–
BLAINE	21	51	3	118	–	1	–	–	–	–
BROADWATER	35	37	10	46	–	–	–	1	–	–
CARBON	70	99	32	104	–	1	–	1	–	–
CARTER	15	20	–	23	–	–	–	–	–	–
CASCADE	805	704	1,476	1,219	10	5	20	11	–	–
CHOUTEAU	53	66	1	41	–	–	–	–	–	–
CUSTER	180	142	275	158	2	1	1	2	–	–
DANIELS	29	37	3	16	–	–	–	–	–	–
DAWSON	80	88	42	90	–	1	–	–	–	–
DEER LODGE	94	118	50	84	–	–	–	–	–	–
FALLON	26	29	30	27	–	–	–	–	–	–
FERGUS	153	158	156	146	1	1	–	–	–	–
FLATHEAD	531	512	958	887	7	6	5	4	–	–
GALLATIN	263	287	766	723	3	3	6	5	–	–
GARFIELD	14	22	1	15	–	–	–	1	–	–
GLACIER	84	103	232	253	1	2	1	3	–	–
GOLDEN VALLEY	6	11	–	16	–	–	–	1	–	–
GRANITE	18	28	1	22	–	–	–	1	–	–
HILL	165	149	419	283	–	–	2	4	–	–
JEFFERSON	43	65	–	108	–	–	–	1	–	–
JUDITH BASIN	5	20	1	23	–	–	–	–	–	–
LAKE	178	227	189	282	–	1	1	3	–	–
LEWIS & CLARK	421	386	778	677	4	5	2	6	–	–
LIBERTY	15	12	21	26	–	–	–	–	–	–
LINCOLN	135	172	135	196	1	1	1	3	–	–
MCCONE	19	24	–	22	–	–	–	–	–	–
MADISON	61	57	12	63	–	1	–	–	–	–
MEAGHER	27	25	10	32	–	–	–	–	–	–
MINERAL	28	42	7	44	–	–	–	–	–	–
MISSOULA	771	586	1,472	1,105	5	4	11	11	–	–
MUSSELSHELL	43	56	1	47	–	–	–	–	–	–
PARK	149	152	212	171	–	–	–	1	–	–
PETROLEUM	3	3	–	6	–	–	–	–	–	–
PHILLIPS	34	50	3	65	–	–	–	–	–	–
PONDERA	59	77	19	78	–	1	–	–	–	–
POWDER RIVER	21	30	–	25	–	–	–	–	–	–
POWELL	59	68	19	77	–	–	–	–	–	–
PRAIRIE	7	12	–	12	–	–	–	–	–	–
RAVALLI	224	281	212	357	2	2	–	–	–	–
RICHLAND	91	100	162	126	–	–	–	–	–	–
ROOSEVELT	75	98	156	197	–	–	1	2	–	–
ROSEBUD	40	79	2	146	–	–	–	1	–	–
SANDERS	65	92	4	87	–	–	–	–	–	–
SHERIDAN	63	58	41	40	1	–	–	–	–	–
SILVER BOW	400	385	543	449	6	5	5	6	–	–
STILLWATER	66	74	39	77	1	1	–	1	–	–
SWEET GRASS	17	30	–	34	–	1	–	–	–	–
TETON	50	72	3	70	–	2	–	–	–	–
TOOLE	44	52	91	56	–	–	1	–	–	–
TREASURE	2	6	–	8	–	–	–	–	–	–
VALLEY	80	87	96	89	2	2	–	1	–	–
WHEATLAND	19	24	–	32	–	–	–	–	–	–
WIBAUX	8	14	–	10	–	–	–	1	–	–
YELLOWSTONE	1,226	967	1,943	1,596	4	4	17	9	–	–
YELLOWSTONE PARK	–	–	–	–	–	–	–	–	–	–
NOT STATED	–	2	–	–	–	–	–	–	–	–

TABLE 4

FREQUENCY OF DEATH, LIVE BIRTH, AND FETAL DEATH BY RACE* AND COUNTY OF RESIDENCE
MONTANA, 1994

COUNTY	DEATHS				LIVE BIRTHS				FETAL DEATHS			
	TOTAL	WHITE	NATIVE AMERICAN	OTHER	TOTAL	WHITE	NATIVE AMERICAN	OTHER	TOTAL	WHITE	NATIVE AMERICAN	OTHER
MONTANA, TOTAL	7,331	6,968	331	32	11,062	9,719	1,201	142	52	44	5	3
BEAVERHEAD	79	79	–	–	105	102	1	2	–	–	–	–
BIG HORN	106	55	49	2	253	69	182	2	1	–	1	–
BLAINE	51	42	9	–	118	52	65	1	1	1	–	–
BROADWATER	37	37	–	–	46	46	–	–	–	–	–	–
CARBON	99	99	–	–	104	103	1	–	1	1	–	–
CARTER	20	20	–	–	23	22	–	1	–	–	–	–
CASCADE	704	679	16	9	1,219	1,101	75	43	5	5	–	–
CHOUTEAU	66	65	1	–	41	40	1	–	–	–	–	–
CUSTER	142	141	1	–	158	151	7	–	1	1	–	–
DANIELS	37	36	–	1	16	16	–	–	–	–	–	–
DAWSON	88	88	–	–	90	90	–	–	1	1	–	–
DEER LODGE	118	115	1	2	84	80	3	1	–	–	–	–
FALLON	29	29	–	–	27	27	–	–	–	–	–	–
FERGUS	158	157	1	–	146	145	1	–	1	1	–	–
FLATHEAD	512	505	4	3	887	854	25	8	6	5	–	1
GALLATIN	287	285	2	–	723	700	10	13	3	3	–	–
GARFIELD	22	22	–	–	15	14	–	1	–	–	–	–
GLACIER	103	44	58	1	253	73	177	3	2	–	2	–
GOLDEN VALLEY	11	11	–	–	16	15	1	–	–	–	–	–
GRANITE	28	28	–	–	22	21	1	–	–	–	–	–
HILL	149	119	27	3	283	187	94	2	–	–	–	–
JEFFERSON	65	64	1	–	108	101	4	3	–	–	–	–
JUDITH BASIN	20	20	–	–	23	23	–	–	–	–	–	–
LAKE	227	190	37	–	282	186	92	4	1	–	1	–
LEWIS & CLARK	386	374	10	2	677	638	29	10	5	5	–	–
LIBERTY	12	12	–	–	26	25	–	1	–	–	–	–
LINCOLN	172	170	2	–	196	192	4	–	1	1	–	–
MCCONE	24	24	–	–	22	22	–	–	–	–	–	–
MADISON	57	57	–	–	63	60	2	1	1	1	–	–
MEAGHER	25	25	–	–	32	32	–	–	–	–	–	–
MINERAL	42	42	–	–	44	44	–	–	–	–	–	–
MISSOULA	586	577	8	1	1,105	1,054	36	15	4	3	1	–
MUSSELSHELL	56	56	–	–	47	46	1	–	–	–	–	–
PARK	152	152	–	–	171	168	1	2	–	–	–	–
PETROLEUM	3	3	–	–	6	6	–	–	–	–	–	–
PHILLIPS	50	47	3	–	65	59	6	–	–	–	–	–
PONDERA	77	71	6	–	78	62	16	–	1	1	–	–
POWDER RIVER	30	30	–	–	25	24	1	–	–	–	–	–
POWELL	68	66	2	–	77	75	2	–	–	–	–	–
PRAIRIE	12	12	–	–	12	12	–	–	–	–	–	–
RAVALLI	281	281	–	–	357	349	4	4	2	2	–	–
RICHLAND	100	99	1	–	126	120	5	1	–	–	–	–
ROOSEVELT	98	56	42	–	197	56	140	1	–	–	–	–
ROSEBUD	79	52	27	–	146	73	72	1	–	–	–	–
SANDERS	92	90	2	–	87	77	9	1	–	–	–	–
SHERIDAN	58	58	–	–	40	39	1	–	–	–	–	–
SILVER BOW	385	382	3	–	449	438	8	3	5	3	–	2
STILLWATER	74	72	1	1	77	76	1	–	1	1	–	–
SWEET GRASS	30	30	–	–	34	34	–	–	1	1	–	–
TETON	72	71	1	–	70	69	–	1	2	2	–	–
TOOLE	52	52	–	–	56	52	3	1	–	–	–	–
TREASURE	6	6	–	–	8	7	1	–	–	–	–	–
VALLEY	87	84	3	–	89	67	22	–	2	2	–	–
WHEATLAND	24	24	–	–	32	32	–	–	–	–	–	–
WIBAUX	14	14	–	–	10	10	–	–	–	–	–	–
YELLOWSTONE	967	947	13	7	1,596	1,483	97	16	4	4	–	–
YELLOWSTONE PARK	–	–	–	–	–	–	–	–	–	–	–	–
NOT STATED	2	2	–	–	–	–	–	–	–	–	–	–

* ANY RACIAL CATEGORY MAY INCLUDE "HISPANIC"; "OTHER" ALSO INCLUDES RACE NOT STATED. LIVE BIRTHS AND FETAL DEATHS ARE SHOWN BY RACE OF THE MOTHER.

TABLE 5

FREQUENCY AND PERCENT DISTRIBUTION OF BIRTHS BY INFANT'S SEX, LEGITIMACY, PLURALITY, AND PARITY
MONTANA RESIDENTS 1990–1994

ITEM	1994		1993		1992		1991		1990	
	NUMBER	PERCENT*	NUMBER	PERCENT*	NUMBER	PERCENT*	NUMBER	PERCENT*	NUMBER	PERCENT*
MONTANA TOTAL	11,062	100.0%	11,362	100.0%	11,468	100.0%	11,498	100.0%	11,602	100.0%
SEX										
MALE	5,664	51.2	5,891	51.8	5,819	50.7	5,802	50.5	5,996	51.7
FEMALE	5,398	48.8	5,471	48.2	5,649	49.3	5,696	49.5	5,605	48.3
UNKNOWN	–	–	–	–	–	–	–	–	1	0.0
LEGITIMACY										
IN WEDLOCK	8,233	74.4	8,252	72.6	8,434	73.5	8,602	74.8	8,847	76.3
OUT OF WEDLOCK	2,815	25.4	3,103	27.3	3,031	26.4	2,893	25.2	2,750	23.7
NOT STATED	14	0.1	7	0.1	3	0.0	3	0.0	5	0.0
MULTIPLE BIRTHS										
SINGLE	10,835	97.9	11,110	97.8	11,205	97.7	11,235	97.7	11,328	97.6
TWINS	218	2.0	243	2.1	255	2.2	251	2.2	268	2.3
TRIPLETS OR MORE	–	–	3	0.0	7	0.1	10	0.1	6	0.1
NOT STATED	9	0.1	6	0.1	1	0.0	2	0.0	–	–
PARITY										
FIRST BIRTH	4,383	39.6	4,463	39.3	4,331	37.8	4,255	37.0	4,353	37.5
SECOND BIRTH	3,433	31.0	3,633	32.0	3,661	31.9	3,608	31.4	3,763	32.4
THIRD BIRTH	1,893	17.1	1,909	16.8	1,983	17.3	2,146	18.7	2,080	17.9
FOURTH BIRTH	782	7.1	757	6.7	863	7.5	886	7.7	897	7.7
FIFTH BIRTH	333	3.0	319	2.8	347	3.0	339	2.9	258	2.2
SIXTH BIRTH	114	1.0	149	1.3	153	1.3	157	1.4	117	1.0
SEVENTH BIRTH	60	0.5	64	0.6	64	0.6	46	0.4	53	0.5
EIGHTH BIRTH	28	0.3	28	0.2	28	0.2	30	0.3	26	0.2
NINTH OR MORE	28	0.3	27	0.2	33	0.3	26	0.2	26	0.2
NOT STATED	8	0.1	13	0.1	5	0.0	5	0.0	2	0.0

* EACH PERCENTAGE HAS BEEN INDEPENDENTLY ROUNDED TO THE NEAREST TENTH OF ONE PERCENT. HENCE, THE SUMS OF PARTS MAY DIFFER SLIGHTLY FROM THE TOTALS.

TABLE 6

FREQUENCY AND PERCENT DISTRIBUTION OF LIVE BIRTHS BY TYPE OF FACILITY OR ATTENDANT AND BY COUNTY OF OCCURRENCE – MONTANA, 1994

COUNTY	TOTAL	BOA* AND IN HOSPITAL		PHYSICIAN NOT IN HOSPITAL		OTHER NOT IN HOSPITAL	
		NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
MONTANA, TOTAL	10,968	10,624	96.9	7	0.1	337	3.1
BEAVERHEAD	91	89	97.8	–	–	2	2.2
BIG HORN	251	248	98.8	–	–	3	1.2
BLAINE	3	1	33.3	–	–	2	66.7
BROADWATER	10	10	100.0	–	–	–	–
CARBON	32	32	100.0	–	–	–	–
CARTER	–	–	–	–	–	–	–
CASCADE	1,476	1,434	97.2	1	0.1	41	2.8
CHOUTEAU	1	–	–	–	–	1	100.0
CUSTER	275	273	99.3	1	0.4	1	0.4
DANIELS	3	3	100.0	–	–	–	–
DAWSON	42	42	100.0	–	–	–	–
DEER LODGE	50	50	100.0	–	–	–	–
FALLON	30	29	96.7	–	–	1	3.3
FERGUS	156	155	99.4	–	–	1	0.6
FLATHEAD	958	918	95.8	–	–	40	4.2
GALLATIN	766	718	93.7	1	0.1	47	6.1
GARFIELD	1	–	–	–	–	1	100.0
GLACIER	232	232	100.0	–	–	–	–
GOLDEN VALLEY	–	–	–	–	–	–	–
GRANITE	1	–	–	–	–	1	100.0
HILL	419	414	98.8	–	–	5	1.2
JEFFERSON	–	–	–	–	–	–	–
JUDITH BASIN	1	–	–	–	–	1	100.0
LAKE	189	180	95.2	–	–	9	4.8
LEWIS & CLARK	778	766	98.5	–	–	12	1.5
LIBERTY	21	21	100.0	–	–	–	–
LINCOLN	135	123	91.1	–	–	12	8.9
MCCONE	–	–	–	–	–	–	–
MADISON	12	12	100.0	–	–	–	–
MEAGHER	10	8	80.0	–	–	2	20.0
MINERAL	7	6	85.7	–	–	1	14.3
MISSOULA	1,472	1,440	97.8	–	–	32	2.2
MUSSELSHELL	1	–	–	–	–	1	100.0
PARK	212	155	73.1	–	–	57	26.9
PETROLEUM	–	–	–	–	–	–	–
PHILLIPS	3	3	100.0	–	–	–	–
PONDERA	19	19	100.0	–	–	–	–
POWDER RIVER	–	–	–	–	–	–	–
POWELL	19	18	94.7	–	–	1	5.3
PRAIRIE	–	–	–	–	–	–	–
RAVALLI	212	189	89.2	–	–	23	10.8
RICHLAND	162	161	99.4	–	–	1	0.6
ROOSEVELT	156	154	98.7	1	0.6	1	0.6
ROSEBUD	2	2	100.0	–	–	–	–
SANDERS	4	2	50.0	–	–	2	50.0
SHERIDAN	41	41	100.0	–	–	–	–
SILVER BOW	543	539	99.3	–	–	4	0.7
STILLWATER	39	35	89.7	–	–	4	10.3
SWEET GRASS	–	–	–	–	–	–	–
TETON	3	–	–	–	–	3	100.0
TOOLE	91	88	96.7	2	2.2	1	1.1
TREASURE	–	–	–	–	–	–	–
VALLEY	96	96	100.0	–	–	–	–
WHEATLAND	–	–	–	–	–	–	–
WIBAUX	–	–	–	–	–	–	–
YELLOWSTONE	1,943	1,918	98.7	1	0.1	24	1.2
YELLOWSTONE PARK	–	–	–	–	–	–	–
NOT STATED	–	–	–	–	–	–	–

* BORN ON ARRIVAL

TABLE 7

FREQUENCY AND PERCENT DISTRIBUTION OF LIVE BIRTHS BY BIRTHWEIGHT
AND BY COUNTY OF RESIDENCE
MONTANA, 1994

COUNTY	TOTAL	LESS THAN 1,500 GRAMS		1,500 – 2,499 GRAMS		2,500 – 3,999 GRAMS		4,000 GRAMS OR MORE	
	NUMBER	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
MONTANA, TOTAL*	11,054	96	0.9	594	5.4	9,245	83.6	1,119	10.1
BEAVERHEAD	104	1	1.0	6	5.8	89	85.6	8	7.7
BIG HORN	253	1	0.4	13	5.1	200	79.1	39	15.4
BLAINE	118	1	0.8	6	5.1	94	79.7	17	14.4
BROADWATER	46	–	–	3	6.5	35	76.1	8	17.4
CARBON	104	–	–	7	6.7	93	89.4	4	3.8
CARTER	23	–	–	1	4.3	21	91.3	1	4.3
CASCADE	1,218	5	0.4	66	5.4	1,036	85.1	111	9.1
CHOUTEAU	41	–	–	1	2.4	32	78.0	8	19.5
CUSTER	157	3	1.9	12	7.6	133	84.7	9	5.7
DANIELS	16	–	–	1	6.3	14	87.5	1	6.3
DAWSON	90	2	2.2	6	6.7	75	83.3	7	7.8
DEER LODGE	84	1	1.2	7	8.3	71	84.5	5	6.0
FALLON	27	–	–	1	3.7	17	63.0	9	33.3
FERGUS	146	1	0.7	8	5.5	122	83.6	15	10.3
FLATHEAD	886	2	0.2	36	4.1	751	84.8	97	10.9
GALLATIN	723	5	0.7	33	4.6	593	82.0	92	12.7
GARFIELD	14	1	7.1	–	–	11	78.6	2	14.3
GLACIER	253	2	0.8	16	6.3	200	79.1	35	13.8
GOLDEN VALLEY	16	–	–	1	6.3	15	93.8	–	–
GRANITE	22	1	4.5	–	–	19	86.4	2	9.1
HILL	283	5	1.8	18	6.4	231	81.6	29	10.2
JEFFERSON	108	2	1.9	3	2.8	87	80.6	16	14.8
JUDITH BASIN	23	–	–	2	8.7	20	87.0	1	4.3
LAKE	282	4	1.4	11	3.9	240	85.1	27	9.6
LEWIS & CLARK	676	6	0.9	39	5.8	572	84.6	59	8.7
LIBERTY	26	–	–	3	11.5	21	80.8	2	7.7
LINCOLN	196	1	0.5	15	7.7	153	78.1	27	13.8
MCCONE	22	–	–	–	–	18	81.8	4	18.2
MADISON	62	1	1.6	2	3.2	53	85.5	6	9.7
MEAGHER	32	1	3.1	3	9.4	27	84.4	1	3.1
MINERAL	44	1	2.3	2	4.5	39	88.6	2	4.5
MISSOULA	1,105	8	0.7	63	5.7	924	83.6	110	10.0
MUSSELSHELL	47	2	4.3	5	10.6	39	83.0	1	2.1
PARK	171	–	–	3	1.8	140	81.9	28	16.4
PETROLEUM	6	–	–	–	–	4	66.7	2	33.3
PHILLIPS	65	–	–	2	3.1	52	80.0	11	16.9
PONDERA	78	2	2.6	6	7.7	61	78.2	9	11.5
POWDER RIVER	25	–	–	1	4.0	21	84.0	3	12.0
POWELL	77	2	2.6	3	3.9	70	90.9	2	2.6
PRAIRIE	12	–	–	3	25.0	9	75.0	–	–
RAVALLI	357	3	0.8	19	5.3	301	84.3	34	9.5
RICHLAND	128	–	–	12	9.5	102	81.0	12	9.5
ROOSEVELT	197	1	0.5	8	4.1	159	80.7	29	14.7
ROSEBUD	146	1	0.7	8	5.5	127	87.0	10	6.8
SANDERS	87	2	2.3	7	8.0	67	77.0	11	12.6
SHERIDAN	40	–	–	4	10.0	28	70.0	8	20.0
SILVER BOW	449	9	2.0	35	7.8	374	83.3	31	6.9
STILLWATER	77	1	1.3	4	5.2	63	81.8	9	11.7
SWEET GRASS	34	–	–	1	2.9	28	82.4	5	14.7
TETON	70	–	–	3	4.3	60	85.7	7	10.0
TOOLE	56	–	–	1	1.8	46	82.1	9	16.1
TREASURE	8	–	–	–	–	7	87.5	1	12.5
VALLEY	89	–	–	1	1.1	78	87.6	10	11.2
WHEATLAND	32	–	–	–	–	31	96.9	1	3.1
WIBAUX	10	–	–	1	10.0	7	70.0	2	20.0
YELLOWSTONE	1,595	18	1.1	82	5.1	1,365	85.6	130	8.2
YELLOWSTONE PARK	–	–	–	–	–	–	–	–	–
NOT STATED	–	–	–	–	–	–	–	–	–

* BIRTH WEIGHT WAS NOT STATED FOR EIGHT BIRTHS.

TABLE 8

FREQUENCY AND PERCENT DISTRIBUTION OF LIVE BIRTHS TO MONTANA RESIDENTS
DELIVERING IN MONTANA BY NUMBER OF CHILDREN BORN ALIVE AND
AND BY YEARS OF EDUCATION OF MOTHER
MONTANA, 1994

EDUCATION OF MOTHER IN YEARS	NUMBER OF LIVE-BORN CHILDREN											
	TOTAL	ONE	TWO	THREE	FOUR	FIVE	SIX	SEVEN	EIGHT	NINE	TEN OR MORE	NOT STATED
TOTAL												
NUMBER	10,867	4,312	3,375	1,861	763	325	113	59	28	11	17	3
PERCENT	100.0	39.7	31.1	17.1	7.0	3.0	1.0	0.5	0.3	0.1	0.2	–
NONE												
NUMBER	5	–	1	–	–	2	–	–	–	1	1	–
PERCENT	100.0	–	20.0	–	–	40.0	–	–	–	20.0	20.0	–
LESS THAN 8 YEARS												
NUMBER	29	9	8	7	2	3	–	–	–	–	–	–
PERCENT	100.0	31.0	27.6	24.1	6.9	10.3	–	–	–	–	–	–
8 YEARS												
NUMBER	201	81	43	31	15	12	10	3	2	2	2	–
PERCENT	100.0	40.3	21.4	15.4	7.5	6.0	5.0	1.5	1.0	1.0	1.0	–
9 YEARS												
NUMBER	284	136	72	38	20	13	2	1	1	–	1	–
PERCENT	100.0	47.9	25.4	13.4	7.0	4.6	0.7	0.4	0.4	–	0.4	–
10 YEARS												
NUMBER	469	238	107	69	26	17	3	2	4	2	1	–
PERCENT	100.0	50.7	22.8	14.7	5.5	3.6	0.6	0.4	0.9	0.4	0.2	–
11 YEARS												
NUMBER	603	291	134	91	49	21	9	6	2	–	–	–
PERCENT	100.0	48.3	22.2	15.1	8.1	3.5	1.5	1.0	0.3	–	–	–
12 YEARS												
NUMBER	3,903	1,463	1,243	707	289	121	41	24	8	2	5	–
PERCENT	100.0	37.5	31.8	18.1	7.4	3.1	1.1	0.6	0.2	0.1	0.1	–
1 YR COLLEGE												
NUMBER	1,283	473	430	224	97	26	12	11	5	4	1	–
PERCENT	100.0	36.9	33.5	17.5	7.6	2.0	0.9	0.9	0.4	0.3	0.1	–
2 YRS COLLEGE												
NUMBER	1,278	480	397	236	98	44	14	4	2	–	3	–
PERCENT	100.0	37.6	31.1	18.5	7.7	3.4	1.1	0.3	0.2	–	0.2	–
3 YRS COLLEGE												
NUMBER	508	207	146	96	31	17	7	4	–	–	–	–
PERCENT	100.0	40.7	28.7	18.9	6.1	3.3	1.4	0.8	–	–	–	–
4 YRS COLLEGE												
NUMBER	1,466	584	517	219	89	34	14	4	2	–	3	–
PERCENT	100.0	39.8	35.3	14.9	6.1	2.3	1.0	0.3	0.1	–	0.2	–
POST GRADUATE												
NUMBER	821	343	275	141	46	13	1	–	2	–	–	–
PERCENT	100.0	41.8	33.5	17.2	5.6	1.6	0.1	–	0.2	–	–	–
NOT STATED												
NUMBER	17	7	2	2	1	2	–	–	–	–	–	3
PERCENT	100.0	41.2	11.8	11.8	5.9	11.8	–	–	–	–	–	17.6

TABLE 9

FREQUENCY OF DEATH BY SEX, RACE* AND CAUSE
MONTANA RESIDENTS, 1994

INTERNAT'L CLASSIF. (ICD-9)	CAUSE OF DEATH	TOTAL	MALE		FEMALE	
			WHITE*	OTHER	WHITE*	OTHER
	ALL CAUSES	7,331	3,743	207	3,225	156
001 – 139	INFECTIOUS AND PARASITIC DISEASES	102	58	2	35	7
001 – 009	INTESTINAL INFECTIOUS DISEASES	1	–	–	1	–
008	INTESTINAL INFECTION DUE TO OTHER ORGANISMS	1	–	–	1	–
010 – 018	TUBERCULOSIS	6	3	–	1	2
011	PULMONARY TUBERCULOSIS	4	2	–	1	1
013	TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM	1	1	–	–	–
018	MILIARY TUBERCULOSIS	1	–	–	–	1
030 – 041	OTHER BACTERIAL DISEASES	55	23	1	28	3
036	MENINGOCOCCAL INFECTION	1	1	–	–	–
038	SEPTICEMIA	54	22	1	28	3
042 – 044	HUMAN IMMUNODEFICIENCY VIRUS (HIV) INFECTION	26	23	1	1	1
042	HIV INFECTION WITH SPECIFIED CONDITIONS	25	22	1	1	1
044	OTHER HIV INFECTION	1	1	–	–	–
070 – 079	OTHER DISEASES DUE TO VIRUSES AND CHLAMYDIAE	5	4	–	1	–
070	VIRAL HEPATITIS	3	3	–	–	–
078	OTHER DISEASES DUE TO VIRUSES AND CHLAMYDIAE	1	–	–	1	–
079	VIRAL INFECTION IN CONDITIONS CLASSIFIED ELSEWHERE AND OF UNSPECIFIED SITE	1	1	–	–	–
090 – 099	SYPHILIS AND OTHER VENEREAL DISEASES	1	–	–	1	–
098	GONOCOCCAL INFECTION	1	–	–	1	–
110 – 118	MYCOSES	5	5	–	–	–
112	CANDIDIASIS	2	2	–	–	–
117	OTHER MYCOSES	3	3	–	–	–
130 – 136	OTHER INFECTIOUS AND PARASITIC DISEASES	3	–	–	2	1
135	SARCOIDOSIS	3	–	–	2	1
140 – 239	NEOPLASMS	1,767	958	32	758	19
140 – 149	MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX	36	23	2	11	–
141	TONGUE	7	5	1	1	–
142	MAJOR SALIVARY GLANDS	4	4	–	–	–
143	GUM	1	–	–	1	–
144	FLOOR OF THE MOUTH	2	2	–	–	–
145	OTHER AND UNSPECIFIED PARTS OF MOUTH	6	2	–	4	–
146	OROPHARYNX	6	2	–	4	–
147	NASOPHARYNX	6	6	–	–	–
148	HYPOPHARYNX	1	1	–	–	–
149	OTHER AND ILL-DEFINED SITE WITHIN LIP, ORAL CAVITY, AND PHARYNX	3	1	1	1	–
150 – 159	MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM	407	213	10	180	4
150	ESOPHAGUS	40	25	1	14	–
151	STOMACH	42	17	4	20	1
152	SMALL INTESTINE INCLUDING DUODENUM	4	1	–	3	–
153	COLON	147	81	1	64	1
154	RECTUM, RECTOSIGMOID JUNCTION, AND ANUS	37	16	1	20	–
155	LIVER AND INTRAHEPATIC BILE DUCTS	25	16	1	7	1
156	GALL BLADDER AND EXTRAHEPATIC BILEDUCTS	13	5	–	8	–
157	PANCREAS	94	49	2	42	1
158	RETROPERITONEUM AND PERITONEUM	1	1	–	–	–
159	ILL-DEFINED SITES WITHIN THE DIGESTIVE ORGANS AND PERITIONEUM	4	2	–	2	–
160 – 165	MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS	472	283	10	171	8
160	NASAL CAVITIES, MIDDLE EAR, AND ACCESSORY SINUSES	1	–	–	1	–
161	LARYNX	11	7	1	3	–
162	TRACHEA, BRONCHUS, AND LUNG	457	274	9	166	8
163	PLEURA	2	2	–	–	–
164	THYMUS, HEART, AND MEDIASTINUM	1	–	–	1	–
170 – 175	MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST	171	33	–	135	3
170	BONE AND ARTICULAR CARTILAGE	5	4	–	1	–
171	CONNECTIVE AND OTHER SOFT TISSUE	16	9	–	7	–
172	MALIGNANT MELANOMA OF SKIN	22	15	–	6	1
173	OTHER MALIGNANT NEOPLASM OF SKIN	4	4	–	–	–
174	FEMALE BREAST	123	–	–	121	2
175	MALE BREAST	1	1	–	–	–

* ANY RACIAL CATEGORY MAY INCLUDE "HISPANIC"; "OTHER" ALSO INCLUDES RACE NOT STATED.

FREQUENCY OF DEATH BY SEX, RACE* AND CAUSE
MONTANA RESIDENTS, 1994

INTERNATL CLASSIF. (ICD-9)	CAUSE OF DEATH	TOTAL	MALE		FEMALE	
			WHITE*	OTHER	WHITE*	OTHER
179 - 189	MALIGNANT NEOPLASMS OF GENITOURINARY ORGANS	291	187	5	97	2
179	UTERUS, PART UNSPECIFIED	6	–	–	6	–
180	CERVIX UTERI	12	–	–	12	–
182	BODY OF UTERUS	12	–	–	12	–
183	OVARY AND OTHER UTERINE ADNEXA	45	–	–	43	2
184	OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS	4	–	–	4	–
185	PROSTATE	133	129	4	–	–
186	TESTIS	2	2	–	–	–
188	BLADDER	44	35	–	9	–
189	KIDNEY AND OTHER UNSPECIFIED URINARY ORGANS	33	21	1	11	–
190 - 199	MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES	181	100	3	78	–
191	BRAIN	42	26	1	15	–
192	OTHER AND UNSPECIFIED PART OF NERVOUS SYSTEM	2	1	–	1	–
193	THYROID GLAND	3	1	–	2	–
195	OTHER AND ILL-DEFINED SITES	9	6	–	3	–
199	MALIGNANT NEOPLASM WITHOUT SPECIFICATION OF SITE	125	66	2	57	–
200 - 208	MALIGNANT NEOPLASMS OF LYMPHATC AND HEMATOPOIETIC TISSUE	182	105	1	75	1
200	LYMPHOSARCOMA AND RETICULOSARCOMA	4	3	–	1	–
201	HODGKIN'S DISEASE	8	5	–	3	–
202	OTHER MALIGNANT NEOPLASM OF LYMPHOID AND HISTIOCYTIC TISSUE	66	36	1	28	1
203	MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS	39	25	–	14	–
204	LYMPHOID LEUKEMIA	28	17	–	11	–
205	MYELOID LEUKEMIA	22	9	–	13	–
208	LEUKEMIA OF UNSPECIFIED CELL TYPE	15	10	–	5	–
210 - 229	BENIGN NEOPLASMS	6	–	1	4	1
212	RESPIRATORY AND INTRATHORACIC ORGANS	2	–	–	1	1
225	BRAIN AND OTHER PARTS OF NERVOUS SYSTEM	3	–	–	3	–
228	HEMANGIOMA AND LYMPHANGIOMA, ANY SITE	1	–	1	–	–
235 - 238	NEOPLASMS OF UNCERTAIN BEHAVIOR	6	5	–	1	–
237	ENDOCRINE GLANDS AND NERVOUS SYSTEM	1	–	–	1	–
238	OTHER AND UNSPECIFIED SITES AND TISSUES	5	5	–	–	–
239	NEOPLASMS OF UNSPECIFIED NATURE	15	9	–	6	–
240 - 279	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES, AND IMMUNITY DISORDERS	279	117	6	140	16
240 - 246	DISORDERS OF THYROID GLAND	7	2	–	5	–
240	SIMPLE AND UNSPECIFIED GOITER	1	–	–	1	–
242	THYROTOXICOSIS WITH OR WITHOUT GOITER	2	1	–	1	–
244	ACQUIRED HYPOTHYROIDISM	4	1	–	3	–
250 - 259	DISEASES OF OTHER ENDOCRINE GLANDS	217	90	6	107	14
250	DIABETES MELLITUS	215	90	6	105	14
251	OTHER DISORDERS OF PANCREATIC INTERNAL SECRETION	1	–	–	1	–
253	DISORDERS OF PITUITARY GLAND AND ITSHYPOTHALAMIC CONTROL	1	–	–	1	–
260 - 269	NUTRITIONAL DEFICIENCIES	12	7	–	5	–
261	NUTRITIONAL MARASMUS	2	1	–	1	–
263	OTHER AND UNSPECIFIED PROTIEN-CALORIE MALNUTRITION	8	5	–	3	–
269	OTHER NUTRITIONAL DEFICIENCY	2	1	–	1	–
270 - 279	OTHER METABOLIC DISORDERS AND IMMUNITY DISORDERS	43	18	–	23	2
272	LIPOID METABOLISM	9	4	–	4	1
276	FLUID, ELECTROLYTE, AND ACID-BASE BALANCE	17	6	–	10	1
277	OTHER AND UNSPECIFIED DISORDERS OF METABOLISM	7	4	–	3	–
278	OBESITY AND OTHER HYPERALIMENTATION	9	3	–	6	–
279	DISORDER INVOLVING THE IMMUNE MECHANISM	1	1	–	–	–
280 - 289	DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	26	13	–	13	–
280	IRON DEFICIENCY ANEMIA	1	–	–	1	–
281	OTHER DEFICIENCY ANAEMIA	1	1	–	–	–
282	HEREDITARY HAEMOLYTIC ANAEMIA	3	1	–	2	–
284	APLASTIC ANEMIA	4	2	–	2	–
285	OTHER AND UNSPECIFIED ANEMIAS	5	1	–	4	–
286	COAGULATION DEFECT	1	–	–	1	–
287	PURPURA AND OTHER HEMORRHAGIC CONDITIONS	1	1	–	–	–
289	OTHER DISEASE OF BLOOD AND BLOOD-FORMING ORGANS	10	7	–	3	–

* ANY RACIAL CATEGORY MAY INCLUDE "HISPANIC"; "OTHER" ALSO INCLUDES RACE NOT STATED.

FREQUENCY OF DEATH BY SEX, RACE* AND CAUSE
MONTANA RESIDENTS, 1994

INTERNAT'L CLASSIF. (ICD-9)	CAUSE OF DEATH	TOTAL	MALE		FEMALE	
			WHITE*	OTHER	WHITE*	OTHER
290 – 319	MENTAL DISORDERS	180	53	9	113	5
290 – 294	ORGANIC PSYCHOTIC CONDITIONS	80	20	2	58	–
290	SENILE AND PRESENILE ORGANIC PSYCHOTIC CONDITIONS	77	19	1	57	–
291	ALCOHOLIC PSYCHOSIS	1	–	1	–	–
294	OTHER CHRONIC ORGANIC PSYCHOTIC CONDITION	2	1	–	1	–
295 – 299	OTHER PSYCHOSES	55	18	–	37	–
298	OTHER NONORGANIC PSYCHOSES	55	18	–	37	–
300 – 316	NEUROTIC, PERSONALITY, AND OTHER NONPSYCHOTIC MENTAL DISORDERS	45	15	7	18	5
303	ALCOHOL DEPENDENCE SYNDROME	31	12	6	9	4
304	DRUG DEPENDENCE	1	–	–	–	1
305	NONDEPENDENT ABUSE OF DRUGS	4	2	1	1	–
310	SPECIFIC NONPSYCHOTIC MENTAL DISORDERS AFTER ORGANIC BRAIN DAMAGE	7	1	–	6	–
311	DEPRESSIVE DISORDER, NOT ELSEWHERE CLASSIFIED	2	–	–	2	–
320 – 389	DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS	198	92	3	98	5
320 – 326	INFLAMMATORY DISEASES OF THE CENTRAL NERVOUS SYSTEM	5	1	–	4	–
320	BACTERIAL MENINGITIS	1	1	–	–	–
322	MENINGITIS OF UNSPECIFIED CAUSE	1	–	–	1	–
323	ENCEPHALITIS, MYELITIS, AND ENCEPHALOMYELITIS	1	–	–	1	–
324	INTRACRANIAL AND INTRASPINAL ABSCESS	1	–	–	1	–
325	PHLEBITIS AND THROMBOPHLEBITIS OF INTRACRANIAL VENOUS SINUSES	1	–	–	1	–
330 – 337	HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM	156	72	–	81	3
331	OTHER CEREBRAL DEGENERATION (INCLUDING ALZHEIMER'S)	99	41	–	56	2
332	PARKINSON'S DISEASE	29	17	–	12	–
333	OTHER EXTRAPYRAMIDAL DISEASE AND ABNORMAL MOVEMENT DISORDERS	4	2	–	2	–
334	SPINOCEREBELLAR DISEASE	2	2	–	–	–
335	ANTERIOR HORN CELL DISEASE	22	10	–	11	1
340 – 349	OTHER DISORDERS OF THE CENTRAL NERVOUS SYSTEM	31	15	2	13	1
340	MULTIPLE SCLEROSIS	14	5	–	9	–
343	INFANTILE CEREBRAL PALSY	6	3	1	2	–
344	OTHER PARALYTIC SYNDROMES	2	1	–	1	–
345	EPILEPSY	4	4	–	–	–
348	OTHER CONDITION OF BRAIN	4	1	1	1	1
349	OTHER AND UNSPECIFIED DISORDERS OF THE NERVOUS SYSTEM	1	1	–	–	–
350 – 359	DISORDERS OF PERIPHERAL NERVOUS SYSTEM	6	4	1	–	1
357	INFLAMMATORY AND TOXIC NEUROPATHY	1	–	–	–	1
358	MYONEURAL DISORDERS	1	1	–	–	–
359	MUSCULAR DYSTROPHIES AND OTHER MYOPATHIES	4	3	1	–	–
390 – 459	DISEASES OF THE CIRCULATORY SYSTEM	2,701	1,339	55	1,257	50
393 – 398	CHRONIC RHEUMATIC HEART DISEASE	28	9	–	18	1
394	DISEASE OF MITRAL VALVE	11	4	–	7	–
396	DISEASE OF MITRAL AND AORTIC VALVE	5	1	–	4	–
397	DISEASE OF OTHER ENDOCARDIAL STRUCTURES	4	2	–	1	1
398	OTHER RHEUMATIC HEART DISEASE	8	2	–	6	–
401 – 405	HYPERTENSIVE DISEASE	90	32	1	55	2
401	ESSENTIAL HYPERTENSION	30	6	–	23	1
402	HYPERTENSIVE HEART DISEASE	37	17	1	18	1
403	HYPERTENSIVE RENAL DISEASE	16	8	–	8	–
404	HYPERTENSIVE HEART AND RENAL DISEASE	7	1	–	6	–
410 – 414	ISCHEMIC HEART DISEASE	1,107	644	25	421	17
410	ACUTE MYOCARDIAL INFARCTION	557	340	14	196	7
412	OLD MYOCARDIAL INFARCTION	1	–	–	1	–
413	ANGINA PECTORIS	3	–	–	2	1
414	OTHER FORM OF CHRONIC ISCHEMIC HEART DISEASE	546	304	11	222	9
415 – 417	DISEASES OF PULMONARY CIRCULATION	34	15	–	18	1
415	ACUTE PULMONARY HEART DISEASE	30	14	–	15	1
416	CHRONIC PULMONARY HEART DISEASE	3	1	–	2	–
417	OTHER DISEASES OF PULMONARY CIRCULATION	1	–	–	1	–

* ANY RACIAL CATEGORY MAY INCLUDE "HISPANIC"; "OTHER" ALSO INCLUDES RACE NOT STATED.

TABLE 9 (CONTINUED)

FREQUENCY OF DEATH BY SEX, RACE* AND CAUSE
MONTANA RESIDENTS, 1994

INTERNAT'L CLASSIF. (ICD-9)	CAUSE OF DEATH	TOTAL	MALE		FEMALE	
			WHITE*	OTHER	WHITE*	OTHER
420 – 429	OTHER FORMS OF HEART DISEASE	694	324	13	339	18
421	ACUTE AND SUBACUTE ENDOCARDITIS	1	–	–	1	–
423	OTHER DISEASES OF PERICARDIUM	2	2	–	–	–
424	OTHER DISEASES OF ENDOCARDIUM	81	32	1	48	–
425	CARDIOMYOPATHY	61	36	3	21	1
426	CONDUCTION DISORDERS	5	2	–	3	–
427	CARDIAC DYSRHYTHMIAS	161	79	2	73	7
428	HEART FAILURE	202	77	3	115	7
429	ILL-DEFINED DESCRIPTIONS AND COMPLICATIONS OF HEART DISEASE	181	96	4	78	3
430 – 438	CEREBROVASCULAR DISEASE	572	218	10	336	8
430	SUBARACHNOID HEMORRHAGE	27	6	–	17	4
431	INTRACEREBRAL HEMORRHAGE	48	25	1	22	–
432	OTHER AND UNSPECIFIED INTRACRANIAL HEMORRHAGE	18	7	–	11	–
433	OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES	5	3	–	2	–
434	OCCLUSION OF CEREBRAL ARTERIES	28	6	–	22	–
435	TRANSIENT CEREBRAL ISCHEMIA	2	–	–	2	–
436	ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE	359	130	9	216	4
437	OTHER AND ILL-DEFINED CEREBROVASCULAR DISEASE	47	20	–	27	–
438	LATE EFFECT OF CEREBROVASCULAR DISEASE	38	21	–	17	–
440 – 448	DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES	163	91	5	64	3
440	ATHEROSCLEROSIS	75	34	3	38	–
441	AORTIC ANEURYSM	60	42	1	16	1
442	OTHER ANEURYSM	3	3	–	–	–
443	OTHER PERIPHERAL VASCULAR DISEASE	16	9	1	6	–
444	ARTERIAL EMBOLISM AND THROMBOSIS	3	1	–	2	–
446	POLYARTERITIS NODOSA AND ALLIED CONDITIONS	4	1	–	1	2
447	OTHER DISORDER OF ARTERIES AND ARTERIOLES	2	1	–	1	–
451 – 459	DISEASES OF VEINS AND LYMPHATICS AND OTHER CIRCULATORY DISEASES	13	6	1	6	–
451	PHLEBITIS AND THROMBOPHLEBITIS	2	2	–	–	–
453	OTHER VENOUS EMBOLISM AND THROMBOSIS	3	1	–	2	–
458	HYPOTENSION	1	–	1	–	–
459	OTHER DISORDER OF CIRCULATORY SYSTEM	7	3	–	4	–
460 – 519	DISEASES OF RESPIRATRY SYSTEM	871	461	15	383	12
460 – 466	ACUTE RESPIRATORY INFECTIONS	2	1	–	1	–
466	ACUTE BRONCHITIS AND BRONCHIOLITIS	2	1	–	1	–
480 – 487	PNEUMONIA AND INFLUENZA	291	147	5	135	4
480	VIRAL PNEUMONIA	1	1	–	–	–
481	PNEUMOCOCCAL PNEUMONIA	5	2	–	3	–
482	OTHER BACTERIAL PNEUMONIA	5	3	1	1	–
485	BRONCHOPNEUMONIA, ORGANISM UNSPECIFIED	11	6	1	4	–
486	PNEUMONIA, ORGANISM UNSPECIFIED	254	130	3	117	4
487	INFLUENZA	15	5	–	10	–
490 – 496	CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS	485	264	6	209	6
490	BRONCHITIS NOT SPECIFIED AS ACUTE ORCHRONIC	1	–	–	1	–
491	CHRONIC BRONCHITIS	13	8	–	5	–
492	EMPHYSEMA	76	50	–	26	–
493	ASTHMA	32	12	–	19	1
494	BRONCHIECTASIS	4	1	–	3	–
495	EXTRINSIC ALLERGIC ALVEOLITIS	1	1	–	–	–
496	CHRONIC AIRWAYS OBSTRUCTION NOT ELSEWHERE CLASSIFIED	358	192	6	155	5
500 – 508	PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS	31	19	1	11	–
500	COALWORKERS' PNEUMOCONIOSIS	1	1	–	–	–
501	ASBESTOSIS	3	3	–	–	–
507	PNEUMONITIS DUE TO SOLIDS AND LIQUIDS	27	15	1	11	–
510 – 519	OTHER RESPIRATORY SYSTEM DISEASES	62	30	3	27	2
511	PLEURISY	1	1	–	–	–
512	PNEUMOTHORAX	1	1	–	–	–
513	ABSCESS OF LUNG AND MEDIASTINUM	3	1	1	1	–
514	PULMONARY CONGESTION AND HYPOSTASIS	2	2	–	–	–
515	POSTINFLAMMATORY PULMONARY FIBROSIS	36	14	2	19	1
516	OTHER ALVEOLAR AND PARIETOALVEOLAR PNEUMOPATHY	2	1	–	1	–
518	OTHER DISEASES OF LUNG	13	9	–	3	1
519	OTHER DISEASES OF RESPIRATORY SYSTEM	4	1	–	3	–

* ANY RACIAL CATEGORY MAY INCLUDE "HISPANIC"; "OTHER" ALSO INCLUDES RACE NOT STATED.

FREQUENCY OF DEATH BY SEX, RACE* AND CAUSE
MONTANA RESIDENTS, 1994

INTERNAT'L CLASSIF. (ICD-9)	CAUSE OF DEATH	TOTAL	MALE		FEMALE	
			WHITE*	OTHER	WHITE*	OTHER
520 – 579	DISEASES OF THE DIGESTIVE SYSTEM	248	109	17	117	5
530 – 537	DISEASES OF ESOPHAGUS, STOMACH, AND DUODENUM	25	11	1	13	–
530	DISEASES OF ESOPHAGUS	8	3	1	4	–
531	GASTRIC ULCER	2	2	–	–	–
532	DUODENAL ULCER	7	3	–	4	–
533	PEPTIC ULCER, SITE UNSPECIFIED	6	2	–	4	–
535	GASTRITIS AND DUODENITIS	1	1	–	–	–
537	OTHER DISORDERS OF STOMACH AND DUODENUM	1	–	–	1	–
540 – 543	APPENDICITIS	3	1	1	1	–
540	ACUTE APPENDICITIS	1	1	–	–	–
541	APPENDICITIS, UNQUALIFIED	2	–	1	1	–
550 – 553	HERNIA OF ABDOMINAL CAVITY	4	1	–	3	–
552	OTHER HERNIA OF ABDOMINAL CAVITY WITH OBSTRUCTION BUT WITHOUT GANGRENE	3	1	–	2	–
553	OTHER HERNIA OF ABDOMINAL CAVITY WITHOUT OBSTRUCTION OR GANGRENE	1	–	–	1	–
555 – 558	NONINFECTIVE ENTERITIS AND COLITIS	36	11	–	24	1
555	REGIONAL ENTERITIS	1	–	–	1	–
557	VASCULAR INSUFFICIENCY OF INTESTINE	30	10	–	19	1
558	OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS	5	1	–	4	–
560 – 569	OTHER DISEASES OF INTESTINES AND PERITONEUM	43	20	1	22	–
560	INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA	15	6	–	9	–
562	DIVERTICULA OF INTESTINE	8	2	–	6	–
564	FUNCTIONAL DIGESTIVE DISORDERS, NOT ELSEWHERE CLASSIFIED	2	–	–	2	–
566	ABSCESS OF ANAL AND RECTAL REGIONS	1	–	–	1	–
567	PERITONITIS	10	8	–	2	–
569	OTHER DISORDERS OF INTESTINE	7	4	1	2	–
570 – 579	OTHER DISEASES OF DIGESTIVE SYSTEM	137	65	14	54	4
570	ACUTE AND SUBACUTE NECROSIS OF LIVER	1	1	–	–	–
571	CHRONIC LIVER DISEASE AND CIRRHOSIS	70	35	11	22	2
572	LIVER ABSCESS AND SEQUELAE OF CHRONIC LIVER DISEASE	14	7	1	4	2
573	OTHER DISORDERS OF LIVER	9	2	1	6	–
574	CHOLELITHIASIS	6	5	–	1	–
575	OTHER DISORDERS OF GALLBLADDER	4	1	–	3	–
576	OTHER DISORDERS OF BILIARY TRACT	4	3	–	1	–
577	DISEASE OF PANCREAS	8	3	–	5	–
578	GASTROINTESTINAL HEMORRHAGE	21	8	1	12	–
580 – 629	DISEASES OF THE GENITOURINARY SYSTEM	117	55	3	54	5
580 – 589	NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS	76	39	3	30	4
580	ACUTE GLOMERULONEPHRITIS	1	1	–	–	–
582	CHRONIC GLOMERULONEPHRITIS	3	2	–	1	–
583	NEPHRITIS AND NEPHROPATHY, NOT SPECIFIED AS ACUTE OR CHRONIC	3	1	–	2	–
584	ACUTE RENAL FAILURE	12	7	–	5	–
585	CHRONIC RENAL FAILURE	6	2	–	4	–
586	RENAL FAILURE, UNSPECIFIED	51	26	3	18	4
590 – 599	OTHER DISEASE OF URINARY SYSTEM	35	12	–	22	1
590	INFECTIONS OF KIDNEY	5	1	–	4	–
592	CALCULUS OF KIDNEY AND URETER	1	–	–	1	–
593	OTHER DISORDERS OF KIDNEY AND URETER	4	1	–	3	–
596	OTHER DISORDERS OF BLADDER	2	–	–	2	–
599	OTHER DISORDERS OF URETHRA AND URINARY TRACT	23	10	–	12	1
600 – 608	DISEASES OF MALE GENITAL ORGANS	4	4	–	–	–
600	HYPERPLASIA OF PROSTATE	2	2	–	–	–
601	INFLAMMATORY DISEASE OF PROSTATE	1	1	–	–	–
608	OTHER DISORDERS OF MALE GENITAL ORGANS	1	1	–	–	–
610 – 611	DISORDERS OF BREAST	1	–	–	1	–
611	OTHER DISORDERS OF BREAST	1	–	–	1	–
614 – 616	INFLAMMATORY DISEASE OF FEMALE PELVIC ORGANS	1	–	–	1	–
614	INFLAMMATORY DISEASE OF OVARY, FALLOPIAN TUBE, PELVIC CELLULAR TISSUE, AND PERITONEUM	1	–	–	1	–
680 – 709	DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE	7	3	1	3	–

* ANY RACIAL CATEGORY MAY INCLUDE "HISPANIC"; "OTHER" ALSO INCLUDES RACE NOT STATED.

FREQUENCY OF DEATH BY SEX, RACE* AND CAUSE
MONTANA RESIDENTS, 1994

INTERNATL CLASSIF. (ICD-9)	CAUSE OF DEATH	TOTAL	MALE		FEMALE	
			WHITE*	OTHER	WHITE*	OTHER
680 – 686	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE	3	1	1	1	–
682	OTHER CELLULITIS AND ABSCESS	3	1	1	1	–
700 – 709	OTHER DISEASE OF SKIN AND SUBCUTANEOUS TISSUE	4	2	–	2	–
707	CHRONIC ULCER OF SKIN	4	2	–	2	–
710 – 739	MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE DISEASES	41	14	–	25	2
710 – 719	ARTHROPATHIES AND RELATED DISORDERS	25	9	–	15	1
710	DIFFUSE DISEASE OF CONNECTIVE TISSUE	6	3	–	2	1
711	ARTHROPATHY ASSOCIATED WITH INFECTIONS	2	1	–	1	–
714	RHEUMATOID ARTHRITIS AND OTHER INFLAMMTORY POLYARTHROPATHIES	10	3	–	7	–
715	OSTEOARTHROSIS AND ALLIED DISORDERS	5	2	–	3	–
716	OTHER AND UNSPECIFIED ARTHROPATHIES	1	–	–	1	–
718	OTHER DERANGEMENT OF JOINT	1	–	–	1	–
720 – 724	DORSOPATHIES	3	1	–	2	–
720	ANKYLOSING SPONDYLITIS AND OTHER INFLAMMATORY SPONDYLOPATHIES	2	1	–	1	–
722	INTERVERTEBRAL DISC DISORDERS	1	–	–	1	–
725 – 729	RHEUMATISM, EXCLUDING THE BACK	1	1	–	–	–
729	OTHER DISORDERS OF SOFT TISSUES	1	1	–	–	–
730 – 739	OSTEOPATHIES, CHONDROPATHIES, AND ACQUIRED MUSCULOSKELETAL DEFORMITIES	12	3	–	8	1
730	OSTEOMYELITIS, PERIOSTITIS, AND OTHER INFECTIONS INVOLVING BONE	2	1	–	1	–
733	OTHER DISORDERS OF BONE AND CARTILAGE	8	1	–	6	1
737	CURVATURE OF SPINE	2	1	–	1	–
740 – 759	CONGENITAL ANOMALIES	34	18	1	13	2
740	ANENCEPHALUS AND SIMILAR ANOMALIES	1	1	–	–	–
742	OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM	3	2	–	1	–
745	BULBUS CORDIS ANOMALIES AND ANOMALIES OF CARDIAC SEPTAL CLOSURE	3	–	–	3	–
746	OTHER CONGENITAL ANOMALIES OF HEART	8	6	–	2	–
747	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM	4	3	–	–	1
748	CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM	4	2	–	2	–
753	CONGENITAL ANOMALIES OF URINARY SYSTEM	3	1	–	1	1
756	OTHER CONGENITAL MUSCULOSKELETAL ANOMALIES	1	–	–	1	–
758	CHROMOSOMAL ANOMALIES	3	2	–	1	–
759	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES	4	1	1	2	–
760 – 779	CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	28	15	3	8	2
761	MATERNAL COMPLICATIONS OF PREGNANCY	1	–	–	1	–
762	COMPLICATIONS OF PLACENTA, CORD AND MEMBRANES	3	1	2	–	–
765	DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT	4	1	–	3	–
768	INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA	3	2	–	1	–
769	RESPIRATORY DISTRESS SYNDROME	3	3	–	–	–
770	OTHER RESPIRATORY CONDITION OF FETUS AND NEWBORN	8	6	1	1	–
771	INFECTION SPECIFIC TO THE PERINATAL PERIOD	3	1	–	1	1
772	FETAL AND NEONATAL HEMORRHAGE	1	1	–	–	–
776	HEMATOLOGICAL DISORDERS OF FETUS AND NEWBORN	1	–	–	–	1
779	OTHER ILL-DEFINED CONDITION ORIGINATING IN PERINATAL PERIOD	1	–	–	1	–
780 – 799	SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS	132	52	2	75	3
780 – 789	SYMPTOMS	13	1	–	11	1
780	GENERAL SYMPTOMS	3	1	–	2	–
785	SYMPTOMS INVOLVING CARDIOVASCULAR SYSTEM	9	–	–	9	–
786	SYMPTOMS INVOLVING RESPIRATORY SYSTEM AND OTHER CHEST SYMPTOMS	1	–	–	–	1
797 – 799	ILL-DEFINED AND UNKNOWN CAUSES OF MORBIDITY AND MORTALITY	119	51	2	64	2
797	SENILITY WITHOUT MENTION OF PSYCHOSIS	23	6	–	17	–
798	SUDDEN DEATH, CAUSE UNKNOWN (INCLUDING SIDS)	18	12	1	4	1
799	OTHER ILL-DEFINED AND UNKNOWN CAUSES OF MORBIDITY AND MORTALITY	78	33	1	43	1

* ANY RACIAL CATEGORY MAY INCLUDE "HISPANIC"; "OTHER" ALSO INCLUDES RACE NOT STATED.

TABLE 9 (CONTINUED)

FREQUENCY OF DEATH BY SEX, RACE* AND CAUSE
MONTANA RESIDENTS, 1994

INTERNAT'L CLASSIF. (ICD-9)	CAUSE OF DEATH	TOTAL	MALE		FEMALE	
			WHITE*	OTHER	WHITE*	OTHER
800 – 999	EXTERNAL CAUSES OF INJURY AND POISONING	600	386	58	133	23
800 – 807	RAILWAY ACCIDENTS	7	3	3	–	1
805	HIT BY ROLLING STOCK	7	3	3	–	1
810 – 819	MOTOR VEHICLE TRAFFIC ACCIDENTS	184	103	20	48	13
810	INVOLVING COLLISION WITH TRAIN	1	1	–	–	–
812	INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE	70	37	4	24	5
814	INVOLVING COLLISION WITH PEDESTRIAN	13	4	4	3	2
815	OTHER TRAFFIC ACCIDENT INVOLVING COLLISION ON THE HIGHWAY	10	6	1	2	1
816	LOSS OF CONTROL, WITHOUT COLLISION ON THE HIGHWAY	79	49	9	16	5
818	OTHER NONCOLLISION TRAFFIC ACCIDENT	7	4	1	2	–
819	MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE	4	2	1	1	–
820 – 825	MOTOR VEHICLE NON-TRAFFIC ACCIDENTS	8	7	1	–	–
820	INVOLVING MOTOR-DRIVEN SNOW VEHICLE	3	3	–	–	–
821	INVOLVING OTHER OFF-ROAD MOTOR VEHICLE	2	2	–	–	–
822	INVOLVING COLLISION WITH MOVING OBJECT	2	2	–	–	–
825	OTHER AND UNSPECIFIED NATURE	1	–	1	–	–
826 – 829	OTHER ROAD VEHICLE ACCIDENTS	3	3	–	–	–
828	ACCIDENT INVOLVING ANIMAL BEING RIDDEN	3	3	–	–	–
830 – 838	WATER TRANSPORT ACCIDENTS	5	5	–	–	–
830	ACCIDENT TO WATERCRAFT CAUSING SUBMERSION	5	5	–	–	–
840 – 845	AIR AND SPACE TRANSPORT ACCIDENTS	7	6	1	–	–
841	ACCIDENT TO POWERED AIRCRAFT, OTHER AND UNSPECIFIED	7	6	1	–	–
850 – 858	ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS AND BIOLOGICALS	14	5	1	8	–
850	BY ANALGESICS, ANTIPYRETICS, ANTIRHEUMATICS	5	2	–	3	–
855	BY OTHER DRUGS ACTING ON CENTRAL AND AUTONOMIC NERVOUS SYSTEMS	3	1	1	1	–
857	BY OTHER ANTI-INFECTIVES	1	1	–	–	–
858	BY OTHER DRUGS	5	1	–	4	–
860 – 869	ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES, GASES, AND VAPORS	8	5	1	1	1
860	BY ALCOHOL, NOT ELSEWHERE CLASSIFIED	1	1	–	–	–
867	BY GAS DISTRIBUTED BY PIPELINE	1	1	–	–	–
868	BY OTHER UTILITY GAS AND OTHER CARBON MONOXIDE	5	3	1	–	1
869	BY OTHER GASES AND VAPORS	1	–	–	1	–
870 – 876	MISADVENTURES TO PATIENTS DURING SURGICAL AND MEDICAL CARE	2	1	–	1	–
870	ACCIDENTAL CUT, PUNCTURE, PERFORATION, OR HEMORRHAGE DURING MEDICAL CARE	2	1	–	1	–
878 – 879	SURGICAL AND MEDICAL PROCEDURES CAUSING REACTION OR LATER COMPLICATIONS WITHOUT MENTION OF MISADVENTURE	1	1	–	–	–
878	SURGICAL PROCEDURES CAUSING REACTION WITHOUT MENTION OF MISADVENTURE AT THE TIME OF OPERATION	1	1	–	–	–
880 – 888	ACCIDENTAL FALLS	53	22	3	28	–
880	FALL ON OR FROM STAIRS OR STEPS	5	2	1	2	–
882	FALL FROM OR OUT OF BUILDING OR OTHER STRUCTURE	2	1	–	1	–
883	FALL INTO HOLE OR OTHER OPENING IN SURFACE	1	–	1	–	–
884	OTHER FALL FROM ONE LEVEL TO ANOTHER	3	1	–	2	–
885	FALL ON SAME LEVEL FROM SLIPPING, TRIPPING, OR STUMBLING	4	2	–	2	–
887	FRACTURE, CAUSE UNSPECIFIED	6	–	–	6	–
888	OTHER AND UNSPECIFIED FALL	32	16	1	15	–
890 – 899	ACCIDENTS CAUSED BY FIRE AND FLAMES	10	6	–	4	–
890	CONFLAGRATION IN PRIVATE DWELLING	6	2	–	4	–
892	CONFLAGRATION NOT IN BUILDING OR STRUCTURE	4	4	–	–	–
900 – 909	ACCIDENTS DUE TO NATURAL AND ENVIRONMENTAL FACTORS	17	11	2	3	1
901	EXCESSIVE COLD	11	7	2	1	1
904	HUNGER, THIRST, EXPOSURE, AND NEGLECT	3	1	–	2	–
906	OTHER INJURY CAUSED BY ANIMALS	1	1	–	–	–
909	CATACLYSMIC EARTH SURFACE MOVEMENTS	2	2	–	–	–

* ANY RACIAL CATEGORY MAY INCLUDE "HISPANIC"; "OTHER" ALSO INCLUDES RACE NOT STATED.

TABLE 9 (CONCLUDED)

FREQUENCY OF DEATH BY SEX, RACE* AND CAUSE
MONTANA RESIDENTS, 1994

INTERNAT'L CLASSIF. (ICD-9)	CAUSE OF DEATH	TOTAL	MALE		FEMALE	
			WHITE*	OTHER	WHITE*	OTHER
910 – 915	ACCIDENTS CAUSED BY SUBMERSION, SUFFOCATION, AND FOREIGN BODIES	30	20	5	5	–
910	ACCIDENTAL DROWNING AND SUBMERSION	17	11	5	1	–
911	INHALATION AND INGESTION OF FOOD CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION	1	1	–	–	–
912	INHALATION AND INGESTION OF OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION	4	2	–	2	–
913	ACCIDENTAL MECHANICAL SUFFOCATION	8	6	–	2	–
916 – 928	OTHER ACCIDENTS	39	30	4	3	2
916	STRUCK ACCIDENTALLY BY FALLING OBJECT	7	6	–	–	1
919	ACCIDENT CAUSED BY MACHINERY	10	9	–	1	–
920	CAUSED BY CUTTING AND PIERCING INSTRUMENTS OR OBJECTS	1	1	–	–	–
922	CAUSED BY FIREARM MISSILE	13	9	3	1	–
923	CAUSED BY EXPLOSIVE MATERIAL	1	1	–	–	–
924	BY HOT SUBSTANCE OR OBJECT, CAUSTIC OR CORROSIVE MATTERIAL, AND STEAM	2	–	–	1	1
925	ACCIDENT CAUSED BY ELECTRIC CURRENT	2	2	–	–	–
928	OTHER AND UNSPECIFIED ENVIRONMENTAL AND ACCIDENTAL CAUSE	3	2	1	–	–
929	LATE EFFECTS OF ACCIDENTAL INJURY	3	3	–	–	–
950 – 959	SUICIDE AND SELF-INFLICTED INJURY	159	131	6	19	3
950	SELF-INFLICTED POISONING BY SOLID OR LIQUID	12	5	1	6	–
952	SELF-INFLICTEDPOISONING BY OTHER GASES AND VAPORS	13	11	–	2	–
953	SELF-INFLICTEDINJURY BY HANGING, STRANGULATION, AND SUFFOCATION	7	7	–	–	–
954	SELF-INFLICTED INJURY BY DROWNING (IMMERSION)	3	3	–	–	–
955	SELF-INFLICTED INJURY BY FIREARMS AND EXPLOSIVES	116	101	4	9	2
956	SELF-INFLICTED INJURY BY CUTTING AND PIERCING INSTRUMENTS	4	2	1	1	–
957	SELF-INFLICTED INJURY BY JUMPING FROM HIGH PLACE	1	1	–	–	–
958	SELF INFLICTED INJURY BY OTHER AND UNSPECIFIED MEANS	3	1	–	1	1
960 – 969	HOMICIDE AND INJURY PURPOSELY INFLICTED BY OTHERS	34	15	9	8	2
965	ASSAULT BY FIREARMS AND EXPLOSIVES	18	11	2	5	–
966	ASSAULT BY CUTTING AND PIERCING INSTRUMENT	9	3	4	2	–
967	CHILD BATTERING AND OTHER MALTREATMENT	3	–	1	–	2
968	ASSAULT BY OTHER AND UNSPECIFIED MEANS	4	1	2	1	–
970 – 978	LEGAL INTERVENTION	1	1	–	–	–
970	INJURY DUE TO LEGAL INTERVENTION BY FIREARMS	1	1	–	–	–
980 – 989	INJURY UNDETERMINED, WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED	15	8	2	5	–
980	POISONING BY SOLID OR LIQUID SUBSTANCES	10	6	1	3	–
982	POISONING BY OTHER GASES	1	–	–	1	–
985	INJURY BY FIREARMS AND EXPLOSIVES	2	1	1	–	–
988	INJURY BY OTHER AND UNSPECIFIED MEANS	2	1	–	1	–

* ANY RACIAL CATEGORY MAY INCLUDE "HISPANIC"; "OTHER" ALSO INCLUDES RACE NOT STATED.

FREQUENCY OF DEATH BY AGE, SEX, AND CAUSE
MONTANA RESIDENTS, 1994

CAUSE OF DEATH	ALL AGES			UNDER 1 YEAR		1		2-4		5-9		10-14		15-17	
	BOTH	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
TOTAL, ALL CAUSES	7,331	3,950	3,381	57	25	3	4	10	2	8	2	14	5	21	10
CIRCULATORY SYSTEM DISEASES	2,701	1,394	1,307	1	1	1	-	-	-	1	-	-	-	-	-
HEART DISEASE	1,907	1,049	858	-	1	1	-	-	-	-	-	-	-	-	-
ACUTE MYOCARDIAL INFARCTION	557	354	203	-	-	-	-	-	-	-	-	-	-	-	-
OTHER CHRONIC ISCHEMIC HEART DISEASE	550	315	235	-	-	-	-	-	-	-	-	-	-	-	-
PULMONARY HEART DISEASE	34	15	19	-	-	-	-	-	-	-	-	-	-	-	-
HYPERTENSIVE HEART DISEASE	37	18	19	-	-	-	-	-	-	-	-	-	-	-	-
HYPERTENSIVE HEART AND RENAL DISEASE	7	1	6	-	-	-	-	-	-	-	-	-	-	-	-
RHEUMATIC FEVER AND RHEUMATIC HEART	28	9	19	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER HEART DISEASE	694	337	357	-	1	1	-	-	-	-	-	-	-	-	-
OTHER CIRCULATORY SYSTEM DISEASES	794	345	449	1	-	-	-	-	-	1	-	-	-	-	-
ESSENTIAL HYPERTENSION	30	6	24	-	-	-	-	-	-	-	-	-	-	-	-
HYPERTENSIVE RENAL DISEASE	16	8	8	-	-	-	-	-	-	-	-	-	-	-	-
CEREBROVASCULAR DISEASE (INCLUDING STROKE)	572	228	344	-	-	-	-	-	-	1	-	-	-	-	-
ATHEROSCLEROSIS	75	37	38	-	-	-	-	-	-	-	-	-	-	-	-
AORTIC ANEURYSM	60	43	17	-	-	-	-	-	-	-	-	-	-	-	-
OTHER CIRCULATORY SYSTEM DISEASES	41	23	18	1	-	-	-	-	-	-	-	-	-	-	-
NEOPLASMS	1,767	990	777	1	1	-	-	1	-	-	-	1	-	-	-
CANCER (MALIGNANT NEOPLASMS*)	1,740	975	765	-	1	-	-	1	-	-	-	1	-	-	-
TRACHEA, BRONCHUS, AND LUNG	457	283	174	-	-	-	-	-	-	-	-	-	-	-	-
COLON	147	82	65	-	-	-	-	-	-	-	-	-	-	-	-
RECTUM, RECTOSIGMOID JUNCTION, AND ANUS	37	17	20	-	-	-	-	-	-	-	-	-	-	-	-
PROSTATE	133	133	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE BREAST	123	-	123	-	-	-	-	-	-	-	-	-	-	-	-
CERVIX UTERI	12	-	12	-	-	-	-	-	-	-	-	-	-	-	-
UTERUS, OVARY, AND OTHER UTERINE ADNEXA	63	-	63	-	-	-	-	-	-	-	-	-	-	-	-
LEUKEMIA	65	36	29	-	1	-	-	-	-	-	-	-	-	-	-
OTHER LYMPHOID AND HEMATOPOIETIC TISSUE	117	70	47	-	-	-	-	-	-	-	-	-	-	-	-
PANCREAS	94	51	43	-	-	-	-	-	-	-	-	-	-	-	-
BRAIN	42	27	15	-	-	-	-	1	-	-	-	-	-	-	-
STOMACH	42	21	21	-	-	-	-	-	-	-	-	-	-	-	-
BLADDER	44	35	9	-	-	-	-	-	-	-	-	-	-	-	-

* AN UNCONTROLLED AND INVASIVE GROWTH CAPABLE OF SPREADING TO A DISTANT PART OF THE BODY.

TABLE 10 (CONTINUED)
FREQUENCY OF DEATH BY AGE, SEX, AND CAUSE
MONTANA RESIDENTS, 1994

CAUSE OF DEATH	ALL AGES			UNDER 1 YEAR		1		2-4		5-9		10-14		15-17	
	BOTH	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
NEOPLASMS (CONTINUED)															
CANCER (MALIGNANT NEOPLASMS*)															
KIDNEY AND UNSPECIFIED URINARY ORGANS	33	22	11	-	-	-	-	-	-	-	-	-	-	-	-
LIP, ORAL CAVITY, AND PHARYNX	36	25	11	-	-	-	-	-	-	-	-	-	-	-	-
ESOPHAGUS	40	26	14	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER CANCER	255	147	108	-	-	-	-	-	-	-	-	1	-	-	-
PRE-MALIGNANT AND BENIGN NEOPLASMS**	27	15	12	1	-	-	-	-	-	-	-	-	-	-	-
RESPIRATORY SYSTEM DISEASES	871	476	395	1	-	-	-	-	-	-	-	1	1	-	1
CHRONIC OBSTRUCTIVE PULMONARY DISEASES	485	270	215	-	-	-	-	-	-	-	-	-	1	-	1
EMPHYSEMA	76	50	26	-	-	-	-	-	-	-	-	-	-	-	-
ASTHMA	32	12	20	-	-	-	-	-	-	-	-	-	1	-	1
BRONCHITIS	14	8	6	-	-	-	-	-	-	-	-	-	-	-	-
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES	363	200	163	-	-	-	-	-	-	-	-	-	-	-	-
PNEUMONIA AND INFLUENZA	291	152	139	1	-	-	-	-	-	-	-	-	-	-	-
PNEUMONIA	276	147	129	1	-	-	-	-	-	-	-	-	-	-	-
INFLUENZA	15	5	10	-	-	-	-	-	-	-	-	-	-	-	-
OTHER RESPIRATORY SYSTEM DISEASES	95	54	41	-	-	-	-	-	-	-	-	1	-	-	-
TRAUMATIC INJURY AND POISONING	600	444	156	4	2	-	3	7	1	7	2	11	2	19	8
MOTOR VEHICLE ACCIDENTS	192	131	61	1	1	-	2	3	-	3	-	6	2	6	7
OTHER ACCIDENTS	199	141	58	2	1	-	-	3	-	4	2	3	-	6	1
OTHER TRANSPORTATION ACCIDENTS	22	21	1	-	-	-	-	1	-	1	-	-	-	-	-
ACCIDENTAL FALLS	53	25	28	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENTAL DROWNING AND SUFFOCATION	30	25	5	2	1	-	-	1	-	2	-	2	-	2	-
ACCIDENTAL POISONING	22	12	10	-	-	-	-	-	-	-	-	-	-	-	-
DWELLING FIRE	6	2	4	-	-	-	-	-	-	1	1	-	-	-	-
OTHER FIRE AND FLAME	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENT CAUSED BY FIREARM MISSILE	13	12	1	-	-	-	-	-	-	-	-	1	-	4	-
OTHER ACCIDENTAL INJURY & POISONING	38	31	7	-	-	-	-	1	-	-	1	-	-	-	-
EXCESSIVE COLD	11	9	2	-	-	-	-	-	-	-	-	-	-	-	1
SUICIDE	159	137	22	-	-	-	-	-	-	-	-	-	-	5	-
SUICIDE BY FIREARM	116	105	11	-	-	-	-	-	-	-	-	-	-	4	-
OTHER SUICIDE	43	32	11	-	-	-	-	-	-	-	-	-	-	1	-
HOMICIDE	34	24	10	1	-	-	1	1	1	-	-	2	-	1	-
ASSAULT BY FIREARM	18	13	5	-	-	-	-	-	-	-	-	2	-	1	-
OTHER HOMICIDE	16	11	5	1	-	-	1	1	1	-	-	-	-	-	-
LEGAL INTERVENTION	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-

* AN UNCONTROLLED AND INVASIVE GROWTH CAPABLE OF SPREADING TO A DISTANT PART OF THE BODY.
** A NONINVASIVE GROWTH UNLIKELY TO SPREAD TO OTHER PARTS OF THE BODY.

FREQUENCY OF DEATH BY AGE, SEX, AND CAUSE
MONTANA RESIDENTS, 1994

CAUSE OF DEATH	ALL AGES			UNDER 1 YEAR		1		2-4		5-9		10-14		15-17	
	BOTH	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
TRAUMATIC INJURY AND POISONING															
INJURY - INTENTION UNDETERMINED	15	10	5	-	-	-	-	-	-	-	-	-	-	1	-
DIGESTIVE SYSTEM DISEASES	248	126	122	-	-	-	-	-	-	-	-	-	-	1	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	70	46	24	-	-	-	-	-	-	-	-	-	-	-	-
OTHER DIGESTIVE SYSTEM DISEASES	178	80	98	-	-	-	-	-	-	-	-	-	-	1	-
ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES, AND IMMUNITY DISORDERS	279	123	156	1	-	1	-	-	-	-	-	-	-	-	-
DIABETES MELLITUS	215	96	119	-	-	-	-	-	-	-	-	-	-	-	-
NUTRITIONAL DEFICIENCIES	12	7	5	-	-	-	-	-	-	-	-	-	-	-	-
OTHER METABOLIC AND IMMUNITY DISORDERS	52	20	32	1	-	1	-	-	-	-	-	-	-	-	-
NERVOUS SYSTEM AND SENSE ORGAN DISEASES	198	95	103	2	1	-	-	1	-	-	-	-	-	-	-
CEREBRAL DEGENERATIONS	99	41	58	-	-	-	-	1	-	-	-	-	-	-	-
ALZHEIMER'S DISEASE	93	37	56	-	-	-	-	-	-	-	-	-	-	-	-
OTHER CEREBRAL DEGENERATIONS	6	4	2	-	-	-	-	1	-	-	-	-	-	-	-
OTHER NERVOUS SYSTEM AND SENSE ORGAN DISORDERS	99	54	45	2	1	-	-	-	-	-	-	-	-	-	-
PARKINSON'S DISEASE	29	17	12	-	-	-	-	-	-	-	-	-	-	-	-
MENINGITIS	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES AND DISORDERS OF THE CNS	62	31	31	1	1	-	-	-	-	-	-	-	-	-	-
PERIPHERAL NERVOUS SYSTEM, EYE, AND EAR	6	5	1	1	-	-	-	-	-	-	-	-	-	-	-
MENTAL DISORDERS	180	62	118	-	-	-	-	-	-	-	-	-	1	-	-
ORGANIC PSYCHOTIC CONDITIONS	77	20	57	-	-	-	-	-	-	-	-	-	-	-	-
ALCOHOLIC PSYCHOSES	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER PSYCHOSES	57	19	38	-	-	-	-	-	-	-	-	-	-	-	-
ALCOHOL DEPENDENCE SYNDROME	31	18	13	-	-	-	-	-	-	-	-	-	-	-	-
DRUG DEPENDENCE OR ABUSE	5	3	2	-	-	-	-	-	-	-	-	-	1	-	-
OTHER MENTAL DISORDERS	9	1	8	-	-	-	-	-	-	-	-	-	-	-	-
GENITOURINARY SYSTEM DISEASES	117	58	59	-	-	-	-	-	-	-	-	-	-	-	-
NEPHRITIS, NEPHROSIS	76	42	34	-	-	-	-	-	-	-	-	-	-	-	-
OTHER GENOTOURINARY SYSTEM DISEASES	41	16	25	-	-	-	-	-	-	-	-	-	-	-	-
INFECTIOUS AND PARASITIC DISEASES	102	60	42	2	-	1	-	-	-	-	-	-	1	-	-
TUBERCULOSIS	6	3	3	-	-	1	-	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTION	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
SEPTICEMIA	54	23	31	1	-	-	-	-	-	-	-	-	-	-	-
HIV INFECTION	26	24	2	-	-	-	-	-	-	-	-	-	-	-	-
OTHER INFECTIOUS AND PARASITIC DISEASES	15	9	6	-	-	-	-	-	-	-	-	-	1	-	-
CONDITIONS ORIGINATING IN EARLY INFANCY	28	18	10	17	10	-	-	-	-	-	-	-	-	-	-
MATERNAL COMPLICATION OF PREGNANCY	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
PLACENTA, CORD, AND MEMBRANES	3	3	-	3	-	-	-	-	-	-	-	-	-	-	-

TABLE 10 (CONTINUED)
FREQUENCY OF DEATH BY AGE, SEX, AND CAUSE
MONTANA RESIDENTS, 1994

CAUSE OF DEATH	ALL AGES			UNDER 1 YEAR		1		2-4		5-9		10-14		15-17	
	BOTH	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
CONDITIONS ORIGINATING IN EARLY INFANCY (CONTINUED)															
SHORT GESTATION AND LOW BIRTHWEIGHT	4	1	3	1	3	-	-	-	-	-	-	-	-	-	-
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA	3	2	1	1	1	-	-	-	-	-	-	-	-	-	-
RESPIRATORY DISTRESS SYNDROME	3	3	-	3	-	-	-	-	-	-	-	-	-	-	-
OTHER RESPIRATORY CONDITIONS	8	7	1	7	1	-	-	-	-	-	-	-	-	-	-
PERINATAL INFECTIONS	3	1	2	1	2	-	-	-	-	-	-	-	-	-	-
FETAL AND NEONATAL HEMORRHAGE	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
HEMATOLOGICAL DISORDERS	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
OTHER EARLY INFANCY CONDITIONS	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
CONGENITAL ANOMALIES	34	19	15	15	6	-	1	1	1	-	-	-	-	1	1
ANENCEPHALUS AND SIMILAR ANOMALIES	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
OTHER NERVOUS SYSTEM ANOMALIES	3	2	1	1	-	-	1	-	-	-	-	-	-	1	-
BULBUS CORDIS AND CARDIAC SEPTAL CLOSURE	3	-	3	-	-	-	-	-	1	-	-	-	-	-	-
OTHER ANOMALIES OF HEART	8	6	2	5	-	-	-	1	-	-	-	-	-	-	-
OTHER CIRCULATORY SYSTEM ANOMALIES	4	3	1	3	1	-	-	-	-	-	-	-	-	-	-
URINARY SYSTEM ANOMALIES	3	1	2	-	1	-	-	-	-	-	-	-	-	-	-
CHROMOSOMAL ANOMALIES	3	2	1	1	-	-	-	-	-	-	-	-	-	-	1
ANOMALIES OF RESPIRATORY SYSTEM	4	2	2	2	2	-	-	-	-	-	-	-	-	-	-
OTHER MUSCULOSKELETAL ANOMALIES	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
OTHER AND UNSPECIFIED ANOMALIES	4	2	2	2	1	-	-	-	-	-	-	-	-	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS	132	54	78	13	4	-	-	-	-	-	-	1	-	-	-
SENILITY WITHOUT MENTION OF PSYCHOSIS	23	6	17	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN INFANT DEATH SYNDROME	15	11	4	11	4	-	-	-	-	-	-	-	-	-	-
OTHER ILL DEFINED AND UNKNOWN CAUSES	81	36	45	2	-	-	-	-	-	-	-	1	-	-	-
SYMPTOMS AND NONSPECIFIED ABNORMAL FINDINGS	13	1	12	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER CAUSES	74	31	43	-	-	-	-	-	-	-	-	-	-	-	-
MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	41	14	27	-	-	-	-	-	-	-	-	-	-	-	-
OTHER BLOOD AND BLOOD-FORMING ORGAN DISEASES	26	13	13	-	-	-	-	-	-	-	-	-	-	-	-
SKIN AND SUBCUTANEOUS TISSUE DISEASES	7	4	3	-	-	-	-	-	-	-	-	-	-	-	-

FREQUENCY OF DEATH BY AGE, SEX, AND CAUSE
MONTANA RESIDENTS, 1994

CAUSE OF DEATH	18-19		20-24		25-29		30-34		35-39		40-44		45-49		50–54
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE
TOTAL, ALL CAUSES	24	8	41	16	40	20	60	26	82	40	90	38	122	55	118
CIRCULATORY SYSTEM DISEASES	1	-	-	-	1	1	1	4	14	3	18	5	30	10	47
HEART DISEASE	1	-	-	-	1	1	1	3	11	-	14	5	28	8	33
ACUTE MYOCARDIAL INFARCTION	-	-	-	-	1	1	-	1	4	-	4	1	11	4	16
OTHER CHRONIC ISCHEMIC HEART DISEASE	-	-	-	-	-	-	-	2	2	-	4	1	5	1	8
PULMONARY HEART DISEASE	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-
HYPERTENSIVE HEART DISEASE	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
HYPERTENSIVE HEART AND RENAL DISEASE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RHEUMATIC FEVER AND RHEUMATIC HEART	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER HEART DISEASE	1	-	-	-	-	-	1	-	4	-	6	2	10	1	9
OTHER CIRCULATORY SYSTEM DISEASES	-	-	-	-	-	-	-	1	3	3	4	-	2	2	14
ESSENTIAL HYPERTENSION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
HYPERTENSIVE RENAL DISEASE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
CEREBROVASCULAR DISEASE (INCLUDING STROKE)	-	-	-	-	-	-	-	1	2	1	3	-	1	2	5
ATHEROSCLEROSIS	-	-	-	-	-	-	-	-	1	-	1	-	1	-	2
AORTIC ANEURYSM	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
OTHER CIRCULATORY SYSTEM DISEASES	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2
NEOPLASMS	1	-	3	1	1	-	3	3	11	13	7	15	24	21	28
CANCER (MALIGNANT NEOPLASMS*)	1	-	2	1	1	-	2	3	11	12	7	15	24	21	28
TRACHEA, BRONCHUS, AND LUNG	-	-	-	-	-	-	-	-	-	-	2	2	4	3	7
COLON	1	-	-	-	-	-	-	-	-	-	-	-	2	1	4
RECTUM, RECTOSIGMOID JUNCTION, AND ANUS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PROSTATE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE BREAST	-	-	-	-	-	-	-	-	-	4	-	5	-	9	-
CERVIX UTERI	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-
UTERUS, OVARY, AND OTHER UTERINE ADNEXA	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
LEUKEMIA	-	-	1	-	1	-	1	-	-	-	-	1	1	-	2
OTHER LYMPHOID AND HEMATOPOIETIC TISSUE	-	-	-	-	-	-	-	-	4	-	1	1	4	-	4
PANCREAS	-	-	-	-	-	-	-	-	-	1	1	-	3	-	-
BRAIN	-	-	-	1	-	-	-	1	-	1	-	-	4	1	-
STOMACH	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1
BLADDER	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1

* AN UNCONTROLLED AND INVASIVE GROWTH CAPABLE OF SPREADING TO A DISTANT PART OF THE BODY.

TABLE 10 (CONTINUED)
FREQUENCY OF DEATH BY AGE, SEX, AND CAUSE
MONTANA RESIDENTS, 1994

CAUSE OF DEATH	18-19		20-24		25-29		30-34		35-39		40-44		45-49		50--54
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE
NEOPLASMS (CONTINUED)															
CANCER (MALIGNANT NEOPLASMS*)															
KIDNEY AND UNSPECIFIED URINARY ORGANS	-	-	-	-	-	-	-	-	2	-	-	-	1	-	1
LIP, ORAL CAVITY, AND PHARYNX	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3
ESOPHAGUS	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1
ALL OTHER CANCER	-	-	1	-	-	-	1	2	4	3	2	3	3	4	4
PRE-MALIGNANT AND BENIGN NEOPLASMS**	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-
RESPIRATORY SYSTEM DISEASES	-	-	-	-	-	2	-	-	-	3	1	1	3	2	3
CHRONIC OBSTRUCTIVE PULMONARY DISEASES	-	-	-	-	-	1	-	-	-	2	-	1	-	1	1
EMPHYSEMA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ASTHMA	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
BRONCHITIS	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1
PNEUMONIA AND INFLUENZA	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2
PNEUMONIA	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2
INFLUENZA	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
OTHER RESPIRATORY SYSTEM DISEASES	-	-	-	-	-	1	-	-	-	1	1	-	1	-	-
TRAUMATIC INJURY AND POISONING	20	8	34	14	34	10	41	14	38	11	38	11	38	9	25
MOTOR VEHICLE ACCIDENTS	12	4	11	7	10	5	13	7	13	4	11	5	9	5	8
OTHER ACCIDENTS	3	1	10	5	3	-	12	2	10	2	11	3	12	-	8
OTHER TRANSPORTATION ACCIDENTS	-	-	-	-	2	-	2	-	1	-	1	1	2	-	3
ACCIDENTAL FALLS	-	-	-	-	-	-	1	-	-	-	1	-	4	-	2
ACCIDENTAL DROWNING AND SUFFOCATION	-	-	2	-	-	-	4	-	-	-	5	1	1	-	-
ACCIDENTAL POISONING	-	-	-	1	-	-	2	2	3	2	1	1	2	-	1
DWELLING FIRE	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
OTHER FIRE AND FLAME	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
ACCIDENT CAUSED BY FIREARM MISSILE	2	-	3	1	-	-	-	-	-	-	1	-	1	-	-
OTHER ACCIDENTAL INJURY & POISONING	1	-	5	1	-	-	2	-	5	-	2	-	2	-	2
EXCESSIVE COLD	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
SUICIDE	5	2	11	1	16	3	13	2	7	3	14	2	10	3	8
SUICIDE BY FIREARM	4	2	9	1	11	2	6	2	3	2	12	1	6	1	5
OTHER SUICIDE	1	-	2	-	5	1	7	-	4	1	2	1	4	2	3
HOMICIDE	-	1	1	1	5	1	2	1	6	2	1	1	3	-	1
ASSAULT BY FIREARM	-	1	-	-	2	1	1	-	4	2	-	-	2	-	1
OTHER HOMICIDE	-	-	1	1	3	-	1	1	2	-	1	1	1	-	-
LEGAL INTERVENTION	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-

* AN UNCONTROLLED AND INVASIVE GROWTH CAPABLE OF SPREADING TO A DISTANT PART OF THE BODY.
** A NONINVASIVE GROWTH UNLIKELY TO SPREAD TO OTHER PARTS OF THE BODY.

FREQUENCY OF DEATH BY AGE, SEX, AND CAUSE
MONTANA RESIDENTS, 1994

CAUSE OF DEATH	18-19		20-24		25-29		30-34		35-39		40-44		45-49		50--54
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE
TRAUMATIC INJURY AND POISONING															
INJURY - INTENTION UNDETERMINED	-	-	1	-	-	1	1	2	2	-	1	-	3	1	-
DIGESTIVE SYSTEM DISEASES	-	-	-	-	-	-	2	1	6	4	7	1	10	6	5
CHRONIC LIVER DISEASE AND CIRRHOSIS	-	-	-	-	-	-	1	1	4	3	2	-	6	2	4
OTHER DIGESTIVE SYSTEM DISEASES	-	-	-	-	-	-	1	-	2	1	5	1	4	4	1
ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES, AND IMMUNITY DISORDERS	-	-	-	-	-	2	1	-	4	2	5	1	3	1	3
DIABETES MELLITUS	-	-	-	-	-	1	-	-	3	2	1	1	3	-	3
NUTRITIONAL DEFICIENCIES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER METABOLIC AND IMMUNITY DISORDERS	-	-	-	-	-	1	1	-	1	-	4	-	-	1	-
NERVOUS SYSTEM AND SENSE ORGAN DISEASES	1	-	2	-	3	2	1	-	-	-	1	1	4	2	6
CEREBRAL DEGENERATIONS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALZHEIMER'S DISEASE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER CEREBRAL DEGENERATIONS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER NERVOUS SYSTEM AND SENSE ORGAN DISORDERS	1	-	2	-	3	2	1	-	-	-	1	1	4	2	6
PARKINSON'S DISEASE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
MENINGITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES AND DISORDERS OF THE CNS	1	-	2	-	3	2	1	-	-	-	-	1	4	2	4
PERIPHERAL NERVOUS SYSTEM, EYE, AND EAR	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
MENTAL DISORDERS	-	-	-	-	-	-	1	1	3	-	1	-	4	2	-
ORGANIC PSYCHOTIC CONDITIONS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALCOHOLIC PSYCHOSES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER PSYCHOSES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALCOHOL DEPENDENCE SYNDROME	-	-	-	-	-	-	1	1	3	-	1	-	3	2	-
DRUG DEPENDENCE OR ABUSE	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
OTHER MENTAL DISORDERS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GENITOURINARY SYSTEM DISEASES	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
NEPHRITIS, NEPHROSIS	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
OTHER GENOTOURINARY SYSTEM DISEASES	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
INFECTIOUS AND PARASITIC DISEASES	-	-	1	-	-	1	10	-	4	1	10	-	2	2	-
TUBERCULOSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SEPTICEMIA	-	-	-	-	-	-	3	-	-	1	-	-	-	-	-
HIV INFECTION	-	-	1	-	-	1	6	-	4	-	9	-	2	1	-
OTHER INFECTIOUS AND PARASITIC DISEASES	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-
CONDITIONS ORIGINATING IN EARLY INFANCY	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MATERNAL COMPLICATION OF PREGNANCY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PLACENTA, CORD, AND MEMBRANES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 10 (CONTINUED)
FREQUENCY OF DEATH BY AGE, SEX, AND CAUSE
MONTANA RESIDENTS, 1994

CAUSE OF DEATH	18-19		20-24		25-29		30-34		35-39		40-44		45-49		50–54
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE
CONDITIONS ORIGINATING IN EARLY INFANCY (CONTINUED)															
SHORT GESTATION AND LOW BIRTHWEIGHT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESPIRATORY DISTRESS SYNDROME	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER RESPIRATORY CONDITIONS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PERINATAL INFECTIONS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FETAL AND NEONATAL HEMORRHAGE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HEMATOLOGICAL DISORDERS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER EARLY INFANCY CONDITIONS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONGENITAL ANOMALIES	-	-	1	1	-	2	-	1	-	-	-	1	-	-	-
ANENCEPHALUS AND SIMILAR ANOMALIES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER NERVOUS SYSTEM ANOMALIES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BULBUS CORDIS AND CARDIAC SEPTAL CLOSURE	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
OTHER ANOMALIES OF HEART	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
OTHER CIRCULATORY SYSTEM ANOMALIES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
URINARY SYSTEM ANOMALIES	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
CHROMOSOMAL ANOMALIES	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
ANOMALIES OF RESPIRATORY SYSTEM	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER MUSCULOSKELETAL ANOMALIES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER AND UNSPECIFIED ANOMALIES	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS	-	-	-	-	1	-	-	2	1	2	-	-	1	-	-
SENILITY WITHOUT MENTION OF PSYCHOSIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SUDDEN INFANT DEATH SYNDROME	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER ILL DEFINED AND UNKNOWN CAUSES	-	-	-	-	-	-	-	1	1	2	-	-	1	-	-
SYMPTOMS AND NONSPECIFIED ABNORMAL FINDINGS	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER CAUSES	-	-	-	-	-	-	-	-	-	1	2	2	2	-	1
MUSCULOSKELETAL SYSTEM	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
BLOOD AND BLOOD-FORMING ORGAN DISEASES	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1
SKIN AND SUBCUTANEOUS TISSUE DISEASES	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-

FREQUENCY OF DEATH BY AGE, SEX, AND CAUSE
MONTANA RESIDENTS, 1994

CAUSE OF DEATH	50–54		55-59		60-64		65-69		70-74		75-79		80-84		85 OR OLDER	
	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	
TOTAL, ALL CAUSES	64	185	122	259	146	408	232	537	386	637	490	566	574	668	1,116	
CIRCULATORY SYSTEM DISEASES	14	65	29	97	42	140	57	198	125	240	183	236	250	303	583	
HEART DISEASE	9	55	19	82	27	114	41	149	88	186	116	167	164	206	376	
ACUTE MYOCARDIAL INFARCTION	1	27	8	37	12	37	17	40	22	68	30	52	40	57	66	
OTHER CHRONIC ISCHEMIC HEART DISEASE	1	12	3	24	7	38	7	47	22	50	33	56	40	69	118	
PULMONARY HEART DISEASE	-	-	-	-	2	2	2	3	3	5	-	1	5	1	6	
HYPERTENSIVE HEART DISEASE	-	1	-	3	-	1	2	3	-	5	-	1	4	4	12	
HYPERTENSIVE HEART AND RENAL DISEASE	-	-	-	-	-	-	-	1	-	-	-	-	4	-	2	
RHEUMATIC FEVER AND RHEUMATIC HEART	-	1	-	-	1	1	1	3	2	2	3	1	7	1	4	
ALL OTHER HEART DISEASE	7	14	8	18	5	35	12	52	39	56	50	56	64	74	168	
OTHER CIRCULATORY SYSTEM DISEASES	5	10	10	15	15	26	16	49	37	54	67	69	86	97	207	
ESSENTIAL HYPERTENSION	2	-	3	2	-	1	2	2	2	-	3	-	1	-	11	
HYPERTENSIVE RENAL DISEASE	-	-	-	-	-	1	-	-	2	1	1	3	2	2	3	
CEREBROVASCULAR DISEASE (INCLUDING STROKE)	3	6	6	9	10	13	10	37	27	37	54	48	69	66	161	
ATHEROSCLEROSIS	-	3	-	1	1	5	-	1	4	5	4	4	6	13	23	
AORTIC ANEURYSM	-	1	1	3	1	2	3	6	1	9	4	11	4	8	3	
OTHER CIRCULATORY SYSTEM DISEASES	-	-	-	-	3	4	1	3	1	2	1	3	4	8	6	
NEOPLASMS	26	50	64	86	58	149	95	196	120	206	128	116	122	106	110	
CANCER (MALIGNANT NEOPLASMS*)	26	50	62	86	57	149	95	194	118	202	127	113	120	103	107	
TRACHEA, BRONCHUS, AND LUNG	5	20	10	26	17	47	36	74	37	69	28	19	25	15	11	
COLON	2	3	6	3	2	12	7	12	7	20	12	15	15	10	13	
RECTUM, RECTOSIGMOID JUNCTION, AND ANUS	1	1	1	2	2	4	-	5	4	4	1	1	7	-	4	
PROSTATE	-	2	-	6	-	19	-	16	-	30	-	23	-	37	-	
FEMALE BREAST	5	-	13	-	11	-	13	-	11	-	18	-	16	-	18	
CERVIX UTERI	1	-	-	-	1	-	1	-	2	-	1	-	2	-	1	
UTERUS, OVARY, AND OTHER UTERINE ADNEXA	2	-	9	-	4	-	6	-	8	-	10	-	11	-	12	
LEUKEMIA	1	1	1	4	2	4	4	5	4	7	7	4	1	5	7	
OTHER LYMPHOID AND HEMATOPOIETIC TISSUE	2	3	2	8	2	9	7	11	7	13	10	9	7	4	9	
PANCREAS	1	2	4	3	6	10	4	10	7	12	9	8	3	2	8	
BRAIN	1	3	2	1	1	5	3	8	1	1	2	4	1	-	-	
STOMACH	-	-	-	2	2	5	2	2	8	6	-	2	3	2	3	
BLADDER	1	4	-	1	1	4	-	10	1	6	1	1	3	8	1	

* AN UNCONTROLLED AND INVASIVE GROWTH CAPABLE OF SPREADING TO A DISTANT PART OF THE BODY.

TABLE 10 (CONTINUED)
FREQUENCY OF DEATH BY AGE, SEX, AND CAUSE
MONTANA RESIDENTS, 1994

CAUSE OF DEATH	50--54	55-59		60-64		65-69		70-74		75-79		80-84		85 OR OLDER	
	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
NEOPLASMS (CONTINUED)															
CANCER (MALIGNANT NEOPLASMS*)															
KIDNEY AND UNSPECIFIED URINARY ORGANS	-	-	2	2	-	3	1	2	3	4	2	5	1	2	2
LIP, ORAL CAVITY, AND PHARYNX	1	2	-	3	-	3	2	2	2	5	3	3	-	3	2
ESOPHAGUS	1	2	2	3	-	6	1	5	1	4	4	3	2	-	3
ALL OTHER CANCER	2	7	10	22	6	18	8	32	15	21	19	18	23	15	13
PRE-MALIGNANT AND BENIGN NEOPLASMS**	-	-	2	-	1	-	-	2	2	4	1	3	2	3	3
RESPIRATORY SYSTEM DISEASES	4	16	9	24	24	53	34	64	51	90	80	106	71	114	112
CHRONIC OBSTRUCTIVE PULMONARY DISEASES	2	10	6	17	17	37	26	42	41	53	60	58	33	52	23
EMPHYSEMA	-	5	-	4	1	8	2	9	8	10	5	6	6	8	4
ASTHMA	-	-	2	-	3	-	1	3	2	2	6	3	-	4	2
BRONCHITIS	-	-	1	-	1	1	1	1	-	2	-	3	2	1	-
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES	2	5	3	13	12	28	22	29	31	39	49	46	25	39	17
PNEUMONIA AND INFLUENZA	2	6	2	5	3	12	5	12	8	28	11	32	29	52	78
PNEUMONIA	1	6	1	4	3	12	2	12	8	28	11	31	27	50	75
INFLUENZA	1	-	1	1	-	-	3	-	-	-	-	1	2	2	3
OTHER RESPIRATORY SYSTEM DISEASES	-	-	1	2	4	4	3	10	2	9	9	16	9	10	11
TRAUMATIC INJURY AND POISONING	4	22	1	13	3	18	4	13	5	19	13	19	10	24	21
MOTOR VEHICLE ACCIDENTS	1	6	-	4	-	3	1	3	3	5	4	3	3	1	-
OTHER ACCIDENTS	-	9	1	5	3	6	1	3	2	6	7	6	7	19	20
OTHER TRANSPORTATION ACCIDENTS	-	2	-	2	-	-	-	1	-	2	-	-	-	1	-
ACCIDENTAL FALLS	-	1	1	-	3	1	-	-	1	-	4	5	5	10	14
ACCIDENTAL DROWNING AND SUFFOCATION	-	1	-	-	-	-	1	1	-	-	-	-	-	2	2
ACCIDENTAL POISONING	-	1	-	-	-	-	-	-	-	1	1	-	1	1	2
DWELLING FIRE	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
OTHER FIRE AND FLAME	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
ACCIDENT CAUSED BY FIREARM MISSILE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER ACCIDENTAL INJURY & POISONING	-	3	-	1	-	2	-	1	1	1	1	-	1	3	2
EXCESSIVE COLD	-	1	-	2	-	1	-	-	-	2	-	1	-	1	-
SUICIDE	2	6	-	4	-	9	1	7	-	8	2	10	-	4	1
SUICIDE BY FIREARM	-	5	-	3	-	9	-	7	-	8	-	9	-	4	-
OTHER SUICIDE	2	1	-	1	-	-	1	-	-	-	2	1	-	-	1
HOMICIDE	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
ASSAULT BY FIREARM	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
OTHER HOMICIDE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LEGAL INTERVENTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* AN UNCONTROLLED AND INVASIVE GROWTH CAPABLE OF SPREADING TO A DISTANT PART OF THE BODY.
** A NONINVASIVE GROWTH UNLIKELY TO SPREAD TO OTHER PARTS OF THE BODY.

FREQUENCY OF DEATH BY AGE, SEX, AND CAUSE
MONTANA RESIDENTS, 1994

CAUSE OF DEATH	50–54		55-59		60-64		65-69		70-74		75-79		80-84		85 OR OLDER	
	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
TRAUMATIC INJURY AND POISONING																	
INJURY - INTENTION UNDETERMINED	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DIGESTIVE SYSTEM DISEASES	6	12	6	14	5	11	7	13	13	14	18	14	18	17	37		
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	9	4	10	2	4	2	3	2	2	2	-	1	1	1		
OTHER DIGESTIVE SYSTEM DISEASES	2	3	2	4	3	7	5	10	11	12	16	14	17	16	36		
ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES, AND IMMUNITY DISORDERS	6	7	4	8	6	14	19	22	34	15	24	19	23	20	34		
DIABETES MELLITUS	5	6	4	7	6	12	13	20	30	12	18	16	17	13	22		
NUTRITIONAL DEFICIENCIES	-	1	-	-	-	1	-	-	-	1	2	1	-	3	3		
OTHER METABOLIC AND IMMUNITY DISORDERS	1	-	-	1	-	1	6	2	4	2	4	2	6	4	9		
NERVOUS SYSTEM AND SENSE ORGAN DISEASES	1	3	4	5	2	5	3	5	12	13	18	18	16	25	41		
CEREBRAL DEGENERATIONS	-	1	-	1	1	1	1	-	5	8	7	10	10	19	34		
ALZHEIMER'S DISEASE	-	-	-	1	-	1	1	-	5	8	7	9	9	18	34		
OTHER CEREBRAL DEGENERATIONS	-	1	-	-	1	-	-	-	-	-	-	1	1	1	-		
OTHER NERVOUS SYSTEM AND SENSE ORGAN DISORDERS	1	2	4	4	1	4	2	5	7	5	11	8	6	6	7		
PARKINSON'S DISEASE	-	-	-	-	-	-	-	2	1	4	5	7	3	3	3		
MENINGITIS	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-		
OTHER DISEASES AND DISORDERS OF THE CNS	1	1	4	4	1	4	2	3	4	1	6	1	3	1	4		
PERIPHERAL NERVOUS SYSTEM, EYE, AND EAR	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-		
MENTAL DISORDERS	1	7	-	1	1	4	4	9	5	5	5	10	24	17	74		
ORGANIC PSYCHOTIC CONDITIONS	-	-	-	-	-	-	1	4	2	3	2	4	12	9	40		
ALCOHOLIC PSYCHOSES	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
OTHER PSYCHOSES	-	-	-	-	-	1	-	4	1	1	-	5	8	8	29		
ALCOHOL DEPENDENCE SYNDROME	-	5	-	-	1	3	3	1	1	1	3	-	2	-	-		
DRUG DEPENDENCE OR ABUSE	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
OTHER MENTAL DISORDERS	-	-	-	-	-	-	-	-	1	-	-	1	2	-	5		
GENITOURINARY SYSTEM DISEASES	-	1	2	3	3	3	1	6	8	14	5	13	17	16	23		
NEPHRITIS, NEPHROSIS	-	-	1	3	2	1	1	5	7	10	2	11	11	11	10		
OTHER GENOTOURINARY SYSTEM DISEASES	-	1	1	-	1	2	-	1	1	4	3	2	6	5	13		
INFECTIOUS AND PARASITIC DISEASES	1	1	1	6	1	4	5	2	2	6	8	4	8	7	11		
TUBERCULOSIS	-	-	-	-	-	1	-	-	-	1	2	-	1	-	-		
MENINGOCOCCAL INFECTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
SEPTICEMIA	1	1	1	1	1	2	5	1	2	4	4	4	6	6	10		
HIV INFECTION	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-		
OTHER INFECTIOUS AND PARASITIC DISEASES	-	-	-	4	-	-	-	1	-	1	2	-	1	1	1		
CONDITIONS ORIGINATING IN EARLY INFANCY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
MATERNAL COMPLICATION OF PREGNANCY	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
PLACENTA, CORD, AND MEMBRANES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

TABLE 10 (CONTINUED)
FREQUENCY OF DEATH BY AGE, SEX, AND CAUSE
MONTANA RESIDENTS, 1994

CAUSE OF DEATH	50–54	55-59		60-64		65-69		70-74		75-79		80-84		85 OR OLDER	
	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
CONDITIONS ORIGINATING IN EARLY INFANCY (CONTINUED)															
SHORT GESTATION AND LOW BIRTHWEIGHT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESPIRATORY DISTRESS SYNDROME	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER RESPIRATORY CONDITIONS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PERINATAL INFECTIONS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FETAL AND NEONATAL HEMORRHAGE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HEMATOLOGICAL DISORDERS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER EARLY INFANCY CONDITIONS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CONGENITAL ANOMALIES	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
ANENCEPHALUS AND SIMILAR ANOMALIES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER NERVOUS SYSTEM ANOMALIES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BULBUS CORDIS AND CARDIAC SEPTAL CLOSURE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
OTHER ANOMALIES OF HEART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER CIRCULATORY SYSTEM ANOMALIES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
URINARY SYSTEM ANOMALIES	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
CHROMOSOMAL ANOMALIES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ANOMALIES OF RESPIRATORY SYSTEM	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER MUSCULOSKELETAL ANOMALIES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER AND UNSPECIFIED ANOMALIES	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS	1	1	2	1	1	3	2	6	5	7	5	8	7	11	47
SENILITY WITHOUT MENTION OF PSYCHOSIS	-	-	-	-	-	-	-	-	-	-	2	2	3	4	12
SUDDEN INFANT DEATH SYNDROME	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER ILL DEFINED AND UNKNOWN CAUSES	1	1	1	1	-	3	1	6	5	7	3	6	3	7	28
SYMPTOMS AND NONSPECIFIED ABNORMAL FINDINGS	-	-	1	-	1	-	1	-	-	-	-	-	1	-	7
ALL OTHER CAUSES	-	-	-	1	-	4	1	2	6	8	3	3	8	8	22
MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	-	-	-	1	-	3	1	1	5	2	2	3	4	3	14
OTHER BLOOD AND BLOOD-FORMING ORGAN DISEASES	-	-	-	-	-	1	-	1	1	5	1	-	3	4	6
SKIN AND SUBCUTANEOUS TISSUE DISEASES	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2

TABLE 11

FREQUENCY OF ACCIDENTAL DEATH BY AGE AND TYPE OF ACCIDENT
PERCENT OF DEATHS IN EACH AGE GROUP THAT WERE ACCIDENTAL
MONTANA OCCURRENCES, 1994

NINTH REVISION INTERNATIONAL LIST NUMBER	ACCIDENTAL CAUSE OF DEATH	TOTAL ALL AGES	UNDER 1 YEAR	1–4	5–9	10–14	15–19	20–24	25–34	35–44	45–54	55–64	65 AND OVER
		NUMBER											
	TOTAL DEATHS, ALL CAUSES	7,354	75	18	8	17	68	58	153	248	365	712	5,632
	ACCIDENTAL DEATHS, TOTAL	426	5	9	8	10	44	36	59	62	49	31	113
E810–E825	MOTOR VEHICLE, TOTAL	212	2	6	2	7	32	21	41	33	27	9	32
E800–E807,E826–E949	OTHER ACCIDENTS, TOTAL	214	3	3	6	3	12	15	18	29	22	22	81
E800–E807,E826–E848	OTHER TRANSPORTATION, TOTAL	32	–	1	1	–	1	–	6	4	8	5	6
E840–E845	AIRCRAFT	13	–	–	–	–	–	–	1	2	7	2	1
E800–E807,E826–E838 E846–E848	OTHER	19	–	1	1	–	1	–	5	2	1	3	5
E850–E866	POISONING BY SOLIDS AND LIQUIDS, TOTAL	12	–	–	–	–	–	1	2	3	1	–	5
E850–E858	DRUGS AND MEDICATIONS	11	–	–	–	–	–	1	2	3	–	–	5
E860–E866	OTHER	1	–	–	–	–	–	–	–	–	1	–	–
E867–E869	POISONING BY GASES, TOTAL	7	–	–	–	–	–	–	1	3	2	1	–
E867–E868.1	UTILITY GAS	2	–	–	–	–	–	–	–	1	–	1	–
E868.2–E869	OTHER	5	–	–	–	–	–	–	1	2	2	–	–
E880–E888	FALLS, TOTAL	58	–	–	–	–	–	–	1	1	6	6	44
E880	ON OR FROM STAIRS	6	–	–	–	–	–	–	–	–	–	1	5
E882	FROM OR OUT OF BUILDING	2	–	–	–	–	–	–	–	–	1	–	1
E883	INTO OPENING IN SURFACE	1	–	–	–	–	–	–	1	–	–	–	–
E884	ONE LEVEL TO ANOTHER	4	–	–	–	–	–	–	–	–	–	1	3
E885–E886	SAME LEVEL	4	–	–	–	–	–	–	–	–	–	1	3
E887–E888	FRACTURE OR FALL, UNSPECIFIED	41	–	–	–	–	–	–	–	1	5	3	32
E890–E899	FIRE AND FLAMES, TOTAL	10	–	–	2	–	–	2	–	1	–	1	4
E890, E893.0, E895	FIRE IN PRIVATE DWELLING	7	–	–	2	–	–	2	–	–	–	1	2
E891–E892, E893.1–E894, E896–E899	OTHER FIRE AND FLAMES	3	–	–	–	–	–	–	–	1	–	–	2
E922	INJURY BY FIREARMS, TOTAL	13	–	–	–	1	6	4	–	1	1	–	–
E923	EXPLOSIONS, TOTAL	2	–	–	–	–	–	–	–	2	–	–	–
E910	DROWNING, TOTAL	19	–	–	1	1	2	2	4	6	1	2	–
E916	STRUCK BY FALLING OBJECT, TOTAL	7	–	–	1	–	1	–	–	3	1	–	1
E919	MACHINERY, TOTAL	10	–	–	–	–	–	4	–	–	1	4	1
E870–E879,E900–E909 E911–E915,E917–E918 E920–E921,E924–E949	OTHER ACCIDENTS, TOTAL	44	3	2	1	1	2	2	4	5	1	3	20
		PERCENT											
	ACCIDENTAL DEATHS, TOTAL	5.8	6.7	50.0	100.0	58.8	64.7	62.1	38.6	25.0	13.4	4.4	2.0
E810–E825	MOTOR VEHICLE, TOTAL	2.9	2.7	33.3	25.0	41.2	47.1	36.2	26.8	13.3	7.4	1.3	0.6
E800–E807,E826–E949	OTHER ACCIDENTS, TOTAL	2.9	4.0	16.7	75.0	17.6	17.6	25.9	11.8	11.7	6.0	3.1	1.4

* THE SUMS OF PERCENTS MAY DIFFER FROM THE TOTALS SHOWN BECAUSE EACH PERCENT WAS ROUNDED INDEPENDENTLY.

FREQUENCY OF DEATH FROM SELECTED CAUSES BY COUNTY OF RESIDENCE
MONTANA, 1994

COUNTY	TOTAL	ACCI-DENTS 800-949	APPEN-DICITIS 540-543	CANCER 140-208	CEREBRO-VASCULAR DISEASE* 430-438	DIABETES 250	HEART DISEASE 390-398, 402, 404, 410-429	INFLU-ENZA 487	MENIN-GITIS 320-322	NEPH-RITIS 580-589	PNEU-MONIA 480-486	TUBER-CULOSIS 110-118, 137	ALL OTHE CAUS
MONTANA TOTAL	7,331	391	3	1,740	572	215	1,907	15	2	76	276	6	2,
BEAVERHEAD	79	7	-	13	11	3	16	-	-	1	2	-	
BIG HORN	106	18	-	14	2	5	29	-	-	2	2	-	
BLAINE	51	2	-	11	4	1	12	-	-	2	5	-	
BROADWATER	37	3	-	13	1	-	6	-	-	1	2	-	
CARBON	99	5	-	20	8	3	27	1	-	1	4	-	
CARTER	20	-	-	5	3	1	7	-	-	-	-	-	
CASCADE	704	33	-	164	67	10	181	1	-	10	17	2	
CHOUTEAU	66	5	-	11	7	1	19	-	-	-	2	-	
CUSTER	142	4	-	37	16	4	46	-	-	1	1	1	
DANIELS	37	1	-	12	-	2	12	-	-	-	-	-	
DAWSON	88	4	-	25	3	2	27	-	-	2	3	-	
DEER LODGE	118	8	1	28	7	5	33	1	-	3	3	-	
FALLON	29	1	-	8	2	2	5	-	-	-	2	-	
FERGUS	158	3	-	33	13	2	44	-	-	3	15	-	
FLATHEAD	512	18	-	124	32	17	150	2	1	4	16	-	
GALLATIN	287	17	-	60	24	11	60	-	-	5	15	-	
GARFIELD	22	2	-	7	2	-	5	-	-	-	-	-	
GLACIER	103	11	-	17	8	3	29	-	-	1	4	-	
GOLDEN VALLEY	11	2	-	2	-	-	4	-	-	-	-	-	
GRANITE	28	-	-	7	2	-	5	-	-	-	-	-	
HILL	149	7	-	35	8	7	45	-	-	3	6	-	
JEFFERSON	65	6	-	15	5	3	16	-	-	-	2	-	
JUDITH BASIN	20	2	-	5	-	-	5	-	-	-	-	-	
LAKE	227	21	1	55	23	12	46	1	-	3	3	-	
LEWIS & CLARK	386	21	-	86	35	15	100	1	-	2	9	-	
LIBERTY	12	1	-	2	-	2	6	-	-	-	-	-	
LINCOLN	172	12	-	46	12	8	53	1	-	-	2	-	
MCCONE	24	2	-	2	3	1	11	-	-	-	-	-	
MADISON	57	2	-	20	1	-	15	-	-	-	3	-	
MEAGHER	25	1	-	8	2	1	7	-	-	-	-	-	
MINERAL	42	2	-	9	4	4	9	-	-	-	2	-	
MISSOULA	586	23	-	136	42	14	131	1	-	3	28	-	2
MUSSELSHELL	56	2	-	12	4	3	16	-	-	-	1	-	
PARK	152	9	-	33	8	6	34	1	-	3	8	-	
PETROLEUM	3	-	-	1	-	-	2	-	-	-	-	-	
PHILLIPS	50	-	-	16	1	2	13	-	-	1	1	-	
PONDERA	77	1	-	23	16	-	18	-	-	1	3	-	
POWDER RIVER	30	1	-	6	6	2	6	1	-	1	-	-	
POWELL	68	6	-	16	2	2	21	-	-	-	3	-	
PRAIRIE	12	-	-	5	1	-	3	-	-	-	-	-	
RAVALLI	281	22	-	70	35	6	79	-	-	5	14	-	
RICHLAND	100	8	-	26	6	1	42	-	-	-	1	-	
ROOSEVELT	98	8	-	17	5	4	35	-	1	2	4	-	
ROSEBUD	79	8	-	19	8	4	15	-	-	-	3	1	
SANDERS	92	6	-	21	2	2	35	-	-	1	6	-	
SHERIDAN	58	-	-	13	4	-	17	-	-	2	5	-	
SILVER BOW	385	21	-	79	19	15	103	-	-	1	22	-	1
STILLWATER	74	4	-	22	7	2	12	2	-	-	3	-	
SWEET GRASS	30	1	-	5	7	-	8	-	-	-	4	-	
TETON	72	7	-	17	4	2	21	-	-	1	10	-	
TOOLE	52	2	-	15	2	1	18	-	-	2	1	-	
TREASURE	6	-	-	2	1	-	2	-	-	1	-	-	
VALLEY	87	3	-	17	2	3	33	-	-	-	7	-	
WHEATLAND	24	2	-	6	1	-	5	-	-	2	-	-	
WIBAUX	14	1	-	7	1	-	1	-	-	-	1	-	
YELLOWSTONE	967	35	1	261	103	21	207	2	-	5	31	2	2
YELLOWSTONE PARK													
NOT STATED	2	-	-	1	-	-	-	-	-	1	-	-	

* INCLUDES "STROKE."

FREQUENCY OF INFANT MORTALITY BY AGE, RACE,* AND COUNTY OF RESIDENCE
FIVE-YEAR INFANT MORTALITY RATE BY COUNTY OF RESIDENCE
MONTANA, 1994

COUNTY	TOTAL UNDER 1 YEAR			UNDER 28 DAYS			28 DAYS - 1 YEAR			INFANT MORTALITY RATE+
	TOTAL	WHITE	OTHER	TOTAL	WHITE	OTHER	TOTAL	WHITE	OTHER	1990-1994
MONTANA TOTAL	82	69	13	44	38	6	38	31	7	7.7
BEAVERHEAD	1	1	-	1	1	-	-	-	-	3.4
BIG HORN	1	-	1	-	-	-	1	-	1	3.1
BLAINE	-	-	-	-	-	-	-	-	-	5.0
BROADWATER	1	1	-	1	1	-	-	-	-	4.2
CARBON	1	1	-	1	1	-	-	-	-	14.8
CARTER	-	-	-	-	-	-	-	-	-	-
CASCADE	11	10	1	8	8	-	3	2	1	6.9
CHOUTEAU	-	-	-	-	-	-	-	-	-	-
CUSTER	2	2	-	1	1	-	1	1	-	8.4
DANIELS	-	-	-	-	-	-	-	-	-	-
DAWSON	-	-	-	-	-	-	-	-	-	4.0
DEER LODGE	-	-	-	-	-	-	-	-	-	15.4
FALLON	-	-	-	-	-	-	-	-	-	-
FERGUS	-	-	-	-	-	-	-	-	-	5.2
FLATHEAD	4	4	-	1	1	-	3	3	-	5.7
GALLATIN	5	5	-	1	1	-	4	4	-	4.9
GARFIELD	1	1	-	1	1	-	-	-	-	24.1
GLACIER	3	-	3	2	-	2	1	-	1	8.0
GOLDEN VALLEY	1	1	-	1	1	-	-	-	-	13.9
GRANITE	1	1	-	1	1	-	-	-	-	31.0
HILL	4	2	2	3	2	1	1	-	1	14.5
JEFFERSON	1	1	-	-	-	-	1	1	-	6.0
JUDITH BASIN	-	-	-	-	-	-	-	-	-	-
LAKE	3	2	1	2	1	1	1	1	-	8.5
LEWIS & CLARK	6	6	-	4	4	-	2	2	-	8.8
LIBERTY	-	-	-	-	-	-	-	-	-	-
LINCOLN	3	3	-	1	1	-	2	2	-	10.8
MCCONE	-	-	-	-	-	-	-	-	-	8.3
MADISON	-	-	-	-	-	-	-	-	-	5.8
MEAGHER	-	-	-	-	-	-	-	-	-	7.6
MINERAL	-	-	-	-	-	-	-	-	-	5.0
MISSOULA	11	11	-	6	6	-	5	5	-	9.0
MUSSELSHELL	-	-	-	-	-	-	-	-	-	4.9
PARK	1	1	-	1	1	-	-	-	-	9.3
PETROLEUM	-	-	-	-	-	-	-	-	-	-
PHILLIPS	-	-	-	-	-	-	-	-	-	8.5
PONDERA	-	-	-	-	-	-	-	-	-	4.8
POWDER RIVER	-	-	-	-	-	-	-	-	-	7.9
POWELL	-	-	-	-	-	-	-	-	-	2.7
PRAIRIE	-	-	-	-	-	-	-	-	-	35.7
RAVALLI	-	-	-	-	-	-	-	-	-	4.9
RICHLAND	-	-	-	-	-	-	-	-	-	14.9
ROOSEVELT	2	-	2	-	-	-	2	-	2	10.9
ROSEBUD	1	-	1	1	-	1	-	-	-	17.4
SANDERS	-	-	-	-	-	-	-	-	-	13.4
SHERIDAN	-	-	-	-	-	-	-	-	-	-
SILVER BOW	6	6	-	1	1	-	5	5	-	7.8
STILLWATER	1	-	1	1	-	1	-	-	-	2.4
SWEET GRASS	-	-	-	-	-	-	-	-	-	-
TETON	-	-	-	-	-	-	-	-	-	5.3
TOOLE	-	-	-	-	-	-	-	-	-	3.1
TREASURE	-	-	-	-	-	-	-	-	-	-
VALLEY	1	1	-	-	-	-	1	1	-	13.5
WHEATLAND	-	-	-	-	-	-	-	-	-	-
WIBAUX	1	1	-	-	-	-	1	1	-	31.3
YELLOWSTONE	9	8	1	5	5	-	4	3	1	7.3
YELLOWSTONE PAR	-	-	-	-	-	-	-	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-

* EITHER RACIAL CATEGORY MAY INCLUDE "HISPANIC"; "OTHER" ALSO INCLUDES RACE NOT STATED.
\+ PER 1,000 LIVE BIRTHS.

TABLE 14

FREQUENCY OF INFANT MORTALITY FROM SELECTED CAUSES BY AGE AND RACE*
MONTANA RESIDENTS, 1994

INTERNATIONAL CLASSIFICATION CODES (ICD-9)	CAUSE OF DEATH	TOTAL UNDER 1 YEAR			UNDER 28 DAYS			28 DAYS – 1 YEAR		
		TOTAL	WHITE	OTHER	TOTAL	WHITE	OTHER	TOTAL	WHITE	OTHER
	TOTAL, ALL CAUSES	82	69	13	44	38	6	38	31	7
	PRENATAL AND NATAL CAUSES, TOTAL	48	41	7	40	35	5	8	6	2
740–759	CONGENITAL ANOMALIES	21	19	2	16	15	1	5	4	1
760–761,763–764	MATERNAL CONDITIONS OF PREGNANCY AND CHILDBIRTH	1	1	–	1	1	–	–	–	–
762	COMPLICATIONS OF PLACENTA, CORD AND MEMBRANES	3	1	2	3	1	2	–	–	–
765	IMMATURITY	4	4	–	4	4	–	–	–	–
767	BIRTH TRAUMA	–	–	–	–	–	–	–	–	–
768	HYPOXIA AND BIRTH ASPHYXIA	2	2	–	2	2	–	–	–	–
769	RESPIRATORY DISTRESS SYNDROME	3	3	–	3	3	–	–	–	–
771	INFECTIONS SPECIFIC TO PERINATAL PERIOD	3	2	1	2	2	–	1	–	1
772	FETAL AND NEONATAL HEMORRHAGE	1	1	–	–	–	–	1	1	–
766,770,773–779	OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	10	8	2	9	7	2	1	1	–
7980	SUDDEN INFANT DEATH SYNDROME, TOTAL	15	13	2	–	–	–	15	13	2
	INFECTIONS, TOTAL	1	1	–	–	–	–	1	1	–
008–009,535, 555–558	CERTAIN GASTROINTESTINAL DISEASES	–	–	–	–	–	–	–	–	–
480–487	PNEUMONIA AND INFLUENZA	1	1	–	–	–	–	1	1	–
	VIOLENT AND ACCIDENTAL DEATHS, TOTAL	6	5	1	–	–	–	6	5	1
810–825	MOTOR VEHICLE ACCIDENTS	2	2	–	–	–	–	2	2	–
800–807,826–910 913–949,960–969 980–989	OTHER VIOLENT AND ACCIDENTAL DEATHS	4	3	1	–	–	–	4	3	1
	ALL OTHER CAUSES	12	9	3	4	3	1	8	6	2

* EITHER RACIAL CATEGORY MAY INCLUDE "HISPANIC"; "OTHER" ALSO INCLUDES RACE NOT STATED.

TABLE 15

FREQUENCY AND RATE OF DEATH FROM SELECTED COMMUNICABLE DISEASES BY YEAR*
MONTANA, 1910–1994

YEAR	BOTULISM+		DIPHTHERIA		INFLUENZA		MEASLES		MENINGOCOCCAL INFECTION	
	NUMBER	RATE**	NUMBER	RATE**	NUMBER	RATE**	NUMBER	RATE**	NUMBER	RATE**
1910	–	–	61	16.2	24	6.4	16	4.3	1	0.3
1915	5	1.1	21	4.5	41	8.8	7	1.5	7	1.5
1920	4	0.7	32	5.8	304	55.4	27	4.9	15	2.7
1925	6	1.1	34	6.3	109	20.1	5	0.9	5	0.9
1930	7	1.3	4	0.7	102	19.0	12	2.2	22	4.1
1935	3	0.5	14	2.5	173	31.5	49	8.9	15	2.7
1940	2	0.4	6	1.1	77	13.8	5	0.9	6	1.1
1945	1	0.2	4	0.8	47	9.3	1	0.2	3	0.6
1946	1	0.2	5	1.0	25	4.8	3	0.6	3	0.6
1947	1	0.2	2	0.4	33	6.1	13	2.4	3	0.6
1948	3	0.5	3	0.5	13	2.3	12	2.2	1	0.2
1949	2	0.3	3	0.5	13	2.3	3	0.5	3	0.5
1950	–	–	2	0.3	23	3.9	–	–	1	0.2
1951	2	0.3	–	–	30	5.0	9	1.5	5	0.8
1952	–	–	1	0.2	22	3.7	4	0.7	4	0.7
1953	–	–	3	0.5	59	9.6	4	0.6	2	0.3
1954	–	–	3	0.5	6	1.0	5	0.8	6	1.0
1955	–	–	1	0.2	12	1.9	4	0.6	5	0.8
1956	–	–	1	0.2	4	0.6	1	0.2	7	1.1
1957	–	–	1	0.1	25	3.7	3	0.4	3	0.4
1958	–	–	–	–	14	2.1	2	0.3	4	0.6
1959	–	–	–	–	15	2.2	5	0.7	3	0.4
1960	–	–	–	–	37	5.5	1	0.1	3	0.4
1961	–	–	–	–	8	1.2	1	0.1	1	0.1
1962	–	–	–	–	12	1.7	–	–	4	0.6
1963	–	–	–	–	31	4.4	–	–	3	0.4
1964	1	0.1	–	–	29	4.1	2	0.3	2	0.3
1965	–	–	–	–	5	0.7	–	–	3	0.4
1966	1	0.1	–	–	49	7.0	–	–	2	0.3
1967	–	–	–	–	3	0.4	–	–	2	0.3
1968	–	–	–	–	30	4.3	–	–	2	0.3
1969	–	–	–	–	38	5.5	2	0.3	2	0.3
1970	–	–	2	0.3	8	1.2	–	–	1	0.1
1971	–	–	–	–	9	1.3	2	0.3	2	0.3
1972	–	–	–	–	15	2.1	–	–	2	0.3
1973	–	–	–	–	43	6.0	–	–	2	0.3
1974	–	–	–	–	11	1.5	–	–	1	0.1
1975	–	–	–	–	17	2.3	–	–	–	–
1976	–	–	–	–	95	12.6	–	–	–	–
1977	–	–	–	–	9	1.2	–	–	2	0.3
1978	–	–	–	–	19	2.4	–	–	2	0.3
1979	–	–	–	–	4	0.5	–	–	4	0.5
1980	–	–	–	–	24	3.1	–	–	–	–
1981	1	0.1	–	–	10	1.3	–	–	1	0.1
1982	–	–	–	–	8	1.0	–	–	1	0.1
1983	–	–	–	–	26	3.2	–	–	1	0.1
1984	–	–	–	–	19	2.3	–	–	–	–
1985	–	–	–	–	24	2.9	–	–	3	0.4
1986	–	–	–	–	24	2.9	–	–	–	–
1987	–	–	–	–	9	1.1	–	–	–	–
1988	–	–	–	–	21	2.6	–	–	–	–
1989	–	–	–	–	19	2.4	–	–	–	–
1990	–	–	–	–	15	1.9	–	–	2	0.3
1991	–	–	–	–	7	0.9	–	–	–	–
1992	–	–	–	–	7	0.8	–	–	–	–
1993	–	–	–	–	13	1.5	–	–	–	–
1994	–	–	–	–	15	1.8	–	–	1	0.1

* DATA FOR 1910–45 ARE BY PLACE OF OCCURRENCE. BEGINING IN 1946, DATA ARE BY PLACE OF RESIDENCE.

\+ PRIOR TO 1949 THE INTERNATIONAL CLASSIFICATION OF DISEASES DID NOT PERMIT IDENTIFICATION OF BOTULISM AS SUCH. THE MORE GENERAL RUBRIC OF "FOOD POISONING" IS REPORTED. THE DEATHS SHOWN PRIOR TO 1968 INCLUDE THOSE ASSIGNED TO "FOOD POISONING UNSPECIFIED."

** PER 100,000 ESTIMATED MIDYEAR POPULATION. U.S. CENSUS ENUMERATIONS USED FOR YEARS ENDING IN ZERO.

TABLE 15 (CONCLUDED)

FREQUENCY AND RATE OF DEATH FROM SELECTED COMMUNICABLE DISEASES BY YEAR*
MONTANA, 1910–1994

YEAR	POLIOMYELITIS		ROCKY MOUNTAIN SPOTTED FEVER+		TUBERCULOSIS		TYPHOID FEVER		WHOOPING COUGH	
	NUMBER	RATE**	NUMBER	RATE**	NUMBER	RATE**	NUMBER	RATE**	NUMBER	RATE**
1910	17	4.5	–	–	340	90.4	151	40.2	41	10.9
1915	1	0.2	8	1.7	530	113.2	57	12.2	36	7.7
1920	5	0.9	7	1.3	419	76.4	27	4.9	51	9.3
1925	6	1.1	11	2.0	396	73.0	24	4.4	63	11.6
1930	6	1.1	9	1.7	337	62.7	16	3.0	16	3.0
1935	1	0.2	21	3.8	257	46.8	12	2.2	22	4.0
1940	7	1.3	7	1.3	231	41.3	3	0.5	5	0.9
1945	10	2.0	1	0.2	171	33.9	2	0.4	2	0.4
1946	5	1.0	5	1.0	164	31.4	2	0.4	2	0.4
1947	4	0.7	1	0.2	152	28.2	1	0.2	6	1.1
1948	6	1.1	1	0.2	146	26.2	–	–	6	1.1
1949	13	2.3	–	–	109	19.0	1	0.2	2	0.3
1950	3	0.5	1	0.2	114	19.3	–	–	10	1.7
1951	6	1.0	–	–	85	14.3	1	0.2	1	0.2
1952	8	1.3	1	0.2	79	13.1	1	0.2	1	0.2
1953	14	2.3	–	–	77	12.5	–	–	4	0.6
1954	9	1.4	–	–	62	9.9	–	–	1	0.2
1955	8	1.3	–	–	50	7.9	–	–	1	0.2
1956	–	–	–	–	48	7.3	–	–	1	0.2
1957	2	0.3	–	–	68	10.2	–	–	2	0.3
1958	5	0.8	–	–	45	6.8	–	–	–	–
1959	2	0.3	–	–	37	5.5	–	–	–	–
1960	7	1.0	1	0.1	31	4.6	–	–	1	0.1
1961	1	0.1	–	–	24	3.5	1	0.1	–	–
1962	–	–	–	–	32	4.5	–	–	–	–
1963	–	–	–	–	27	3.8	–	–	–	–
1964	–	–	–	–	28	4.0	1	0.1	–	–
1965	–	–	–	–	22	3.1	–	–	–	–
1966	–	–	–	–	21	3.0	–	–	–	–
1967	–	–	–	–	17	2.4	–	–	–	–
1968	1	0.1	–	–	15	2.2	–	–	–	–
1969	–	–	–	–	16	2.3	–	–	–	–
1970	–	–	–	–	12	1.7	–	–	–	–
1971	1	0.1	–	–	10	1.4	–	–	1	0.1
1972	–	–	–	–	11	1.5	–	–	–	–
1973	–	–	–	–	13	1.8	–	–	–	–
1974	1	0.1	–	–	17	2.3	–	–	–	–
1975	1	0.1	1	0.1	13	1.7	–	–	–	–
1976	–	–	–	–	9	1.2	–	–	–	–
1977	–	–	–	–	4	0.5	–	–	–	–
1978	1	0.1	–	–	11	1.4	–	–	–	–
1979	–	–	–	–	5	0.6	–	–	–	–
1980	–	–	–	–	6	0.8	–	–	–	–
1981	–	–	–	–	7	0.9	–	–	–	–
1982	–	–	–	–	7	0.9	–	–	–	–
1983	1	0.1	–	–	1	0.1	–	–	–	–
1984	2	0.2	–	–	10	1.2	–	–	–	–
1985	–	–	–	–	5	0.6	–	–	1	0.1
1986	–	–	–	–	5	0.6	–	–	–	–
1987	–	–	–	–	4	0.5	–	–	–	–
1988	1	0.1	–	–	2	0.2	–	–	–	–
1989	2	0.2	–	–	5	0.6	–	–	–	–
1990	–	–	–	–	2	0.3	–	–	–	–
1991	1	0.1	–	–	4	0.5	–	–	–	–
1992	1	0.1	–	–	4	0.5	–	–	–	–
1993	–	–	–	–	2	0.2	–	–	–	–
1994	–	–	–	–	6	0.7	–	–	–	–

* DATA FOR 1910–45 ARE BY PLACE OF OCCURRENCE. BEGINING IN 1946, DATA ARE BY PLACE OF RESIDENCE.
\+ DEATHS FROM ROCKY MOUNTAIN SPOTTED FEVER FOR THE YEARS 1915 – 1920 ARE COURTESY OF ROBERT PHILLIPS PH.D. (RETIRED), ROCKY MOUNTAIN LABORATORY, HAMILTON, MONTANA.
** PER 100,000 ESTIMATED MIDYEAR POPULATION. U.S. CENSUS ENUMERATIONS USED FOR YEARS ENDING IN ZERO.

TABLE 16

FREQUENCY AND RATE OF DEATH FROM SELECTED CAUSES BY YEAR*
MONTANA, 1910–1994

YEAR	ACCIDENTS						ALCOHOLISM		CANCER	
	TOTAL		MOTOR VEHICLE		OTHER					
	NUMBER	RATE+	NUMBER	RATE+	NUMBER	RATE+	NUMBER	RATE+	NUMBER	RATE+
1910	514	136.7	5	1.3	509	135.4	56	14.9	157	41 7
1915	556	118.8	31	6.6	525	112.2	66	14.1	223	47.6
1920	473	86.3	45	8.2	428	78.1	10	1.8	282	51.4
1925	505	93.0	98	18.1	407	75.0	41	7.6	379	69.8
1930	498	92.6	106	19.7	392	72.9	69	12.8	424	78.9
1935	552	100.5	161	29.3	391	71.2	14	2.5	528	96.2
1940	539	96.3	154	27.5	385	68.8	41	7.3	640	114.4
1945	498	98.7	118	23.4	380	75.3	13	2.6	658	130.4
1946	517	99.1	166	31.8	351	67.3	15	2.9	662	126.8
1947	537	99.6	157	29.1	380	70.5	19	3.5	712	132.0
1948	575	103.3	165	29.6	410	73.7	14	2.5	724	130.1
1949	552	96.2	152	26.5	400	69.7	17	3.0	729	127.0
1950	545	92.2	190	32.1	355	60.1	14	2.4	733	124.0
1951	525	88.1	187	31.4	338	56.7	17	2.9	726	121.8
1952	564	93.7	235	39.0	329	54.7	13	2.2	798	132.6
1953	534	86.7	228	37.0	306	49.7	17	2.8	809	131.3
1954	531	85.1	219	35.1	312	50.0	19	3.0	871	139.6
1955	549	86.3	239	37.6	310	48.7	28	4.4	829	130.3
1956	574	87.5	265	40.4	309	47.1	22	3.4	931	141.9
1957	541	81.1	219	32.8	322	48.3	20	3.0	873	130.9
1958	497	74.6	206	30.9	291	43.7	18	2.7	838	125.8
1959	565	84.5	258	38.6	307	45.9	15	2.2	920	137.5
1960	510	75.6	226	33.5	284	42.1	13	1.9	958	142.0
1961	518	76.0	270	39.6	248	36.4	18	2.6	965	141.5
1962	550	77.6	232	32.7	318	44.9	19	2.7	911	128.5
1963	517	73.1	218	30.8	299	42.3	12	1.7	896	126.7
1964	648	91.9	250	35.5	398	56.5	13	1.8	986	139.9
1965	591	83.7	268	38.0	323	45.8	14	2.0	933	132.2
1966	560	79.8	265	37.7	295	42.0	24	3.4	969	138.0
1967	607	86.6	318	45.4	289	41.2	12	1.7	1,004	143.2
1968	535	77.2	262	37.8	273	39.4	29	4.2	1,080	155.8
1969	635	91.5	329	47.4	306	44.1	10	1.4	1,041	150.0
1970	571	82.2	290	41.8	281	40.5	25	3.6	1,059	152.5
1971	609	85.8	310	43.7	299	42.1	19	2.7	1,050	147.9
1972	635	88.3	360	50.1	275	38.2	17	2.4	1,122	156.1
1973	611	84.7	324	44.9	287	39.8	20	2.8	1,061	147.2
1974	559	76.1	272	37.0	287	39.0	14	1.9	1,130	153.7
1975	584	78.1	282	37.7	302	40.4	28	3.7	1,105	147.7
1976	579	76.9	291	38.6	288	38.2	23	3.1	1,191	158.2
1977	574	75.4	302	39.7	272	35.7	25	3.3	1,184	155.6
1978	558	71.1	276	35.2	282	35.9	23	2.9	1,233	157.1
1979	596	75.8	313	39.8	283	36.0	22	2.8	1,240	157.8
1980	570	72.5	311	39.5	259	32.9	25	3.2	1,291	164.1
1981	553	69.7	308	38.8	245	30.9	32	4.0	1,343	169.4
1982	471	58.8	236	29.5	235	29.3	30	3.7	1,384	172.8
1983	516	63.2	267	32.7	249	30.5	16	2.0	1,350	165.2
1984	440	53.4	233	28.3	207	25.1	18	2.2	1,467	178.0
1985	417	50.5	210	25.4	207	25.1	20	2.4	1,445	174.9
1986	403	49.2	228	27.8	175	21.4	27	3.3	1,475	180.1
1987	416	51.4	223	27.6	193	23.9	22	2.7	1,516	187.4
1988	368	45.7	200	24.8	168	20.9	22	2.7	1,561	193.9
1989	360	44.7	171	21.2	189	23.5	16	2.0	1,593	197.7
1990	398	49.8	210	26.3	188	23.5	21	2.6	1,630	204.0
1991	384	47.5	183	22.6	201	24.9	19	2.4	1,656	205.0
1992	399	48.4	182	22.1	217	26.3	29	3.5	1,710	207.6
1993	375	44.7	182	21.7	193	23.0	26	3.1	1,738	207.2
1994	391	45.7	192	22.4	199	23.2	31	3.6	1,740	203.2

* DATA FOR 1910–45 ARE BY PLACE OF OCCURRENCE. BEGINING IN 1946, DATA ARE BY PLACE OF RESIDENCE.
\+ PER 100,000 ESTIMATED MIDYEAR POPULATION. U.S. CENSUS ENUMERATIONS ARE USED FOR YEARS ENDING IN ZERO.

FREQUENCY AND RATE OF DEATH FROM SELECTED CAUSES BY YEAR*
MONTANA, 1910–1994

YEAR	DIABETES		HEART DISEASE		HOMICIDE		NEPHRITIS		PNEUMONIA		SUICIDE	
	NUMBER	RATE+	NUMBER	RATE+	NUMBER	RATE+	NUMBER	RATE+	NUMBER	RATE+	NUMBER	RATE+
1910	38	10.1	257	68.3	37	9.8	222	59.0	282	75.0	81	21.5
1915	65	13.9	407	87.0	53	11.3	339	72.4	511	109.2	103	22.0
1920	60	10.9	428	78.1	46	8.4	273	49.8	576	105.0	86	15.7
1925	64	11.8	672	123.8	51	9.4	301	55.4	437	80.5	102	18.8
1930	87	16.2	759	141.2	57	10.6	395	73.5	425	79.1	136	25.3
1935	112	20.4	1,299	236.6	34	6.2	355	64.7	674	122.8	96	17.5
1940	109	19.5	1,447	258.6	29	5.2	295	52.7	321	57.4	120	21.4
1945	129	25.6	1,603	317.7	19	3.8	279	55.3	196	38.8	79	15.7
1946	137	26.3	1,629	312.1	22	4.2	276	52.9	235	45.0	98	18.8
1947	130	24.1	1,690	313.4	14	2.6	266	49.3	223	41.4	96	17.8
1948	118	21.2	1,803	324.0	15	2.7	247	44.4	189	34.0	88	15.8
1949	102	17.8	2,002	348.9	21	3.7	129	22.5	144	25.1	89	15.5
1950	49	8.3	1,957	331.1	24	4.1	80	13.5	157	26.6	123	20.8
1951	58	9.7	2,159	362.2	15	2.5	85	14.3	121	20.3	85	14.3
1952	83	13.8	2,032	337.5	17	2.8	120	19.9	147	24.4	84	14.0
1953	73	11.9	2,164	351.3	23	3.7	77	12.5	180	29.2	106	17.2
1954	95	15.2	2,128	341.0	29	4.6	90	14.4	179	28.7	104	16.7
1955	108	17.0	2,116	332.7	21	3.3	94	14.8	155	24.4	79	12.4
1956	98	14.9	2,165	330.0	32	4.9	83	12.7	211	32.2	98	14.9
1957	118	17.7	2,290	343.3	23	3.4	71	10.6	249	37.3	105	15.7
1958	109	16.4	2,244	336.9	17	2.6	53	8.0	260	39.0	101	15.2
1959	123	18.4	2,382	356.1	29	4.3	58	8.7	231	34.5	97	14.5
1960	102	15.1	2,332	345.6	25	3.7	51	7.6	227	33.6	107	15.9
1961	117	17.2	2,269	332.7	21	3.1	41	6.0	219	32.1	96	14.1
1962	121	17.1	2,204	310.9	21	3.0	63	8.9	195	27.5	110	15.5
1963	125	17.7	2,340	331.0	22	3.1	42	5.9	218	30.8	115	16.3
1964	139	19.7	2,368	335.9	30	4.3	45	6.4	226	32.1	80	11.3
1965	114	16.1	2,297	325.4	20	2.8	35	5.0	198	28.0	94	13.3
1966	106	15.1	2,415	344.0	23	3.3	42	6.0	230	32.8	96	13.7
1967	143	20.4	2,297	327.7	31	4.4	38	5.4	196	28.0	100	14.3
1968	119	17.2	2,223	320.8	25	3.6	20	2.9	213	30.7	97	14.0
1969	117	16.9	2,297	331.0	31	4.5	21	3.0	201	29.0	91	13.1
1970	111	16.0	2,229	321.0	30	4.3	26	3.7	213	30.7	79	11.4
1971	120	16.9	2,339	329.4	43	6.1	19	2.7	210	29.6	117	16.5
1972	135	18.8	2,294	319.1	32	4.5	17	2.4	220	30.6	87	12.1
1973	126	17.5	2,300	319.0	46	6.4	27	3.7	236	32.7	108	15.0
1974	103	14.0	2,202	299.6	44	6.0	20	2.7	192	26.1	122	16.6
1975	122	16.3	2,178	291.2	42	5.6	19	2.5	185	24.7	112	15.0
1976	100	13.3	2,178	289.2	38	5.0	17	2.3	207	27.5	129	17.1
1977	89	11.7	2,149	282.4	53	7.0	24	3.2	144	18.9	143	18.8
1978	114	14.5	2,169	276.3	40	5.1	20	2.5	199	25.4	122	15.5
1979	94	12.0	2,302	292.9	39	5.0	46	5.9	143	18.2	123	15.6
1980	103	13.1	2,332	296.4	40	5.1	43	5.5	169	21.5	116	14.7
1981	95	12.0	2,279	287.4	47	5.9	70	8.8	171	21.6	137	17.3
1982	115	14.4	2,236	279.2	36	4.5	57	7.1	196	24.5	126	15.7
1983	103	12.6	2,241	274.3	33	4.0	62	7.6	219	26.8	143	17.5
1984	113	13.7	2,270	275.5	37	4.5	57	6.9	204	24.8	137	16.6
1985	123	14.9	2,201	266.5	49	5.9	58	7.0	211	25.5	144	17.4
1986	109	13.3	2,196	268.1	41	5.0	40	4.9	205	25.0	181	22.1
1987	116	14.3	2,109	260.7	39	4.8	60	7.4	192	23.7	159	19.7
1988	154	19.1	2,057	255.5	35	4.3	60	7.5	219	27.2	153	19.0
1989	170	21.1	2,019	250.6	32	4.0	47	5.8	224	27.8	159	19.7
1990	154	19.3	1,947	243.7	37	4.6	48	6.0	213	26.7	167	20.9
1991	181	22.4	1,944	240.6	36	4.5	51	6.3	245	30.3	167	20.7
1992	164	19.9	1,904	231.2	35	4.2	56	6.8	259	31.4	151	18.3
1993	191	22.8	2,110	251.5	39	4.6	59	7.0	249	29.7	154	18.4
1994	215	25.1	1,907	222.7	34	4.0	76	8.9	276	32.2	159	18.6

* DATA FOR 1910–45 ARE BY PLACE OF OCCURRENCE. BEGINING IN 1946, DATA ARE BY PLACE OF RESIDENCE.
\+ PER 100,000 ESTIMATED MIDYEAR POPULATION. U.S. CENSUS ENUMERATIONS ARE USED FOR YEARS ENDING IN ZERO.

TABLE 17

FREQUENCY OF INDUCED ABORTION BY NUMBER OF PREVIOUS INDUCED ABORTIONS
AND NUMBER OF PREVIOUS PREGNANCIES
MONTANA OCCURRENCES, 1994

TOTAL PAST PREGNANCIES	TOTAL	PREVIOUS INDUCED ABORTIONS						
		NONE	ONE	TWO	THREE	FOUR	FIVE	SIX OR MORE
TOTAL	2,761	1,869	659	179	30	15	5	4
NOT STATED	1	1	-	-	-	-	-	-
NONE	1,089	1,089	-	-	-	-	-	-
ONE	635	334	301	-	-	-	-	-
TWO	432	254	125	53	-	-	-	-
THREE	307	124	117	55	11	-	-	-
FOUR	151	31	79	31	6	4	-	-
FIVE	80	21	23	21	8	6	1	-
SIX	28	9	8	7	3	1	-	-
SEVEN	15	3	3	5	1	1	2	-
EIGHT	10	2	3	1	1	1	1	1
NINE OR MORE	13	1	-	6	-	2	1	3

TABLE 18

FREQUENCY OF INDUCED ABORTION BY AGE OF PATIENT
MONTANA OCCURRENCES, 1994

PATIENT'S AGE	NUMBER
TOTAL	2,761
UNDER 15	24
15-17	286
18-19	395
20-24	841
25-29	479
30-34	395
35-39	255
40-44	80
OVER 44	6
NOT STATED	-

TABLE 19

FREQUENCY OF INDUCED ABORTION BY COMPLETED WEEK OF GESTATION AND BY PRIMARY PROCEDURE
MONTANA OCCURRENCES, 1994

PRIMARY PROCEDURE *	TOTAL	LENGTH OF GESTATION IN WEEKS							
		9 OR FEWER	10-11	12-13	14-15	16-17	18-19	20 OR MORE	NOT STATED
TOTAL	2,761	1,938	412	208	75	54	20	42	12
SUCTION CURRETTAGE	2,522	1,937	399	143	30	1	1	-	11
SHARP CURRETTAGE	2	1	-	-	1	-	-	-	-
DILATION AND EVACUATION (D&E)	236	-	13	65	44	53	18	42	1
OTHER	1	-	-	-	-	-	1	-	-

* THE PROCEDURE THAT TERMINATED PREGNANCY, AS OPPOSED TO "ADDITIONAL PROCEDURES USED."

TABLE 19A

FREQUENCY OF INDUCED ABORTION BY COUNTY OF RESIDENCE AND COUNTY OF OCCURRENCE
MONTANA, 1994

COUNTY	RESIDENCE	OCCURRENCE	COUNTY	RESIDENCE	OCCURRENCE
BEAVERHEAD	24	-	PONDERA	9	-
BIG HORN	26	-	POWDER RIVER	-	-
BLAINE	7	-	POWELL	10	-
BROADWATER	8	-	PRAIRIE	-	-
CARBON	20	-	RAVALLI	49	-
CARTER	1	-	RICHLAND	16	-
CASCADE	208	157	ROOSEVELT	26	-
CHOUTEAU	3	-	ROSEBUD	20	-
CUSTER	33	-	SANDERS	12	-
DANIELS	1	-	SHERIDAN	3	-
DAWSON	9	-	SILVER BOW	80	-
DEER LODGE	19	-	STILLWATER	16	-
FALLON	3	-	SWEET GRASS	3	-
FERGUS	14	-	TETON	5	-
FLATHEAD	225	350	TOOLE	6	-
GALLATIN	268	704	TREASURE	1	-
GARFIELD	1	-	VALLEY	14	-
GLACIER	27	-	WHEATLAND	4	-
GOLDEN VALLEY	2	-	WIBAUX	-	-
GRANITE	4	-	YELLOWSTONE	358	840
HILL	37	-	NOT STATED	14	-
JEFFERSON	13	-	TOTAL MONTANA		
JUDITH BASIN	4	-	RESIDENTS	2,289	2,761
LAKE	50	-			
LEWIS & CLARK	137	185	OUT OF STATE		
LIBERTY	4	-	RESIDENTS	435	
LINCOLN	29	-	IDAHO	40	NA
MCCONE	3	-	NORTH DAKOTA	36	NA
MADISON	10	-	SOUTH DAKOTA	45	NA
MEAGHER	4	-	WYOMING	295	NA
MINERAL	9	-	OTHER STATES	19	NA
MISSOULA	368	525			
MUSSELSHELL	6	-	CANADA	35	NA
PARK	55	-	REST OF WORLD	-	NA
PETROLEUM	3	-	NOT STATED	2	NA
PHILLIPS	8	-			
			TOTAL	2,761	2,761

TABLE 20

FREQUENCY OF MARRIAGE AND MARITAL TERMINATION
MARRIAGE LICENSES ISSUED, MARRIAGES SOLEMNIZED, MARITAL DISSOLUTIONS, AND MARRIAGES INVALIDATED BY COUNTY OF OCCURRENCE - MONTANA, 1994

COUNTY	MARRIAGES		MARITAL TERMINATIONS	
	LICENSES ISSUED	MARRIAGES SOLEMNIZED	MARITAL DISSOLUTIONS	INVALID MARRIAGES
MONTANA, TOTAL	7,088	7,088	4,139	57
BEAVERHEAD	76	74	43	1
BIG HORN	74	73	46	1
BLAINE	47	49	18	-
BROADWATER	24	28	16	-
CARBON	117	213	25	-
CARTER	10	10	2	-
CASCADE	761	734	506	4
CHOUTEAU	37	41	11	-
CUSTER	116	116	66	-
DANIELS	18	21	3	-
DAWSON	62	62	17	1
DEER LODGE	74	92	28	2
FALLON	20	20	6	-
FERGUS	82	91	60	-
FLATHEAD	654	656	393	6
GALLATIN	628	581	264	3
GARFIELD	4	7	-	-
GLACIER	76	77	49	1
GOLDEN VALLEY	-	1	2	-
GRANITE	19	29	11	-
HILL	125	129	59	-
JEFFERSON	26	47	23	-
JUDITH BASIN	18	19	8	-
LAKE	180	202	137	5
LEWIS & CLARK	484	470	310	2
LIBERTY	12	9	1	-
LINCOLN	117	150	112	3
MCCONE	13	17	2	-
MADISON	67	83	22	1
MEAGHER	19	18	5	-
MINERAL	24	27	13	1
MISSOULA	775	702	489	20
MUSSELSHELL	47	43	28	-
PARK	127	133	93	1
PETROLEUM	2	5	4	-
PHILLIPS	32	39	16	-
PONDERA	33	36	15	-
POWDER RIVER	17	16	2	-
POWELL	42	53	33	-
PRAIRIE	5	6	-	-
RAVALLI	164	175	151	1
RICHLAND	97	94	41	-
ROOSEVELT	74	75	26	-
ROSEBUD	53	57	22	-
SANDERS	57	67	45	-
SHERIDAN	38	35	9	-
SILVER BOW	284	252	52	3
STILLWATER	52	54	13	-
SWEET GRASS	23	30	10	-
TETON	32	37	20	-
TOOLE	37	34	8	-
TREASURE	4	4	1	-
VALLEY	46	48	35	-
WHEATLAND	14	18	3	-
WIBAUX	8	7	2	-
YELLOWSTONE	1,041	922	763	1
YELLOWSTONE PARK	-	-	-	-
NOT STATED	-	-	-	-

TABLE 21

FREQUENCY AND RATE OF MARRIAGE AND MARITAL TERMINATION BY YEAR
MONTANA OCCURENCES, 1944-1994

YEAR	MARRIAGES		MARITAL TERMINATIONS	
	NUMBER	RATE*	NUMBER	RATE*
1944	6,433	11.2	1,745	3.1
1945	8,147	14.2	2,380	4.1
1946	12,974	22.4	3,212	5.6
1947	9,769	16.8	2,439	4.2
1948	7,131	12.2	2,090	3.6
1949	6,981	11.9	1,995	3.4
1950	7,235	12.2	1,951	3.3
1951	6,307	10.6	1,837	3.1
1952	6,410	10.6	1,989	3.3
1953	6,597	10.7	1,986	3.2
1954	6,575	10.5	1,966	3.2
1955	6,514	10.2	1,909	3.0
1956	6,770	10.3	1,985	3.0
1957	6,495	9.7	2,004	3.0
1958	6,142	9.2	2,023	3.0
1959	6,228	9.3	2,062	3.1
1960	5,883	8.7	2,003	3.0
1961	5,636	8.3	2,034	3.0
1962	5,051	7.1	1,932	2.7
1963	4,854	6.9	1,909	2.7
1964	4,556	6.5	1,981	2.8
1965	4,688	6.6	2,002	2.8
1966	4,914	7.0	2,087	3.0
1967	5,563	7.9	2,361	3.4
1968	6,250	9.0	2,592	3.7
1969	6,444	9.3	2,806	4.0
1970	6,919	10.0	3,051	4.4
1971	7,128	10.0	3,366	4.7
1972	7,674	10.7	3,609	5.0
1973	7,751	10.8	3,772	5.2
1974	7,741	10.5	3,940	5.4
1975	7,331	9.8	4,286	5.7
1976	7,390	9.8	4,850	6.4
1977	7,547	9.9	4,813	6.3
1978	8,136	10.4	4,877	6.2
1979	8,195	10.4	5,106	6.5
1980	8,336	10.6	4,940	6.3
1981	8,209	10.4	5,004	6.3
1982	8,185	10.2	4,612	5.8
1983	8,092	9.9	4,644	5.7
1984	7,659	9.3	4,355	5.3
1985	7,178	8.7	4,258	5.2
1986	6,739	8.2	4,307	5.3
1987	6,540	8.1	4,116	5.1
1988	6,784	8.4	4,063	5.0
1989	6,765	8.4	4,104	5.1
1990	6,924	8.7	4,049	5.1
1991	6,984	8.6	4,443	5.5
1992	7,189	8.7	4,223	5.1
1993	7,041	8.4	4,311	5.1
1994	7,088	8.3	4,196	4.9

* PER 1,000 ESTIMATED MIDYEAR POPULATION. U.S. CENSUS ENUMERATION ARE USED FOR YEARS ENDING IN ZERO.

TABLE 22

FREQUENCY AND PERCENT DISTRIBUTION OF MARRIAGES BY MONTH OF OCCURRENCE
MONTANA, 1994

MONTH	NUMBER	PERCENT	MONTH	NUMBER	PERCENT
MONTANA, TOTAL	7,088	100.0	JUNE	892	12.6
			JULY	1,167	16.5
JANUARY	271	3.8	AUGUST	1,014	14.3
FEBRUARY	353	5.0	SEPTEMBER	684	9.7
MARCH	345	4.9	OCTOBER	501	7.1
APRIL	422	6.0	NOVEMBER	341	4.8
MAY	581	8.2	DECEMBER	517	7.3

TABLE 23

FREQUENCY OF MARRIAGE BY PREVIOUS MARITAL STATUS AND AGE OF BRIDE AND
BY PREVIOUS MARTIAL STATUS AND AGE OF GROOM
MONTANA OCCURRENCES, 1994

AGE	BRIDE					GROOM				
	TOTAL	PREVIOUS MARITAL STATUS				TOTAL	PREVIOUS MARITAL STATUS			
		SINGLE	WIDOWED	DIVORCED	NOT STATED		SINGLE	WIDOWED	DIVORCED	NOT STATED
TOTAL	7,088	4,224	215	2,645	4	7,088	4,489	195	2,402	2
UNDER 15	-	-	-	-	-	-	-	-	-	-
15-19	736	722	-	13	1	256	255	-	1	-
20-24	2,301	2,078	1	221	1	1,907	1,837	-	69	1
25-29	1,266	823	7	435	1	1,586	1,287	6	293	-
30-34	937	368	8	561	-	1,111	637	6	468	-
35-39	731	142	18	571	-	754	295	11	448	-
40-44	467	66	30	370	1	511	107	4	399	1
45-49	281	19	22	240	-	382	34	17	331	-
50-54	156	3	25	128	-	220	20	17	183	-
55-59	80	1	16	63	-	131	6	11	114	-
60-64	48	-	25	23	-	82	7	26	49	-
65-69	42	1	25	16	-	61	2	25	34	-
70-74	23	-	22	1	-	38	1	30	7	-
75 AND OVER	20	1	16	3	-	49	1	42	6	-
NOT STATED	-	-	-	-	-	-	-	-	-	-

TABLE 24

FREQUENCY OF FIRST MARRIAGE* BY AGE OF BRIDE AND AGE OF GROOM
MONTANA OCCURRENCES, 1994

AGE OF GROOM	AGE OF BRIDE										
	TOTAL, ALL AGES	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55 AND OVER	NOT STATED
TOTAL, ALL AGES	3,537	684	1,834	670	226	80	33	8	2	-	-
15-19	251	186	62	3	-	-	-	-	-	-	-
20-24	1,664	427	1,106	120	9	1	-	1	-	-	-
25-29	1,019	58	537	353	59	10	1	1	-	-	-
30-34	384	8	108	148	90	22	8	-	-	-	-
35-39	141	3	14	39	51	28	4	2	-	-	-
40-44	51	2	6	6	11	13	11	1	1	-	-
45-49	13	-	-	1	5	2	5	-	-	-	-
50-54	8	-	1	-	1	3	1	1	1	-	-
55 AND OVER	6	-	-	-	-	1	3	2	-	-	-
NOT STATED	-	-	-	-	-	-	-	-	-	-	-

* FIRST MARRIAGE FOR BOTH BRIDE AND GROOM.

TABLE 25

FREQUENCY OF MARRIAGE BY RACE* OF BRIDE AND RACE* OF GROOM
MONTANA OCCURRENCES, 1994

RACE OF GROOM	RACE OF BRIDE								
	TOTAL	WHITE	BLACK	NATIVE AMERICAN	CHINESE	JAPANESE	FILIPINO	OTHER ASIANS AND PACIFIC ISLANDERS	NOT STATED
TOTAL	7,088	6,697	19	309	5	10	10	36	2
WHITE	6,717	6,544	8	115	2	9	8	31	-
BLACK	41	26	10	3	-	-	-	2	-
NATIVE AMERICAN	297	105	1	189	1	-	1	-	-
CHINESE	4	2	-	-	2	-	-	-	-
JAPANESE	5	4	-	-	-	1	-	-	-
FILIPINO	5	4	-	1	-	-	-	-	-
OTHER ASIANS AND PACIFIC ISLANDERS	14	9	-	1	-	-	1	3	-
OTHER RACES	2	2	-	-	-	-	-	-	-
NOT STATED	3	1	-	-	-	-	-	-	2

* ANY RACIAL CATEGORY MAY INCLUDE HISPANIC. "OTHER" ALSO INCLUDES RACE NOT STATED.

TABLE 26

FREQUENCY OF MARITAL TERMINATION BY TYPE AND BY LEGAL GROUNDS
FOR DECREE - MONTANA OCCURRENCES, 1994

TYPES OF MARITAL TERMINATION AND LEGAL GROUNDS	NUMBER
MARITAL TERMINATIONS, TOTAL	4,196
MARITAL DISSOULUTIONS, TOTAL	4,139
IRRECONCILABLE DIFFERENCES	4,139
INVALID MARRIAGES, TOTAL	57
LACKED CAPACITY TO CONSENT	47
LACKED PHYSICAL CAPACITY	2
UNDER AGE	-
PROHIBITED MARRIAGE	8
NOT STATED	-

TABLE 27

FREQUENCY OF MARITAL TERMINATION BY AGE OF WIFE AND AGE OF HUSBAND
MONTANA OCCURRENCES, 1994

AGE OF HUSBAND	TOTAL ALL AGES	AGE OF WIFE									
		15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55 AND OVER	NOT STATED
TOTAL ALL AGES	4,196	42	599	703	796	762	568	348	143	203	32
15-19	9	6	3	-	-	-	-	-	-	-	-
20-24	343	29	264	44	6	-	-	-	-	-	-
25-29	638	6	219	304	77	17	8	2	-	2	3
30-34	796	1	80	245	327	107	24	8	1	-	3
35-39	701	-	23	67	231	283	68	22	2	-	5
40-44	646	-	6	24	100	218	238	51	6	2	1
45-49	436	-	2	10	38	83	138	129	21	9	6
50-54	258	-	1	4	8	36	54	89	47	15	4
55 AND OVER	348	-	-	3	8	16	35	43	66	172	5
NOT STATED	21	-	1	2	1	2	3	4	-	3	5

TABLE 28

FREQUENCY OF MARITAL TERMINATION BY NUMBER OF MINOR CHILDREN IN THE HOUSEHOLD
AND BY AGE OF WIFE - MONTANA OCCURRENCES, 1994

AGE OF WIFE	TOTAL ALL AGES	NUMBER OF MINOR CHILDREN								
		NONE	ONE	TWO	THREE	FOUR	FIVE	SIX	SEVEN	EIGHT
TOTAL ALL AGES	4,196	1,957	900	915	96	298	19	5	5	1
15-19	42	27	15	-	-	-	-	-	-	-
20-24	599	290	196	98	1	13	1	-	-	-
25-29	703	262	187	166	15	68	4	-	1	-
30-34	796	228	170	252	32	104	5	2	2	1
35-39	762	282	132	229	32	77	7	2	1	-
40-44	568	268	128	127	12	31	1	-	1	-
45-49	348	252	55	31	3	5	1	1	-	-
50-54	143	129	8	6	-	-	-	-	-	-
55-59	90	83	4	2	1	-	-	-	-	-
60-64	49	48	1	-	-	-	-	-	-	-
65-69	29	29	-	-	-	-	-	-	-	-
70-74	18	18	-	-	-	-	-	-	-	-
75 AND OVER	17	17	-	-	-	-	-	-	-	-
NOT STATED	32	24	4	4	-	-	-	-	-	-

TABLE 29

SELECTED VITAL STATISTICS
FREQUENCIES AND RATES OR RATIOS BY COUNTY
MONTANA, 1994

ITEM	MONTANA +		BEAVERHEAD		BIG HORN		BLAINE		BROADWATER		CARBON		CARTER		CASCADE	
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
POPULATION	856,240		8,850		12,040		7,020		3,670		8,940		1,530		81,140	
RESIDENCE																
NATURAL INCREASE	3,731	4.4	26	3.0	147	12.4	67	9.7	9	2.5	5	0.6	3	2.0	515	6.4
LIVE BIRTHS, TOTAL	11,062	12.9	105	11.9	253	21.0	118	16.8	46	12.5	104	11.6	23	15.0	1,219	15.0
SEX-MALE	5,664	13.3	58	---	129	---	55	---	26	---	48	---	15	---	624	---
FEMALE	5,398	12.5	47	---	124	---	63	---	20	---	56	---	8	---	595	---
OUT-OF-WEDLOCK	2,815	254.5	20	190.5	132	521.7	65	550.8	12	260.9	16	153.8	3	130.4	289	237.1
DEATHS (EXCLUDING FETALS), TOTAL	7,331	8.6	79	8.9	106	8.8	51	7.3	37	10.1	99	11.1	20	13.1	704	8.7
SEX-MALE	3,950	9.3	53	---	66	---	26	---	22	---	54	---	13	---	375	---
FEMALE	3,381	7.9	26	---	40	---	25	---	15	---	45	---	7	---	329	---
INFANT & FETAL MORTALITY																
INFANT DEATHS (UNDER 1 YEAR)	82	7.4	1	9.5	1	4.0	-	-	1	21.7	1	9.6	-	-	11	9.0
NEONATAL (UNDER 28 DAYS)	44	4.0	1	9.5	-	-	-	-	1	21.7	1	9.6	-	-	8	6.6
POSTNEONATAL (28 DAYS-1 YEAR)	38	3.4	-	-	1	4.0	-	-	-	-	-	-	-	-	3	2.5
FETAL DEATHS	52	4.7	-	-	1	4.0	1	8.5	-	-	1	9.6	-	-	5	4.1
PERINATAL DEATHS	96	8.7	1	9.5	1	4.0	1	8.5	1	21.7	2	19.2	-	-	13	10.7
LEADING CAUSES OF DEATH **																
HEART DISEASE	1,907	222.7	16	180.8	29	240.9	12	170.9	6	163.5	27	302.0	7	457.5	181	223.1
CANCER	1,740	203.2	13	146.9	14	116.3	11	156.7	13	354.2	20	223.7	5	326.8	164	202.1
CEREBROVASCULAR DISEASE	572	66.8	11	124.3	2	16.6	4	57.0	1	27.2	8	89.5	3	196.1	67	82.6
CHRON. OBSTR. PULMONARY DISEASES	485	56.6	11	124.3	5	41.5	3	42.7	4	109.0	5	55.9	2	130.7	64	78.9
ACCIDENTS	391	45.7	7	79.1	18	149.5	2	28.5	3	81.7	5	55.9	-	-	33	40.7
PNEUMONIA AND INFLUENZA	291	34.0	2	22.6	2	16.6	5	71.2	2	54.5	5	55.9	-	-	18	22.2
DIABETES	215	25.1	3	33.9	5	41.5	1	14.2	-	-	3	33.6	1	65.4	10	12.3
SUICIDE	159	18.6	1	11.3	1	8.3	2	28.5	1	27.2	-	-	-	-	12	14.8
ALZHEIMER'S DISEASE	93	10.9	1	11.3	1	8.3	-	-	-	-	1	11.2	-	-	11	13.6
NEPHRITIS AND NEPHROTIC SYNDROME	76	8.9	1	11.3	2	16.6	2	28.5	1	27.2	1	11.2	-	-	10	12.3
OCCURRENCE																
LIVE BIRTHS, TOTAL	10,968	12.8	91	10.3	251	20.8	3	0.4	10	2.7	32	3.6	-	-	1,476	18.2
DEATHS (EXCLUDING FETAL), TOTAL	7,354	8.6	84	9.5	80	6.6	21	3.0	35	9.5	70	7.8	15	9.8	805	9.9
INFANT (UNDER 1 YEAR)	75	6.8	-	-	1	4.0	-	-	-	-	-	-	-	-	20	13.6
ACCIDENTAL	426	0.5	14	1.6	15	1.2	-	-	4	1.1	8	0.9	1	0.7	40	0.5
MOTOR VEHICLE	212	0.2	12	1.4	11	0.9	-	-	3	0.8	2	0.2	-	-	18	0.2
OTHER ACCIDENTAL	214	0.2	2	0.2	4	0.3	-	-	1	0.3	6	0.7	1	0.7	22	0.3
MARRIAGES	7,088	8.3	74	8.4	73	6.1	49	7.0	28	7.6	213	23.8	10	6.5	734	9.0
MARITAL TERMINATIONS	4,196	4.9	44	5.0	47	3.9	18	2.6	16	4.4	25	2.8	2	1.3	510	6.3

\+ MONTANA RESIDENCE TOTALS INCLUDE TWO DEATHS OF MONTANA RESIDENTS OF UNKNOWN COUNTIES OF RESIDENCE.
** CAUSE-SPECIFIC RESIDENT DEATH RATES ARE SHOWN PER 100,000 ESTIMATED POPULATION.
--- NOT CALCULATED.

TABLE 29 (CONTINUED)

SELECTED VITAL STATISTICS
FREQUENCIES AND RATES OR RATIOS BY COUNTY
MONTANA, 1994

ITEM	MONTANA +		CHOUTEAU		CUSTER		DANIELS		DAWSON		DEER LODGE		FALLON		FERGUS	
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
POPULATION	856,240		5,460		12,130		2,160		9,030		10,180		3,050		12,600	
RESIDENCE																
NATURAL INCREASE	3,731	4.4	(25)	-4.6	16	1.3	(21)	-9.9	2	0.2	(34)	-3.4	(2)	-0.7	(12)	-1.0
LIVE BIRTHS, TOTAL	11,062	12.9	41	7.5	158	13.0	16	7.4	90	10.0	84	8.3	27	8.9	146	11.6
SEX-MALE	5,664	13.3	22	---	83	---	9	---	43	---	51	---	13	---	72	---
FEMALE	5,398	12.5	19	---	75	---	7	---	47	---	33	---	14	---	74	---
OUT-OF-WEDLOCK	2,815	254.5	1	24.4	51	322.8	4	250.0	16	177.8	25	297.6	2	74.1	33	226.0
DEATHS (EXCLUDING FETALS), TOTAL	7,331	8.6	66	12.1	142	11.7	37	17.1	88	9.7	118	11.6	29	9.5	158	12.5
SEX-MALE	3,950	9.3	41	---	83	---	22	---	47	---	63	---	17	---	84	---
FEMALE	3,381	7.9	25	---	59	---	15	---	41	---	55	---	12	---	74	---
INFANT & FETAL MORTALITY																
INFANT DEATHS (UNDER 1 YEAR)	82	7.4	-	-	2	12.7	-	-	-	-	-	-	-	-	-	-
NEONATAL (UNDER 28 DAYS)	44	4.0	-	-	1	6.3	-	-	-	-	-	-	-	-	-	-
POSTNEONATAL (28 DAYS-1 YEAR)	38	3.4	-	-	1	6.3	-	-	-	-	-	-	-	-	-	-
FETAL DEATHS	52	4.7	-	-	1	6.3	-	-	1	11.1	-	-	-	-	1	6.8
PERINATAL DEATHS	96	8.7	-	-	2	12.7	-	-	1	11.1	-	-	-	-	1	6.8
LEADING CAUSES OF DEATH **																
HEART DISEASE	1,907	222.7	19	348.0	46	379.2	12	555.6	27	299.0	33	324.2	5	163.9	44	349.2
CANCER	1,740	203.2	11	201.5	37	305.0	12	555.6	25	276.9	28	275.0	8	262.3	33	261.9
CEREBROVASCULAR DISEASE	572	66.8	7	128.2	16	131.9	-	-	3	33.2	7	68.8	2	65.6	13	103.2
CHRON. OBSTR. PULMONARY DISEASES	485	56.6	5	91.6	5	41.2	3	138.9	3	33.2	10	98.2	3	98.4	13	103.2
ACCIDENTS	391	45.7	5	91.6	4	33.0	1	46.3	4	44.3	8	78.6	1	32.8	3	23.8
PNEUMONIA AND INFLUENZA	291	34.0	2	36.6	1	8.2	-	-	3	33.2	4	39.3	2	65.6	15	119.0
DIABETES	215	25.1	1	18.3	4	33.0	2	92.6	2	22.1	5	49.1	2	65.6	2	15.9
SUICIDE	159	18.6	3	54.9	2	16.5	-	-	1	11.1	2	19.6	1	32.8	2	15.9
ALZHEIMER'S DISEASE	93	10.9	1	18.3	2	16.5	-	-	-	-	-	-	-	-	2	15.9
NEPHRITIS AND NEPHROTIC SYNDROME	76	8.9	-	-	1	8.2	-	-	2	22.1	3	29.5	-	-	3	23.8
OCCURRENCE																
LIVE BIRTHS, TOTAL	10,968	12.8	1	0.2	275	22.7	3	1.4	42	4.7	50	4.9	30	9.8	156	12.4
DEATHS (EXCLUDING FETAL), TOTAL	7,354	8.6	53	9.7	180	14.8	29	13.4	80	8.9	94	9.2	26	8.5	153	12.1
INFANT (UNDER 1 YEAR)	75	6.8	-	-	1	3.6	-	-	-	-	-	-	-	-	-	-
ACCIDENTAL	426	0.5	5	0.9	6	0.5	1	0.5	6	0.7	5	0.5	1	0.3	4	0.3
MOTOR VEHICLE	212	0.2	2	0.4	2	0.2	-	-	3	0.3	1	0.1	-	-	3	0.2
OTHER ACCIDENTAL	214	0.2	3	0.5	4	0.3	1	0.5	3	0.3	4	0.4	1	0.3	1	0.1
MARRIAGES	7,088	8.3	41	7.5	116	9.6	21	9.7	62	6.9	92	9.0	20	6.6	91	7.2
MARITAL TERMINATIONS	4,196	4.9	11	2.0	66	5.4	3	1.4	18	2.0	30	2.9	6	2.0	60	4.8

\+ MONTANA RESIDENCE TOTALS INCLUDE TWO DEATHS OF MONTANA RESIDENTS OF UNKNOWN COUNTIES OF RESIDENCE.
** CAUSE-SPECIFIC RESIDENT DEATH RATES ARE SHOWN PER 100,000 ESTIMATED POPULATION.
--- NOT CALCULATED.

TABLE 29 (CONTINUED)

SELECTED VITAL STATISTICS
FREQUENCIES AND RATES OR RATIOS BY COUNTY
MONTANA, 1994

ITEM	MONTANA +		FLATHEAD		GALLATIN		GARFIELD		GLACIER		GOLDEN VALLEY		GRANITE		HILL	
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
POPULATION	856,240		67,380		57,810		1,440		12,450		960		2,650		17,460	
RESIDENCE																
NATURAL INCREASE	3,731	4.4	375	5.8	436	7.9	(7)	-4.9	150	12.1	5	5.5	(6)	-2.4	134	7.4
LIVE BIRTHS, TOTAL	11,062	12.9	887	13.2	723	12.5	15	10.4	253	20.3	16	16.7	22	8.3	283	16.2
SEX-MALE	5,664	13.3	468	---	374	---	9	---	119	---	9	---	10	---	151	---
FEMALE	5,398	12.5	419	---	349	---	6	---	134	---	7	---	12	---	132	---
OUT-OF-WEDLOCK	2,815	254.5	209	235.6	92	127.2	5	333.3	160	632.4	1	62.5	4	181.8	118	417.0
DEATHS (EXCLUDING FETALS), TOTAL	7,331	8.6	512	7.6	287	5.0	22	15.3	103	8.3	11	11.5	28	10.6	149	8.5
SEX-MALE	3,950	9.3	278	---	150	---	11	---	62	---	7	---	16	---	83	---
FEMALE	3,381	7.9	234	---	137	---	11	---	41	---	4	---	12	---	66	---
INFANT & FETAL MORTALITY																
INFANT DEATHS (UNDER 1 YEAR)	82	7.4	4	4.5	5	6.9	1	66.7	3	11.9	1	62.5	1	45.5	4	14.1
NEONATAL (UNDER 28 DAYS)	44	4.0	1	1.1	1	1.4	1	66.7	2	7.9	1	62.5	1	45.5	3	10.6
POSTNEONATAL (28 DAYS-1 YEAR)	38	3.4	3	3.4	4	5.5	-	-	1	4.0	-	-	-	-	1	3.5
FETAL DEATHS	52	4.7	6	6.8	3	4.1	-	-	2	7.9	-	-	-	-	-	-
PERINATAL DEATHS	96	8.7	7	7.9	4	5.5	1	66.7	4	15.8	1	62.5	1	45.5	3	10.6
LEADING CAUSES OF DEATH **																
HEART DISEASE	1,907	222.7	150	222.6	60	103.8	5	347.2	29	232.9	4	416.7	5	188.7	45	257.7
CANCER	1,740	203.2	124	184.0	60	103.8	7	486.1	17	136.5	2	208.3	7	264.2	35	200.5
CEREBROVASCULAR DISEASE	572	66.8	32	47.5	24	41.5	2	138.9	8	64.3	-	-	2	75.5	8	45.8
CHRON. OBSTR. PULMONARY DISEASES	485	56.6	34	50.5	16	27.7	2	138.9	5	40.2	-	-	2	75.5	6	34.4
ACCIDENTS	391	45.7	18	26.7	17	29.4	2	138.9	11	88.4	2	208.3	-	-	7	40.1
PNEUMONIA AND INFLUENZA	291	34.0	18	26.7	15	25.9	-	-	4	32.1	-	-	-	-	6	34.4
DIABETES	215	25.1	17	25.2	11	19.0	-	-	3	24.1	-	-	-	-	7	40.1
SUICIDE	159	18.6	11	16.3	6	10.4	-	-	4	32.1	-	-	2	75.5	1	5.7
ALZHEIMER'S DISEASE	93	10.9	4	5.9	3	5.2	-	-	1	8.0	-	-	1	37.7	1	5.7
NEPHRITIS AND NEPHROTIC SYNDROME	76	8.9	4	5.9	5	8.6	-	-	1	8.0	-	-	-	-	3	17.2
OCCURRENCE																
LIVE BIRTHS, TOTAL	10,968	12.8	958	14.2	766	13.3	1	0.7	232	18.6	-	-	1	0.4	419	24.0
DEATHS (EXCLUDING FETAL), TOTAL	7,354	8.6	531	7.9	263	4.5	14	9.7	84	6.7	6	6.3	18	6.8	165	9.5
INFANT (UNDER 1 YEAR)	75	6.8	5	5.2	6	7.8	-	-	1	4.3	-	-	-	-	2	4.8
ACCIDENTAL	426	0.5	16	0.2	11	0.2	2	1.4	9	0.7	2	2.1	1	0.4	8	0.5
MOTOR VEHICLE	212	0.2	8	0.1	5	0.1	1	0.7	6	0.5	1	1.0	1	0.4	2	0.1
OTHER ACCIDENTAL	214	0.2	8	0.1	6	0.1	1	0.7	3	0.2	1	1.0	-	-	6	0.3
MARRIAGES	7,088	8.3	656	9.7	581	10.1	7	4.9	77	6.2	1	1.0	29	10.9	129	7.4
MARITAL TERMINATIONS	4,196	4.9	399	5.9	267	4.6	-	-	50	4.0	2	2.1	11	4.2	59	3.4

\+ MONTANA RESIDENCE TOTALS INCLUDE TWO DEATHS OF MONTANA RESIDENTS OF UNKNOWN COUNTIES OF RESIDENCE.
** CAUSE-SPECIFIC RESIDENT DEATH RATES ARE SHOWN PER 100,000 ESTIMATED POPULATION.

TABLE 29 (CONTINUED)

SELECTED VITAL STATISTICS
FREQUENCIES AND RATES OR RATIOS BY COUNTY
MONTANA, 1994

ITEM	MONTANA +		JEFFERSON		JUDITH BASIN		LAKE		LEWIS & CLARK		LIBERTY		LINCOLN		MCCONE	
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
POPULATION	856,240		8,980		2,240		23,680		51,600		2,250		18,390		2,130	
RESIDENCE																
NATURAL INCREASE	3,731	4.4	43	5.1	3	1.3	55	2.4	291	5.7	14	6.1	24	1.3	(2)	-1.0
LIVE BIRTHS, TOTAL	11,062	12.9	108	12.0	23	10.3	282	11.9	677	13.1	26	11.6	196	10.7	22	10.3
SEX-MALE	5,664	13.3	60	---	12	---	134	---	347	---	10	---	100	---	10	---
FEMALE	5,398	12.5	48	---	11	---	148	---	330	---	16	---	96	---	12	---
OUT-OF-WEDLOCK	2,815	254.5	13	120.4	2	87.0	96	340.4	131	193.5	3	115.4	61	311.2	1	45.5
DEATHS (EXCLUDING FETALS), TOTAL	7,331	8.6	65	7.2	20	8.9	227	9.6	386	7.5	12	5.3	172	9.4	24	11.3
SEX-MALE	3,950	9.3	41	---	15	---	117	---	199	---	6	---	91	---	12	---
FEMALE	3,381	7.9	24	---	5	---	110	---	187	---	6	---	81	---	12	---
INFANT & FETAL MORTALITY																
INFANT DEATHS (UNDER 1 YEAR)	82	7.4	1	9.3	-	-	3	10.6	6	8.9	-	-	3	15.3	-	-
NEONATAL (UNDER 28 DAYS)	44	4.0	-	-	-	-	2	7.1	4	5.9	-	-	1	5.1	-	-
POSTNEONATAL (28 DAYS-1 YEAR)	38	3.4	1	9.3	-	-	1	3.5	2	3.0	-	-	2	10.2	-	-
FETAL DEATHS	52	4.7	-	-	-	-	1	3.5	5	7.4	-	-	1	5.1	-	-
PERINATAL DEATHS	96	8.7	-	-	-	-	3	10.6	9	13.3	-	-	2	10.2	-	-
LEADING CAUSES OF DEATH **																
HEART DISEASE	1,907	222.7	16	178.2	5	223.2	46	194.3	100	193.8	6	266.7	53	288.2	11	516.4
CANCER	1,740	203.2	15	167.0	5	223.2	55	232.3	86	166.7	2	88.9	46	250.1	2	93.9
CEREBROVASCULAR DISEASE	572	66.8	5	55.7	-	-	23	97.1	35	67.8	-	-	12	65.3	3	140.8
CHRON. OBSTR. PULMONARY DISEASES	485	56.6	2	22.3	3	133.9	14	59.1	23	44.6	-	-	9	48.9	2	93.9
ACCIDENTS	391	45.7	6	66.8	2	89.3	21	88.7	21	40.7	1	44.4	12	65.3	2	93.9
PNEUMONIA AND INFLUENZA	291	34.0	2	22.3	-	-	4	16.9	10	19.4	-	-	3	16.3	-	-
DIABETES	215	25.1	3	33.4	-	-	12	50.7	15	29.1	2	88.9	8	43.5	1	46.9
SUICIDE	159	18.6	-	-	-	-	3	12.7	14	27.1	-	-	2	10.9	1	46.9
ALZHEIMER'S DISEASE	93	10.9	4	44.5	-	-	6	25.3	3	5.8	1	44.4	1	5.4	-	-
NEPHRITIS AND NEPHROTIC SYNDROME	76	8.9	-	-	-	-	3	12.7	2	3.9	-	-	-	-	-	-
OCCURRENCE																
LIVE BIRTHS, TOTAL	10,968	12.8	-	-	1	0.4	189	8.0	778	15.1	21	9.3	135	7.3	-	-
DEATHS (EXCLUDING FETAL), TOTAL	7,354	8.6	43	4.8	5	2.2	178	7.5	421	8.2	15	6.7	135	7.3	19	8.9
INFANT (UNDER 1 YEAR)	75	6.8	-	-	-	-	1	5.3	2	2.6	-	-	1	7.4	-	-
ACCIDENTAL	426	0.5	7	0.8	-	-	23	1.0	17	0.3	1	0.4	5	0.3	2	0.9
MOTOR VEHICLE	212	0.2	6	0.7	-	-	17	0.7	3	0.1	1	0.4	3	0.2	-	-
OTHER ACCIDENTAL	214	0.2	1	0.1	-	-	6	0.3	14	0.3	-	-	2	0.1	2	0.9
MARRIAGES	7,088	8.3	47	5.2	19	8.5	202	8.5	470	9.1	9	4.0	150	8.2	17	8.0
MARITAL TERMINATIONS	4,196	4.9	23	2.6	8	3.6	142	6.0	312	6.0	1	0.4	115	6.3	2	0.9

\+ MONTANA RESIDENCE TOTALS INCLUDE TWO DEATHS OF MONTANA RESIDENTS OF UNKNOWN COUNTIES OF RESIDENCE.
** CAUSE-SPECIFIC RESIDENT DEATH RATES ARE SHOWN PER 100,000 ESTIMATED POPULATION.
--- NOT CALCULATED.

TABLE 29 (CONTINUED)

SELECTED VITAL STATISTICS
FREQUENCIES AND RATES OR RATIOS BY COUNTY
MONTANA, 1994

ITEM	MONTANA +		MADISON		MEAGHER		MINERAL		MISSOULA		MUSSELSHELL		PARK		PETROLEUM	
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
POPULATION	856,240		6,390		1,840		3,630		85,690		4,410		15,640		530	
RESIDENCE																
NATURAL INCREASE	3,731	4.4	6	1.0	7	3.8	2	0.6	519	6.1	(9)	-2.2	19	1.3	3	5.9
LIVE BIRTHS, TOTAL	11,062	12.9	63	9.9	32	17.4	44	12.1	1,105	12.9	47	10.7	171	10.9	6	11.3
SEX-MALE	5,664	13.3	37	—	16	—	26	—	544	—	22	—	96	—	3	—
FEMALE	5,398	12.5	26	—	16	—	18	—	561	—	25	—	75	—	3	—
OUT-OF-WEDLOCK	2,815	254.5	5	79.4	1	31.3	13	295.5	230	208.1	9	191.5	31	181.3	1	166.7
DEATHS (EXCLUDING FETALS), TOTAL	7,331	8.6	57	8.9	25	13.6	42	11.6	586	6.8	56	12.7	152	9.7	3	5.7
SEX-MALE	3,950	9.3	31	—	16	—	22	—	316	—	36	—	84	—	1	—
FEMALE	3,381	7.9	26	—	9	—	20	—	270	—	20	—	68	—	2	—
INFANT & FETAL MORTALITY																
INFANT DEATHS (UNDER 1 YEAR)	82	7.4	-	-	-	-	-	-	11	10.0	-	-	1	5.8	-	-
NEONATAL (UNDER 28 DAYS)	44	4.0	-	-	-	-	-	-	6	5.4	-	-	1	5.8	-	-
POSTNEONATAL (28 DAYS-1 YEAR)	38	3.4	-	-	-	-	-	-	5	4.5	-	-	-	-	-	-
FETAL DEATHS	52	4.7	1	15.9	-	-	-	-	4	3.6	-	-	-	-	-	-
PERINATAL DEATHS	96	8.7	1	15.9	-	-	-	-	10	9.0	-	-	1	5.8	-	-
LEADING CAUSES OF DEATH **																
HEART DISEASE	1,907	222.7	15	234.7	7	380.4	9	247.9	131	152.9	16	362.8	34	217.4	2	377.4
CANCER	1,740	203.2	20	313.0	8	434.8	9	247.9	136	158.7	12	272.1	33	211.0	1	188.7
CEREBROVASCULAR DISEASE	572	66.8	1	15.6	2	108.7	4	110.2	42	49.0	4	90.7	8	51.2	-	-
CHRON. OBSTR. PULMONARY DISEASES	485	56.6	7	109.5	3	163.0	3	82.6	40	46.7	3	68.0	14	89.5	-	-
ACCIDENTS	391	45.7	2	31.3	1	54.3	2	55.1	23	26.8	2	45.4	9	57.5	-	-
PNEUMONIA AND INFLUENZA	291	34.0	3	46.9	-	-	2	55.1	29	33.8	1	22.7	9	57.5	-	-
DIABETES	215	25.1	-	-	1	54.3	4	110.2	14	16.3	3	68.0	6	38.4	-	-
SUICIDE	159	18.6	2	31.3	-	-	1	27.5	20	23.3	2	45.4	4	25.6	-	-
ALZHEIMER'S DISEASE	93	10.9	-	-	-	-	1	27.5	12	14.0	2	45.4	4	25.6	-	-
NEPHRITIS AND NEPHROTIC SYNDROME	76	8.9	-	-	-	-	-	-	3	3.5	-	-	3	19.2	-	-
OCCURRENCE																
LIVE BIRTHS, TOTAL	10,968	12.8	12	1.9	10	5.4	7	1.9	1,472	17.2	1	0.2	212	13.6	-	-
DEATHS (EXCLUDING FETAL), TOTAL	7,354	8.6	61	9.5	27	14.7	28	7.7	771	9.0	43	9.8	149	9.5	3	5.7
INFANT (UNDER 1 YEAR)	75	6.8	-	-	-	-	-	-	11	7.5	-	-	-	-	-	-
ACCIDENTAL	426	0.5	5	0.8	2	1.1	3	0.8	41	0.5	1	0.2	8	0.5	-	-
MOTOR VEHICLE	212	0.2	2	0.3	1	0.5	2	0.6	21	0.2	-	-	3	0.2	-	-
OTHER ACCIDENTAL	214	0.2	3	0.5	1	0.5	1	0.3	20	0.2	1	0.2	5	0.3	-	-
MARRIAGES	7,088	8.3	83	13.0	18	9.8	27	7.4	702	8.2	43	9.8	133	8.5	5	9.4
MARITAL TERMINATIONS	4,196	4.9	23	3.6	5	2.7	14	3.9	509	5.9	28	6.3	94	6.0	4	7.5

\+ MONTANA RESIDENCE TOTALS INCLUDE TWO DEATHS OF MONTANA RESIDENTS OF UNKNOWN COUNTIES OF RESIDENCE.
** CAUSE-SPECIFIC RESIDENT DEATH RATES ARE SHOWN PER 100,000 ESTIMATED POPULATION.
— NOT CALCULATED.

TABLE 29 (CONTINUED)

SELECTED VITAL STATISTICS
FREQUENCIES AND RATES OR RATIOS BY COUNTY
MONTANA, 1994

ITEM	MONTANA +		PHILLIPS		PONDERA		POWDER RIVER		POWELL		PRAIRIE		RAVALLI		RICHLAND	
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
POPULATION	856,240		5,030		6,200		2,020		6,830		1,340		30,710		10,340	
RESIDENCE																
NATURAL INCREASE	3,731	4.4	15	2.9	1	0.2	(5)	-2.4	9	1.3	-	-	76	2.7	26	2.4
LIVE BIRTHS, TOTAL	11,062	12.9	65	12.9	78	12.6	25	12.4	77	11.3	12	9.0	357	11.6	126	12.2
SEX-MALE	5,664	13.3	34	---	45	---	12	---	36	---	6	---	200	---	70	---
FEMALE	5,398	12.5	31	---	33	---	13	---	41	---	6	---	157	---	56	---
OUT-OF-WEDLOCK	2,815	254.5	13	200.0	20	256.4	5	200.0	18	233.8	4	333.3	71	198.9	32	254.0
DEATHS (EXCLUDING FETALS), TOTAL	7,331	8.6	50	9.9	77	12.4	30	14.9	68	10.0	12	9.0	281	9.2	100	9.7
SEX-MALE	3,950	9.3	31	---	36	---	18	---	39	---	10	---	147	---	51	---
FEMALE	3,381	7.9	19	---	41	---	12	---	29	---	2	---	134	---	49	---
INFANT & FETAL MORTALITY																
INFANT DEATHS (UNDER 1 YEAR)	82	7.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEONATAL (UNDER 28 DAYS)	44	4.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
POSTNEONATAL (28 DAYS-1 YEAR)	38	3.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FETAL DEATHS	52	4.7	-	-	1	12.8	-	-	-	-	-	-	2	5.6	-	-
PERINATAL DEATHS	96	8.7	-	-	1	12.8	-	-	-	-	-	-	2	5.6	-	-
LEADING CAUSES OF DEATH **																
HEART DISEASE	1,907	222.7	13	258.4	18	290.3	6	297.0	21	307.5	3	223.9	79	257.2	42	406.2
CANCER	1,740	203.2	16	318.1	23	371.0	6	297.0	16	234.3	5	373.1	70	227.9	26	251.5
CEREBROVASCULAR DISEASE	572	66.8	1	19.9	16	258.1	6	297.0	2	29.3	1	74.6	15	48.8	6	58.0
CHRON. OBSTR. PULMONARY DISEASES	485	56.6	3	59.6	3	48.4	2	99.0	7	102.5	2	149.3	15	48.8	4	38.7
ACCIDENTS	391	45.7	-	-	1	16.1	1	49.5	6	87.8	-	-	22	71.6	8	77.4
PNEUMONIA AND INFLUENZA	291	34.0	1	19.9	3	48.4	1	49.5	3	43.9	-	-	14	45.6	1	9.7
DIABETES	215	25.1	2	39.8	-	-	2	99.0	2	29.3	-	-	6	19.5	1	9.7
SUICIDE	159	18.6	1	19.9	1	16.1	-	-	2	29.3	-	-	8	26.1	1	9.7
ALZHEIMER'S DISEASE	93	10.9	-	-	1	16.1	1	49.5	1	14.6	-	-	6	19.5	2	19.3
NEPHRITIS AND NEPHROTIC SYNDROME	76	8.9	1	19.9	1	16.1	1	49.5	-	-	-	-	5	16.3	-	-
OCCURRENCE																
LIVE BIRTHS, TOTAL	10,968	12.8	3	0.6	19	3.1	-	-	19	2.8	-	-	212	6.9	162	15.7
DEATHS (EXCLUDING FETAL), TOTAL	7,354	8.6	34	6.8	59	9.5	21	10.4	59	8.6	7	5.2	224	7.3	91	8.8
INFANT (UNDER 1 YEAR)	75	6.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ACCIDENTAL	426	0.5	-	-	3	0.5	1	0.5	10	1.5	2	1.5	15	0.5	5	0.5
MOTOR VEHICLE	212	0.2	-	-	2	0.3	1	0.5	6	0.9	-	-	8	0.3	1	0.1
OTHER ACCIDENTAL	214	0.2	-	-	1	0.2	-	-	4	0.6	2	1.5	7	0.2	4	0.4
MARRIAGES	7,088	8.3	39	7.8	36	5.8	16	7.9	53	7.8	6	4.5	175	5.7	94	9.1
MARITAL TERMINATIONS	4,196	4.9	16	3.2	15	2.4	2	1.0	33	4.8	-	-	152	4.9	41	4.0

\+ MONTANA RESIDENCE TOTALS INCLUDE TWO DEATHS OF MONTANA RESIDENTS OF UNKNOWN COUNTIES OF RESIDENCE.
** CAUSE-SPECIFIC RESIDENT DEATH RATES ARE SHOWN PER 100,000 ESTIMATED POPULATION.
--- NOT CALCULATED.

TABLE 29 (CONTINUED)

SELECTED VITAL STATISTICS
FREQUENCIES AND RATES OR RATIOS BY COUNTY
MONTANA, 1994

ITEM	MONTANA +		ROOSEVELT		ROSEBUD		SANDERS		SHERIDAN		SILVER BOW		STILLWATER		SWEET GRASS	
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
POPULATION	856,240		11,160		10,790		9,700		4,420		34,780		7,240		3,280	
RESIDENCE																
NATURAL INCREASE	3,731	4.4	99	9.0	67	6.2	(5)	-0.6	(18)	-4.0	64	1.9	3	0.4	4	1.3
LIVE BIRTHS, TOTAL	11,062	12.9	197	17.7	146	13.5	87	9.0	40	9.0	449	12.9	77	10.6	34	10.4
SEX-MALE	5,664	13.3	97	—	83	—	42	—	21	—	230	—	30	—	17	—
FEMALE	5,398	12.5	100	—	63	—	45	—	19	—	219	—	47	—	17	—
OUT-OF-WEDLOCK	2,815	254.5	113	573.6	55	376.7	16	183.9	7	175.0	137	305.1	9	116.9	7	205.9
DEATHS (EXCLUDING FETALS), TOTAL	7,331	8.6	98	8.8	79	7.3	92	9.5	58	13.1	385	11.1	74	10.2	30	9.1
SEX-MALE	3,950	9.3	57	—	40	—	48	—	31	—	211	—	39	—	15	—
FEMALE	3,381	7.9	41	—	39	—	44	—	27	—	174	—	35	—	15	—
INFANT & FETAL MORTALITY																
INFANT DEATHS (UNDER 1 YEAR)	82	7.4	2	10.2	1	6.8	-	-	-	-	6	13.4	1	13.0	-	-
NEONATAL (UNDER 28 DAYS)	44	4.0	-	-	1	6.8	-	-	-	-	1	2.2	1	13.0	-	-
POSTNEONATAL (28 DAYS-1 YEAR)	38	3.4	2	10.2	-	-	-	-	-	-	5	11.1	-	-	-	-
FETAL DEATHS	52	4.7	-	-	-	-	-	-	-	-	5	11.1	1	13.0	1	29.4
PERINATAL DEATHS	96	8.7	-	-	1	6.8	-	-	-	-	6	13.4	2	26.0	1	29.4
LEADING CAUSES OF DEATH **																
HEART DISEASE	1,907	222.7	35	313.6	15	139.0	35	360.8	17	384.6	103	296.1	12	165.7	8	243.9
CANCER	1,740	203.2	17	152.3	19	176.1	21	216.5	13	294.1	79	227.1	22	303.9	5	152.4
CEREBROVASCULAR DISEASE	572	66.8	5	44.8	8	74.1	2	20.6	4	90.5	19	54.6	7	96.7	7	213.4
CHRON. OBSTR. PULMONARY DISEASES	485	56.6	5	44.8	4	37.1	8	82.5	4	90.5	34	97.8	6	82.9	2	61.0
ACCIDENTS	391	45.7	8	71.7	8	74.1	6	61.9	-	-	21	60.4	4	55.2	1	30.5
PNEUMONIA AND INFLUENZA	291	34.0	4	35.8	3	27.8	6	61.9	5	113.1	22	63.3	5	69.1	4	122.0
DIABETES	215	25.1	4	35.8	4	37.1	2	20.6	-	-	15	43.1	2	27.6	-	-
SUICIDE	159	18.6	1	9.0	1	9.3	2	20.6	1	22.6	10	28.8	-	-	-	-
ALZHEIMER'S DISEASE	93	10.9	-	-	-	-	-	-	1	22.6	9	25.9	1	13.8	-	-
NEPHRITIS AND NEPHROTIC SYNDROME	76	8.9	2	17.9	-	-	1	10.3	2	45.2	1	2.9	-	-	-	-
OCCURRENCE																
LIVE BIRTHS, TOTAL	10,968	12.8	156	14.0	2	0.2	4	0.4	41	9.3	543	15.6	39	5.4	-	-
DEATHS (EXCLUDING FETAL), TOTAL	7,354	8.6	75	6.7	40	3.7	65	6.7	63	14.3	400	11.5	66	9.1	17	5.2
INFANT (UNDER 1 YEAR)	75	6.8	1	6.4	-	-	-	-	-	-	5	9.2	-	-	-	-
ACCIDENTAL	426	0.5	9	0.8	6	0.6	8	0.8	-	-	23	0.7	5	0.7	1	0.3
MOTOR VEHICLE	212	0.2	4	0.4	3	0.3	2	0.2	-	-	10	0.3	4	0.6	1	0.3
OTHER ACCIDENTAL	214	0.2	5	0.4	3	0.3	6	0.6	-	-	13	0.4	1	0.1	-	-
MARRIAGES	7,088	8.3	75	6.7	57	5.3	67	6.9	35	7.9	252	7.2	54	7.5	30	9.1
MARITAL TERMINATIONS	4,196	4.9	26	2.3	22	2.0	45	4.6	9	2.0	55	1.6	13	1.8	10	3.0

\+ MONTANA RESIDENCE TOTALS INCLUDE TWO DEATHS OF MONTANA RESIDENTS OF UNKNOWN COUNTIES OF RESIDENCE.
** CAUSE-SPECIFIC RESIDENT DEATH RATES ARE SHOWN PER 100,000 ESTIMATED POPULATION.
— NOT CALCULATED.

TABLE 29 (CONCLUDED)

SELECTED VITAL STATISTICS
FREQUENCIES AND RATES OR RATIOS BY COUNTY
MONTANA, 1994

ITEM	MONTANA +		TETON		TOOLE		TREASURE		VALLEY		WHEATLAND		WIBAUX		YELLOWSTONE	
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
POPULATION	856,240		6,410		5,100		870		8,350		2,350		1,140		122,770	
RESIDENCE																
NATURAL INCREASE	3,731	4.4	(2)	-0.3	4	0.8	2	2.3	2	0.2	8	3.5	(4)	-3.5	629	5.2
LIVE BIRTHS, TOTAL	11,062	12.9	70	10.9	56	11.0	8	9.2	89	10.7	32	13.6	10	8.8	1,596	13.0
SEX-MALE	5,664	13.3	32	—	31	—	4	—	46	—	19	—	2	—	802	—
FEMALE	5,398	12.5	38	—	25	—	4	—	43	—	13	—	8	—	794	—
OUT-OF-WEDLOCK	2,815	254.5	11	157.1	10	178.6	1	125.0	39	438.2	7	218.8	1	100.0	384	240.6
DEATHS (EXCLUDING FETALS), TOTAL	7,331	8.6	72	11.2	52	10.2	6	6.9	87	10.4	24	10.2	14	12.3	967	7.9
SEX-MALE	3,950	9.3	35	—	30	—	4	—	38	—	16	—	6	—	487	—
FEMALE	3,381	7.9	37	—	22	—	2	—	49	—	8	—	8	—	480	—
INFANT & FETAL MORTALITY																
INFANT DEATHS (UNDER 1 YEAR)	82	7.4	-	-	-	-	-	-	1	11.2	-	-	1	100.0	9	5.6
NEONATAL (UNDER 28 DAYS)	44	4.0	-	-	-	-	-	-	-	-	-	-	-	-	5	3.1
POSTNEONATAL (28 DAYS-1 YEAR)	38	3.4	-	-	-	-	-	-	1	11.2	-	-	1	100.0	4	2.5
FETAL DEATHS	52	4.7	2	28.6	-	-	-	-	2	22.5	-	-	-	-	4	2.5
PERINATAL DEATHS	96	8.7	2	28.6	-	-	-	-	2	22.5	-	-	-	-	9	5.6
LEADING CAUSES OF DEATH **																
HEART DISEASE	1,907	222.7	21	327.6	18	352.9	2	229.9	33	395.2	5	212.8	1	87.7	207	168.6
CANCER	1,740	203.2	17	265.2	15	294.1	2	229.9	17	203.6	6	255.3	7	614.0	261	212.6
CEREBROVASCULAR DISEASE	572	66.8	4	62.4	2	39.2	1	114.9	2	24.0	1	42.6	1	87.7	103	83.9
CHRON. OBSTR. PULMONARY DISEASES	485	56.6	2	31.2	-	-	-	-	5	59.9	1	42.6	1	87.7	53	43.2
ACCIDENTS	391	45.7	7	109.2	2	39.2	-	-	3	35.9	2	85.1	1	87.7	35	28.5
PNEUMONIA AND INFLUENZA	291	34.0	10	156.0	1	19.6	-	-	7	83.8	-	-	1	87.7	33	26.9
DIABETES	215	25.1	2	31.2	1	19.6	-	-	3	35.9	-	-	-	-	21	17.1
SUICIDE	159	18.6	1	15.6	2	39.2	-	-	1	12.0	1	42.6	-	-	25	20.4
ALZHEIMER'S DISEASE	93	10.9	-	-	-	-	-	-	-	-	-	-	-	-	8	6.5
NEPHRITIS AND NEPHROTIC SYNDROME	76	8.9	1	15.6	2	39.2	1	114.9	-	-	2	85.1	-	-	5	4.1
OCCURRENCE																
LIVE BIRTHS, TOTAL	10,968	12.8	3	0.5	91	17.8	-	-	96	11.5	-	-	-	-	1,943	15.8
DEATHS (EXCLUDING FETAL), TOTAL	7,354	8.6	50	7.8	44	8.6	2	2.3	80	9.6	19	8.1	8	7.0	1,226	10.0
INFANT (UNDER 1 YEAR)	75	6.8	-	-	1	11.0	-	-	-	-	-	-	-	-	17	8.7
ACCIDENTAL	426	0.5	5	0.8	1	0.2	-	-	3	0.4	1	0.4	-	-	54	0.4
MOTOR VEHICLE	212	0.2	2	0.3	-	-	-	-	2	0.2	-	-	-	-	26	0.2
OTHER ACCIDENTAL	214	0.2	3	0.5	1	0.2	-	-	1	0.1	1	0.4	-	-	28	0.2
MARRIAGES	7,088	8.3	37	5.8	34	6.7	4	4.6	48	5.7	18	7.7	7	6.1	922	7.5
MARITAL TERMINATIONS	4,196	4.9	20	3.1	8	1.6	1	1.1	35	4.2	3	1.3	2	1.8	764	6.2

\+ MONTANA RESIDENCE TOTALS INCLUDE TWO DEATHS OF MONTANA RESIDENTS OF UNKNOWN COUNTIES OF RESIDENCE.
** CAUSE-SPECIFIC RESIDENT DEATH RATES ARE SHOWN PER 100,000 ESTIMATED POPULATION.
— NOT CALCULATED.

TABLE 30

FREQUENCY AND PERCENT DISTRIBUTION OF BIRTHS, FETAL DEATHS, AND INDUCED ABORTIONS*
BY WOMAN'S AGE AND COUNTY OF RESIDENCE
MONTANA, 1994

COUNTY OF RESIDENCE	TOTAL	AGE GROUP									
		UNDER 15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45 OR MORE	N.S.+
TOTAL											
LIVE BIRTHS											
NUMBER	11,062	18	438	881	2,994	3,036	2,429	1,078	178	10	-
PERCENT	100.0	0.2	4.0	8.0	27.1	27.4	22.0	9.7	1.6	0.1	-
FETAL DEATHS											
NUMBER	52	-	4	2	11	13	13	6	2	-	1
PERCENT	100.0	-	7.7	3.8	21.2	25.0	25.0	11.5	3.8	-	1.9
INDUCED ABORTIONS											
NUMBER	2,289	21	234	334	702	383	339	210	60	6	-
PERCENT	100.0	0.9	10.2	14.6	30.7	16.7	14.8	9.2	2.6	0.3	-
BEAVERHEAD											
LIVE BIRTHS											
NUMBER	105	-	2	11	37	18	26	11	-	-	-
PERCENT	100.0	-	1.9	10.5	35.2	17.1	24.8	10.5	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	24	-	1	3	6	5	4	4	1	-	-
PERCENT	100.0	-	4.2	12.5	25.0	20.8	16.7	16.7	4.2	-	-
BIG HORN											
LIVE BIRTHS											
NUMBER	253	1	16	29	90	56	34	19	8	-	-
PERCENT	100.0	0.4	6.3	11.5	35.6	22.1	13.4	7.5	3.2	-	-
FETAL DEATHS											
NUMBER	1	-	-	-	1	-	-	-	-	-	-
PERCENT	100.0	-	-	-	100.0	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	26	-	3	-	8	3	8	4	-	-	-
PERCENT	100.0	-	11.5	-	30.8	11.5	30.8	15.4	-	-	-
BLAINE											
LIVE BIRTHS											
NUMBER	118	-	9	19	28	34	17	11	-	-	-
PERCENT	100.0	-	7.6	16.1	23.7	28.8	14.4	9.3	-	-	-
FETAL DEATHS											
NUMBER	1	-	-	-	-	-	1	-	-	-	-
PERCENT	100.0	-	-	-	-	-	100.0	-	-	-	-
INDUCED ABORTIONS											
NUMBER	7	1	1	-	1	-	2	-	2	-	-
PERCENT	100.0	14.3	14.3	-	14.3	-	28.6	-	28.6	-	-
BROADWATER											
LIVE BIRTHS											
NUMBER	46	-	-	3	10	14	14	4	1	-	-
PERCENT	100.0	-	-	6.5	21.7	30.4	30.4	8.7	2.2	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	8	-	3	1	-	3	1	-	-	-	-
PERCENT	100.0	-	37.5	12.5	-	37.5	12.5	-	-	-	-
CARBON											
LIVE BIRTHS											
NUMBER	104	-	4	9	20	27	30	9	5	-	-
PERCENT	100.0	-	3.8	8.7	19.2	26.0	28.8	8.7	4.8	-	-
FETAL DEATHS											
NUMBER	1	-	-	-	-	1	-	-	-	-	-
PERCENT	100.0	-	-	-	-	100.0	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	20	-	4	1	3	5	3	3	1	-	-
PERCENT	100.0	-	20.0	5.0	15.0	25.0	15.0	15.0	5.0	-	-
CARTER											
LIVE BIRTHS											
NUMBER	23	-	-	1	4	8	8	1	1	-	-
PERCENT	100.0	-	-	4.3	17.4	34.8	34.8	4.3	4.3	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	1	-	-	1	-	-	-	-	-	-	-
PERCENT	100.0	-	-	100.0	-	-	-	-	-	-	-

* THESE EVENTS ARE THE PREGNANCY OUTCOMES REPORTED IN MONTANA. THUS, THIS TABLE DOES NOT INCLUDE INDUCED ABORTIONS PERFORMED OUTSIDE MONTANA ON MONTANA RESIDENTS OR EARLY FETAL DEATHS (WHEN THE FETUS WEIGHED LESS THAN 500 GRAMS OR THE GESTATION WAS LESS THAN 20 WEEKS).

+ NOT STATED.

TABLE 30 (CONTINUED)

FREQUENCY AND PERCENT DISTRIBUTION OF BIRTHS, FETAL DEATHS, AND INDUCED ABORTIONS*
BY WOMAN'S AGE AND COUNTY OF RESIDENCE
MONTANA, 1994

COUNTY OF RESIDENCE	TOTAL	AGE GROUP									
		UNDER 15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45 OR MORE	N.S.+
CASCADE											
LIVE BIRTHS											
NUMBER	1,219	3	38	98	380	350	236	100	14	-	-
PERCENT	100.0	0.2	3.1	8.0	31.2	28.7	19.4	8.2	1.1	-	-
FETAL DEATHS											
NUMBER	5	-	-	-	-	2	3	-	-	-	-
PERCENT	100.0	-	-	-	-	40.0	60.0	-	-	-	-
INDUCED ABORTIONS											
NUMBER	208	2	35	36	66	26	29	12	1	1	-
PERCENT	100.0	1.0	16.8	17.3	31.7	12.5	13.9	5.8	0.5	0.5	-
CHOUTEAU											
LIVE BIRTHS											
NUMBER	41	-	-	2	9	15	10	4	1	-	-
PERCENT	100.0	-	-	4.9	22.0	36.6	24.4	9.8	2.4	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	3	-	-	1	2	-	-	-	-	-	-
PERCENT	100.0	-	-	33.3	66.7	-	-	-	-	-	-
CUSTER											
LIVE BIRTHS											
NUMBER	158	-	8	16	50	33	36	11	4	-	-
PERCENT	100.0	-	5.1	10.1	31.6	20.9	22.8	7.0	2.5	-	-
FETAL DEATHS											
NUMBER	1	-	-	-	1	-	-	-	-	-	-
PERCENT	100.0	-	-	-	100.0	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	33	-	4	4	11	7	3	2	2	-	-
PERCENT	100.0	-	12.1	12.1	33.3	21.2	9.1	6.1	6.1	-	-
DANIELS											
LIVE BIRTHS											
NUMBER	16	-	-	2	5	2	5	2	-	-	-
PERCENT	100.0	-	-	12.5	31.3	12.5	31.3	12.5	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	1	-	-	-	-	1	-	-	-	-	-
PERCENT	100.0	-	-	-	-	100.0	-	-	-	-	-
DAWSON											
LIVE BIRTHS											
NUMBER	90	-	3	7	29	19	21	10	1	-	-
PERCENT	100.0	-	3.3	7.8	32.2	21.1	23.3	11.1	1.1	-	-
FETAL DEATHS											
NUMBER	1	-	-	-	1	-	-	-	-	-	-
PERCENT	100.0	-	-	-	100.0	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	9	-	-	3	3	2	1	-	-	-	-
PERCENT	100.0	-	-	33.3	33.3	22.2	11.1	-	-	-	-
DEER LODGE											
LIVE BIRTHS											
NUMBER	84	-	5	13	23	22	10	10	1	-	-
PERCENT	100.0	-	6.0	15.5	27.4	26.2	11.9	11.9	1.2	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	19	1	3	2	4	4	2	2	1	-	-
PERCENT	100.0	5.3	15.8	10.5	21.1	21.1	10.5	10.5	5.3	-	-
FALLON											
LIVE BIRTHS											
NUMBER	27	-	-	2	5	10	9	1	-	-	-
PERCENT	100.0	-	-	7.4	18.5	37.0	33.3	3.7	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	3	-	-	1	1	-	1	-	-	-	-
PERCENT	100.0	-	-	33.3	33.3	-	33.3	-	-	-	-

* THESE EVENTS ARE THE PREGNANCY OUTCOMES REPORTED IN MONTANA. THUS, THIS TABLE DOES NOT INCLUDE INDUCED ABORTIONS PERFORMED OUTSIDE MONTANA ON MONTANA RESIDENTS OR EARLY FETAL DEATHS (WHEN THE FETUS WEIGHED LESS THAN 500 GRAMS OR THE GESTATION WAS LESS THAN 20 WEEKS).

+ NOT STATED.

TABLE 30 (CONTINUED)

FREQUENCY AND PERCENT DISTRIBUTION OF BIRTHS, FETAL DEATHS, AND INDUCED ABORTIONS*
BY WOMAN'S AGE AND COUNTY OF RESIDENCE
MONTANA, 1994

COUNTY OF RESIDENCE	TOTAL	AGE GROUP									
		UNDER 15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45 OR MORE	N.S.+
CASCADE											
LIVE BIRTHS											
NUMBER	1,219	3	38	98	380	350	236	100	14	-	-
PERCENT	100.0	0.2	3.1	8.0	31.2	28.7	19.4	8.2	1.1	-	-
FETAL DEATHS											
NUMBER	5	-	-	-	-	2	3	-	-	-	-
PERCENT	100.0	-	-	-	-	40.0	60.0	-	-	-	-
INDUCED ABORTIONS											
NUMBER	208	2	35	36	66	26	29	12	1	1	-
PERCENT	100.0	1.0	16.8	17.3	31.7	12.5	13.9	5.8	0.5	0.5	-
CHOUTEAU											
LIVE BIRTHS											
NUMBER	41	-	-	2	9	15	10	4	1	-	-
PERCENT	100.0	-	-	4.9	22.0	36.6	24.4	9.8	2.4	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	3	-	-	1	2	-	-	-	-	-	-
PERCENT	100.0	-	-	33.3	66.7	-	-	-	-	-	-
CUSTER											
LIVE BIRTHS											
NUMBER	158	-	8	16	50	33	36	11	4	-	-
PERCENT	100.0	-	5.1	10.1	31.6	20.9	22.8	7.0	2.5	-	-
FETAL DEATHS											
NUMBER	1	-	-	-	1	-	-	-	-	-	-
PERCENT	100.0	-	-	-	100.0	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	33	-	4	4	11	7	3	2	2	-	-
PERCENT	100.0	-	12.1	12.1	33.3	21.2	9.1	6.1	6.1	-	-
DANIELS											
LIVE BIRTHS											
NUMBER	16	-	-	2	5	2	5	2	-	-	-
PERCENT	100.0	-	-	12.5	31.3	12.5	31.3	12.5	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	1	-	-	-	-	1	-	-	-	-	-
PERCENT	100.0	-	-	-	-	100.0	-	-	-	-	-
DAWSON											
LIVE BIRTHS											
NUMBER	90	-	3	7	29	19	21	10	1	-	-
PERCENT	100.0	-	3.3	7.8	32.2	21.1	23.3	11.1	1.1	-	-
FETAL DEATHS											
NUMBER	1	-	-	-	1	-	-	-	-	-	-
PERCENT	100.0	-	-	-	100.0	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	9	-	-	3	3	2	1	-	-	-	-
PERCENT	100.0	-	-	33.3	33.3	22.2	11.1	-	-	-	-
DEER LODGE											
LIVE BIRTHS											
NUMBER	84	-	5	13	23	22	10	10	1	-	-
PERCENT	100.0	-	6.0	15.5	27.4	26.2	11.9	11.9	1.2	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	19	1	3	2	4	4	2	2	1	-	-
PERCENT	100.0	5.3	15.8	10.5	21.1	21.1	10.5	10.5	5.3	-	-
FALLON											
LIVE BIRTHS											
NUMBER	27	-	-	2	5	10	9	1	-	-	-
PERCENT	100.0	-	-	7.4	18.5	37.0	33.3	3.7	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	3	-	-	1	1	-	1	-	-	-	-
PERCENT	100.0	-	-	33.3	33.3	-	33.3	-	-	-	-

* THESE EVENTS ARE THE PREGNANCY OUTCOMES REPORTED IN MONTANA. THUS, THIS TABLE DOES NOT INCLUDE INDUCED ABORTIONS PERFORMED OUTSIDE MONTANA ON MONTANA RESIDENTS OR EARLY FETAL DEATHS (WHEN THE FETUS WEIGHED LESS THAN 500 GRAMS OR THE GESTATION WAS LESS THAN 20 WEEKS).

+ NOT STATED.

TABLE 30 (CONTINUED)

FREQUENCY AND PERCENT DISTRIBUTION OF BIRTHS, FETAL DEATHS, AND INDUCED ABORTIONS*
BY WOMAN'S AGE AND COUNTY OF RESIDENCE
MONTANA, 1994

COUNTY OF RESIDENCE	TOTAL	AGE GROUP									
		UNDER 15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45 OR MORE	N.S.+
FERGUS											
LIVE BIRTHS											
NUMBER	146	-	10	12	37	41	35	10	1	-	-
PERCENT	100.0	-	6.8	8.2	25.3	28.1	24.0	6.8	0.7	-	-
FETAL DEATHS											
NUMBER	1	-	-	-	-	1	-	-	-	-	-
PERCENT	100.0	-	-	-	-	100.0	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	14	-	2	1	2	3	2	1	3	-	-
PERCENT	100.0	-	14.3	7.1	14.3	21.4	14.3	7.1	21.4	-	-
FLATHEAD											
LIVE BIRTHS											
NUMBER	887	2	39	74	238	231	210	82	11	-	-
PERCENT	100.0	0.2	4.4	8.3	26.8	26.0	23.7	9.2	1.2	-	-
FETAL DEATHS											
NUMBER	6	-	-	-	1	3	-	1	1	-	-
PERCENT	100.0	-	-	-	16.7	50.0	-	16.7	16.7	-	-
INDUCED ABORTIONS											
NUMBER	225	2	19	46	64	34	40	19	1	-	-
PERCENT	100.0	0.9	8.4	20.4	28.4	15.1	17.8	8.4	0.4	-	-
GALLATIN											
LIVE BIRTHS											
NUMBER	723	-	14	34	163	204	204	88	15	1	-
PERCENT	100.0	-	1.9	4.7	22.5	28.2	28.2	12.2	2.1	0.1	-
FETAL DEATHS											
NUMBER	3	-	-	-	1	1	1	-	-	-	-
PERCENT	100.0	-	-	-	33.3	33.3	33.3	-	-	-	-
INDUCED ABORTIONS											
NUMBER	268	-	14	41	89	51	37	26	8	2	-
PERCENT	100.0	-	5.2	15.3	33.2	19.0	13.8	9.7	3.0	0.7	-
GARFIELD											
LIVE BIRTHS											
NUMBER	15	-	-	2	6	5	1	1	-	-	-
PERCENT	100.0	-	-	13.3	40.0	33.3	6.7	6.7	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	1	-	-	1	-	-	-	-	-	-	-
PERCENT	100.0	-	-	100.0	-	-	-	-	-	-	-
GLACIER											
LIVE BIRTHS											
NUMBER	253	1	20	30	70	69	38	19	6	-	-
PERCENT	100.0	0.4	7.9	11.9	27.7	27.3	15.0	7.5	2.4	-	-
FETAL DEATHS											
NUMBER	2	-	-	-	1	1	-	-	-	-	-
PERCENT	100.0	-	-	-	50.0	50.0	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	27	2	2	8	9	2	1	1	2	-	-
PERCENT	100.0	7.4	7.4	29.6	33.3	7.4	3.7	3.7	7.4	-	-
GOLDEN VALLEY											
LIVE BIRTHS											
NUMBER	16	-	-	1	2	9	2	2	-	-	-
PERCENT	100.0	-	-	6.3	12.5	56.3	12.5	12.5	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	2	-	-	1	1	-	-	-	-	-	-
PERCENT	100.0	-	-	50.0	50.0	-	-	-	-	-	-
GRANITE											
LIVE BIRTHS											
NUMBER	22	-	2	-	9	4	4	3	-	-	-
PERCENT	100.0	-	9.1	-	40.9	18.2	18.2	13.6	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	4	-	-	-	-	-	2	2	-	-	-
PERCENT	100.0	-	-	-	-	-	50.0	50.0	-	-	-

* THESE EVENTS ARE THE PREGNANCY OUTCOMES REPORTED IN MONTANA. THUS, THIS TABLE DOES NOT INCLUDE INDUCED ABORTIONS PERFORMED OUTSIDE MONTANA ON MONTANA RESIDENTS OR EARLY FETAL DEATHS (WHEN THE FETUS WEIGHED LESS THAN 500 GRAMS OR THE GESTATION WAS LESS THAN 20 WEEKS).

+ NOT STATED.

TABLE 30 (CONTINUED)

FREQUENCY AND PERCENT DISTRIBUTION OF BIRTHS, FETAL DEATHS, AND INDUCED ABORTIONS*
BY WOMAN'S AGE AND COUNTY OF RESIDENCE
MONTANA, 1994

COUNTY OF RESIDENCE	TOTAL	AGE GROUP									
		UNDER 15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45 OR MORE	N.S.+
HILL											
LIVE BIRTHS											
NUMBER	283	-	13	24	93	84	46	22	1	-	-
PERCENT	100.0	-	4.6	8.5	32.9	29.7	16.3	7.8	0.4	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	37	-	2	9	11	4	6	4	1	-	-
PERCENT	100.0	-	5.4	24.3	29.7	10.8	16.2	10.8	2.7	-	-
JEFFERSON											
LIVE BIRTHS											
NUMBER	108	-	4	8	16	34	25	16	5	-	-
PERCENT	100.0	-	3.7	7.4	14.8	31.5	23.1	14.8	4.6	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	13	-	2	2	5	1	2	1	-	-	-
PERCENT	100.0	-	15.4	15.4	38.5	7.7	15.4	7.7	-	-	-
JUDITH BASIN											
LIVE BIRTHS											
NUMBER	23	-	-	1	3	7	9	3	-	-	-
PERCENT	100.0	-	-	4.3	13.0	30.4	39.1	13.0	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	4	-	1	1	-	-	2	-	-	-	-
PERCENT	100.0	-	25.0	25.0	-	-	50.0	-	-	-	-
LAKE											
LIVE BIRTHS											
NUMBER	282	-	16	25	78	70	62	24	7	-	-
PERCENT	100.0	-	5.7	8.9	27.7	24.8	22.0	8.5	2.5	-	-
FETAL DEATHS											
NUMBER	1	-	-	-	-	-	1	-	-	-	-
PERCENT	100.0	-	-	-	-	-	100.0	-	-	-	-
INDUCED ABORTIONS											
NUMBER	50	1	3	6	11	6	11	10	2	-	-
PERCENT	100.0	2.0	6.0	12.0	22.0	12.0	22.0	20.0	4.0	-	-
LEWIS & CLARK											
LIVE BIRTHS											
NUMBER	677	-	26	35	171	188	161	82	14	-	-
PERCENT	100.0	-	3.8	5.2	25.3	27.8	23.8	12.1	2.1	-	-
FETAL DEATHS											
NUMBER	5	-	1	-	-	1	1	2	-	-	-
PERCENT	100.0	-	20.0	-	-	20.0	20.0	40.0	-	-	-
INDUCED ABORTIONS											
NUMBER	137	1	18	25	39	22	17	11	4	-	-
PERCENT	100.0	0.7	13.1	18.2	28.5	16.1	12.4	8.0	2.9	-	-
LIBERTY											
LIVE BIRTHS											
NUMBER	26	-	1	-	6	7	10	1	1	-	-
PERCENT	100.0	-	3.8	-	23.1	26.9	38.5	3.8	3.8	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	4	-	1	1	1	-	-	1	-	-	-
PERCENT	100.0	-	25.0	25.0	25.0	-	-	25.0	-	-	-
LINCOLN											
LIVE BIRTHS											
NUMBER	196	1	8	24	51	57	32	19	2	2	-
PERCENT	100.0	0.5	4.1	12.2	26.0	29.1	16.3	9.7	1.0	1.0	-
FETAL DEATHS											
NUMBER	1	-	1	-	-	-	-	-	-	-	-
PERCENT	100.0	-	100.0	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	29	-	5	2	6	7	4	4	1	-	-
PERCENT	100.0	-	17.2	6.9	20.7	24.1	13.8	13.8	3.4	-	-

* THESE EVENTS ARE THE PREGNANCY OUTCOMES REPORTED IN MONTANA. THUS, THIS TABLE DOES NOT INCLUDE INDUCED ABORTIONS PERFORMED OUTSIDE MONTANA ON MONTANA RESIDENTS OR EARLY FETAL DEATHS (WHEN THE FETUS WEIGHED LESS THAN 500 GRAMS OR THE GESTATION WAS LESS THAN 20 WEEKS).

+ NOT STATED.

TABLE 30 (CONTINUED)

FREQUENCY AND PERCENT DISTRIBUTION OF BIRTHS, FETAL DEATHS, AND INDUCED ABORTIONS*
BY WOMAN'S AGE AND COUNTY OF RESIDENCE
MONTANA, 1994

COUNTY OF RESIDENCE	TOTAL	AGE GROUP									
		UNDER 15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45 OR MORE	N.S.+
MCCONE											
LIVE BIRTHS											
NUMBER	22	-	-	-	8	5	5	4	-	-	-
PERCENT	100.0	-	-	-	36.4	22.7	22.7	18.2	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	3	-	1	-	1	-	-	-	1	-	-
PERCENT	100.0	-	33.3	-	33.3	-	-	-	33.3	-	-
MADISON											
LIVE BIRTHS											
NUMBER	63	-	-	4	19	18	13	7	2	-	-
PERCENT	100.0	-	-	6.3	30.2	28.6	20.6	11.1	3.2	-	-
FETAL DEATHS											
NUMBER	1	-	-	-	-	1	-	-	-	-	-
PERCENT	100.0	-	-	-	-	100.0	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	10	-	2	-	1	3	2	1	1	-	-
PERCENT	100.0	-	20.0	-	10.0	30.0	20.0	10.0	10.0	-	-
MEAGHER											
LIVE BIRTHS											
NUMBER	32	-	-	1	8	8	10	4	1	-	-
PERCENT	100.0	-	-	3.1	25.0	25.0	31.3	12.5	3.1	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	4	-	-	-	-	2	2	-	-	-	-
PERCENT	100.0	-	-	-	-	50.0	50.0	-	-	-	-
MINERAL											
LIVE BIRTHS											
NUMBER	44	1	-	6	16	11	9	1	-	-	-
PERCENT	100.0	2.3	-	13.6	36.4	25.0	20.5	2.3	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	9	-	2	-	4	1	2	-	-	-	-
PERCENT	100.0	-	22.2	-	44.4	11.1	22.2	-	-	-	-
MISSOULA											
LIVE BIRTHS											
NUMBER	1,105	2	28	70	273	325	259	129	16	3	-
PERCENT	100.0	0.2	2.5	6.3	24.7	29.4	23.4	11.7	1.4	0.3	-
FETAL DEATHS											
NUMBER	4	-	-	-	1	-	1	2	-	-	-
PERCENT	100.0	-	-	-	25.0	-	25.0	50.0	-	-	-
INDUCED ABORTIONS											
NUMBER	368	3	26	52	139	60	50	32	5	1	-
PERCENT	100.0	0.8	7.1	14.1	37.8	16.3	13.6	8.7	1.4	0.3	-
MUSSELSHELL											
LIVE BIRTHS											
NUMBER	47	1	2	4	17	15	4	2	1	1	-
PERCENT	100.0	2.1	4.3	8.5	36.2	31.9	8.5	4.3	2.1	2.1	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	6	-	-	3	1	-	2	-	-	-	-
PERCENT	100.0	-	-	50.0	16.7	-	33.3	-	-	-	-
PARK											
LIVE BIRTHS											
NUMBER	171	-	5	13	39	31	40	28	13	2	-
PERCENT	100.0	-	2.9	7.6	22.8	18.1	23.4	16.4	7.6	1.2	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	55	-	4	9	16	6	10	4	6	-	-
PERCENT	100.0	-	7.3	16.4	29.1	10.9	18.2	7.3	10.9	-	-

* THESE EVENTS ARE THE PREGNANCY OUTCOMES REPORTED IN MONTANA. THUS, THIS TABLE DOES NOT INCLUDE INDUCED ABORTIONS PERFORMED OUTSIDE MONTANA ON MONTANA RESIDENTS OR EARLY FETAL DEATHS (WHEN THE FETUS WEIGHED LESS THAN 500 GRAMS OR THE GESTATION WAS LESS THAN 20 WEEKS).

+ NOT STATED.

TABLE 30 (CONTINUED)

FREQUENCY AND PERCENT DISTRIBUTION OF BIRTHS, FETAL DEATHS, AND INDUCED ABORTIONS*
BY WOMAN'S AGE AND COUNTY OF RESIDENCE
MONTANA, 1994

COUNTY OF RESIDENCE	TOTAL	AGE GROUP									
		UNDER 15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45 OR MORE	N.S.+
PETROLEUM											
LIVE BIRTHS											
NUMBER	6	-	-	-	-	2	2	2	-	-	-
PERCENT	100.0	-	-	-	-	33.3	33.3	33.3	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	3	-	1	-	1	1	-	-	-	-	-
PERCENT	100.0	-	33.3	-	33.3	33.3	-	-	-	-	-
PHILLIPS											
LIVE BIRTHS											
NUMBER	65	-	2	5	17	24	13	3	1	-	-
PERCENT	100.0	-	3.1	7.7	26.2	36.9	20.0	4.6	1.5	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	8	-	-	1	2	3	1	1	-	-	-
PERCENT	100.0	-	-	12.5	25.0	37.5	12.5	12.5	-	-	-
PONDERA											
LIVE BIRTHS											
NUMBER	78	-	5	3	21	21	17	9	2	-	-
PERCENT	100.0	-	6.4	3.8	26.9	26.9	21.8	11.5	2.6	-	-
FETAL DEATHS											
NUMBER	1	-	-	-	-	-	1	-	-	-	-
PERCENT	100.0	-	-	-	-	-	100.0	-	-	-	-
INDUCED ABORTIONS											
NUMBER	9	-	1	1	2	3	1	1	-	-	-
PERCENT	100.0	-	11.1	11.1	22.2	33.3	11.1	11.1	-	-	-
POWDER RIVER											
LIVE BIRTHS											
NUMBER	25	-	-	1	10	6	6	2	-	-	-
PERCENT	100.0	-	-	4.0	40.0	24.0	24.0	8.0	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
POWELL											
LIVE BIRTHS											
NUMBER	77	-	7	5	14	21	22	7	1	-	-
PERCENT	100.0	-	9.1	6.5	18.2	27.3	28.6	9.1	1.3	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	10	-	3	-	3	1	1	2	-	-	-
PERCENT	100.0	-	30.0	-	30.0	10.0	10.0	20.0	-	-	-
PRAIRIE											
LIVE BIRTHS											
NUMBER	12	-	-	2	4	4	-	2	-	-	-
PERCENT	100.0	-	-	16.7	33.3	33.3	-	16.7	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
RAVALLI											
LIVE BIRTHS											
NUMBER	357	1	13	32	83	94	88	41	5	-	-
PERCENT	100.0	0.3	3.6	9.0	23.2	26.3	24.6	11.5	1.4	-	-
FETAL DEATHS											
NUMBER	2	-	-	2	-	-	-	-	-	-	-
PERCENT	100.0	-	-	100.0	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	49	-	7	5	12	8	11	5	1	-	-
PERCENT	100.0	-	14.3	10.2	24.5	16.3	22.4	10.2	2.0	-	-

* THESE EVENTS ARE THE PREGNANCY OUTCOMES REPORTED IN MONTANA. THUS, THIS TABLE DOES NOT INCLUDE INDUCED ABORTIONS PERFORMED OUTSIDE MONTANA ON MONTANA RESIDENTS OR EARLY FETAL DEATHS (WHEN THE FETUS WEIGHED LESS THAN 500 GRAMS OR THE GESTATION WAS LESS THAN 20 WEEKS).

+ NOT STATED.

TABLE 30 (CONTINUED)

FREQUENCY AND PERCENT DISTRIBUTION OF BIRTHS, FETAL DEATHS, AND INDUCED ABORTIONS*
BY WOMAN'S AGE AND COUNTY OF RESIDENCE
MONTANA, 1994

COUNTY OF RESIDENCE	TOTAL	AGE GROUP									
		UNDER 15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45 OR MORE	N.S.+
RICHLAND											
LIVE BIRTHS											
NUMBER	126	-	10	13	30	42	22	9	-	-	-
PERCENT	100.0	-	7.9	10.3	23.8	33.3	17.5	7.1	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	16	1	3	1	3	2	3	3	-	-	-
PERCENT	100.0	6.3	18.8	6.3	18.8	12.5	18.8	18.8	-	-	-
ROOSEVELT											
LIVE BIRTHS											
NUMBER	197	3	22	27	60	44	28	10	3	-	-
PERCENT	100.0	1.5	11.2	13.7	30.5	22.3	14.2	5.1	1.5	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	26	-	1	3	13	2	6	1	-	-	-
PERCENT	100.0	-	3.8	11.5	50.0	7.7	23.1	3.8	-	-	-
ROSEBUD											
LIVE BIRTHS	146	-	7	23	38	47	17	12	2	-	-
NUMBER	100.0	-	4.8	15.8	26.0	32.2	11.6	8.2	1.4	-	-
PERCENT											
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	20	1	4	2	5	3	1	4	-	-	-
PERCENT	100.0	5.0	20.0	10.0	25.0	15.0	5.0	20.0	-	-	-
SANDERS											
LIVE BIRTHS											
NUMBER	87	1	3	9	23	17	20	12	2	-	-
PERCENT	100.0	1.1	3.4	10.3	26.4	19.5	23.0	13.8	2.3	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	12	-	3	-	3	3	1	2	-	-	-
PERCENT	100.0	-	25.0	-	25.0	25.0	8.3	16.7	-	-	-
SHERIDAN											
LIVE BIRTHS											
NUMBER	40	-	3	3	10	10	10	4	-	-	-
PERCENT	100.0	-	7.5	7.5	25.0	25.0	25.0	10.0	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	3	-	1	-	-	-	2	-	-	-	-
PERCENT	100.0	-	33.3	-	-	-	66.7	-	-	-	-
SILVER BOW											
LIVE BIRTHS											
NUMBER	449	-	25	37	132	120	98	30	7	-	-
PERCENT	100.0	-	5.6	8.2	29.4	26.7	21.8	6.7	1.6	-	-
FETAL DEATHS											
NUMBER	5	-	2	-	-	2	1	-	-	-	-
PERCENT	100.0	-	40.0	-	-	40.0	20.0	-	-	-	-
INDUCED ABORTIONS											
NUMBER	80	-	3	10	31	15	8	9	4	-	-
PERCENT	100.0	-	3.8	12.5	38.8	18.8	10.0	11.3	5.0	-	-
STILLWATER											
LIVE BIRTHS											
NUMBER	77	-	1	8	24	15	15	14	-	-	-
PERCENT	100.0	-	1.3	10.4	31.2	19.5	19.5	18.2	-	-	-
FETAL DEATHS											
NUMBER	1	-	-	-	-	-	-	-	-	-	1
PERCENT	100.0	-	-	-	-	-	-	-	-	-	100.0
INDUCED ABORTIONS											
NUMBER	16	-	4	2	4	2	3	-	1	-	-
PERCENT	100.0	-	25.0	12.5	25.0	12.5	18.8	-	6.3	-	-

* THESE EVENTS ARE THE PREGNANCY OUTCOMES REPORTED IN MONTANA. THUS, THIS TABLE DOES NOT INCLUDE INDUCED ABORTIONS PERFORMED OUTSIDE MONTANA ON MONTANA RESIDENTS OR EARLY FETAL DEATHS (WHEN THE FETUS WEIGHED LESS THAN 500 GRAMS OR THE GESTATION WAS LESS THAN 20 WEEKS).

+ NOT STATED.

TABLE 30 (CONTINUED)

FREQUENCY AND PERCENT DISTRIBUTION OF BIRTHS, FETAL DEATHS, AND INDUCED ABORTIONS*
BY WOMAN'S AGE AND COUNTY OF RESIDENCE
MONTANA, 1994

COUNTY OF RESIDENCE	TOTAL	AGE GROUP									
		UNDER 15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45 OR MORE	N.S.+
SWEET GRASS											
LIVE BIRTHS											
NUMBER	34	-	-	2	10	7	12	2	1	-	-
PERCENT	100.0	-	-	5.9	29.4	20.6	35.3	5.9	2.9	-	-
FETAL DEATHS											
NUMBER	1	-	-	-	-	-	-	1	-	-	-
PERCENT	100.0	-	-	-	-	-	-	100.0	-	-	-
INDUCED ABORTIONS											
NUMBER	3	-	-	-	2	-	1	-	-	-	-
PERCENT	100.0	-	-	-	66.7	-	33.3	-	-	-	-
TETON											
LIVE BIRTHS											
NUMBER	70	1	2	2	16	23	17	6	3	-	-
PERCENT	100.0	1.4	2.9	2.9	22.9	32.9	24.3	8.6	4.3	-	-
FETAL DEATHS											
NUMBER	2	-	-	-	1	-	1	-	-	-	-
PERCENT	100.0	-	-	-	50.0	-	50.0	-	-	-	-
INDUCED ABORTIONS											
NUMBER	5	-	1	-	1	3	-	-	-	-	-
PERCENT	100.0	-	20.0	-	20.0	60.0	-	-	-	-	-
TOOLE											
LIVE BIRTHS											
NUMBER	56	-	1	6	13	10	15	10	1	-	-
PERCENT	100.0	-	1.8	10.7	23.2	17.9	26.8	17.9	1.8	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	6	-	1	2	-	1	1	1	-	-	-
PERCENT	100.0	-	16.7	33.3	-	16.7	16.7	16.7	-	-	-
TREASURE											
LIVE BIRTHS											
NUMBER	8	-	-	2	1	-	2	3	-	-	-
PERCENT	100.0	-	-	25.0	12.5	-	25.0	37.5	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	1	-	-	-	-	-	1	-	-	-	-
PERCENT	100.0	-	-	-	-	-	100.0	-	-	-	-
VALLEY											
LIVE BIRTHS											
NUMBER	89	-	4	9	23	28	15	10	-	-	-
PERCENT	100.0	-	4.5	10.1	25.8	31.5	16.9	11.2	-	-	-
FETAL DEATHS											
NUMBER	2	-	-	-	1	-	1	-	-	-	-
PERCENT	100.0	-	-	-	50.0	-	50.0	-	-	-	-
INDUCED ABORTIONS											
NUMBER	14	-	4	1	2	4	1	1	1	-	-
PERCENT	100.0	-	28.6	7.1	14.3	28.6	7.1	7.1	7.1	-	-
WHEATLAND											
LIVE BIRTHS											
NUMBER	32	-	1	3	6	11	8	3	-	-	-
PERCENT	100.0	-	3.1	9.4	18.8	34.4	25.0	9.4	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	4	-	1	-	-	1	1	1	-	-	-
PERCENT	100.0	-	25.0	-	-	25.0	25.0	25.0	-	-	-
WIBAUX											
LIVE BIRTHS											
NUMBER	10	-	-	-	2	5	2	1	-	-	-
PERCENT	100.0	-	-	-	20.0	50.0	20.0	10.0	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-

* THESE EVENTS ARE THE PREGNANCY OUTCOMES REPORTED IN MONTANA. THUS, THIS TABLE DOES NOT INCLUDE INDUCED ABORTIONS PERFORMED OUTSIDE MONTANA ON MONTANA RESIDENTS OR EARLY FETAL DEATHS (WHEN THE FETUS WEIGHED LESS THAN 500 GRAMS OR THE GESTATION WAS LESS THAN 20 WEEKS).

+ NOT STATED.

TABLE 30 (CONCLUDED)

FREQUENCY AND PERCENT DISTRIBUTION OF BIRTHS, FETAL DEATHS, AND INDUCED ABORTIONS*
BY WOMAN'S AGE AND COUNTY OF RESIDENCE
MONTANA, 1994

COUNTY OF RESIDENCE	TOTAL	AGE GROUP									
		UNDER 15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45 OR MORE	N.S.+
YELLOWSTONE											
LIVE BIRTHS											
NUMBER	1,596	-	59	109	444	454	365	146	18	1	-
PERCENT	100.0	-	3.7	6.8	27.8	28.4	22.9	9.1	1.1	0.1	-
FETAL DEATHS											
NUMBER	4	-	-	-	2	-	1	-	1	-	-
PERCENT	100.0	-	-	-	50.0	-	25.0	-	25.0	-	-
INDUCED ABORTIONS											
NUMBER	358	6	37	42	108	72	48	34	9	2	-
PERCENT	100.0	1.7	10.3	11.7	30.2	20.1	13.4	9.5	2.5	0.6	-
YELLOWSTONE PARK											
LIVE BIRTHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
COUNTY NOT STATED											
LIVE BIRTHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
FETAL DEATHS											
NUMBER	-	-	-	-	-	-	-	-	-	-	-
PERCENT	-	-	-	-	-	-	-	-	-	-	-
INDUCED ABORTIONS											
NUMBER	14	-	1	3	5	1	2	1	1	-	-
PERCENT	100.0	-	7.1	21.4	35.7	7.1	14.3	7.1	7.1	-	-

* THESE EVENTS ARE THE PREGNANCY OUTCOMES REPORTED IN MONTANA. THUS, THIS TABLE DOES NOT INCLUDE INDUCED ABORTIONS PERFORMED OUTSIDE MONTANA ON MONTANA RESIDENTS OR EARLY FETAL DEATHS (WHEN THE FETUS WEIGHED LESS THAN 500 GRAMS OR THE GESTATION WAS LESS THAN 20 WEEKS).

+ NOT STATED.

TABLE 31

FREQUENCY OF REPORTABLE DISEASES BY COUNTY OF RESIDENCE*
MONTANA, 1994

1994 ANNUAL SUMMARY	AIDS**	AMEBIASIS	BRUCELLOSIS	CAMPYLOBACTER	CHANCROID	CHLAMYDIA	COCCIDIO	CO. TICK FEVER	CRYPTOSPOR.	CYTOMEGALOVIRL.	E. COLI O157:H7	ENCEPHALITIS	GIARDIASIS	GONOCOCCAL DIS.	H. FLU B	H. FLU OTHER	HANTAVIRUS	HEPATITIS A	HEPATITIS B	HEPATITIS C	HEPATIT. UNSPEC.	HEPATITIS NONAB	KAWASAKI SYND.	LEGIONELLOSIS	LISTERIOSIS	MALARIA	MEASLES	MENINGIT. ASEPT.	MENING. BACT. UN.	MENINGOCOCCL. M.	MUMPS	ORNITHOSIS	PERTUSSIS	Q FEVER	RABIES, ANIMAL	REYE SYNDROME	ROCKY MT. SPOTD.	RUBELLA	SALMONELLOSIS	SHIGELLOSIS	SYPHILIS	TUBERCULOSIS	TULAREMIA	YERSINOSIS
STATE 1991	27	1	–	91	–	2,168	–	12	–	5	13	1	187	122	7	–	–	82	70	–	33	4	1	7	–	1	–	18	6	10	–	1	6	–	40	–	5	11	148	136	13	19	9	4
TOTALS 1992	26	–	1	77	–	1,954	–	7	–	15	29	3	152	106	4	–	–	86	40	5	28	1	4	9	1	–	–	12	8	15	2	1	9	1	23	1	3	–	109	214	14	16	12	3
1993	59	–	–	75	–	1,603	1	8	4	1	37	1	127	84	5	2	2	77	28	–	3	–	1	7	–	2	–	1	4	13	–	–	11	1	24	–	2	–	106	56	4	22	5	3
1994	44	–	–	76	–	1,433	3	6	15	2	52	–	137	87	1	–	1	25	21	–	13	–	1	16	–	–	–	–	–	6	–	–	–	1	22	–	4	–	145	4	–	25	–	3
COUNTY																																													
BEAVERHEAD	–	–	–	1	–	4	1	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
BIG HORN	–	–	–	–	–	61	–	1	–	–	–	–	1	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	1	–	1	–	–	–
BLAINE	–	–	–	1	–	32	–	–	–	–	–	–	2	1	–	–	–	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–
BROADWATER	–	–	–	1	–	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
CARBON	–	–	–	–	–	12	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
CARTER	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
CASCADE	–	–	–	6	–	183	–	–	–	–	4	–	10	21	1	–	–	2	4	–	2	–	–	1	–	–	–	–	–	1	–	–	–	–	1	–	–	–	20	–	–	8	–	–
CHOUTEAU	–	–	–	–	–	3	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
CUSTER	–	–	–	–	–	21	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
DANIELS	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
DAWSON	–	–	–	–	–	13	–	–	–	–	–	–	5	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
DEER LODGE	–	–	–	1	–	5	–	–	–	–	–	–	4	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
FALLON	–	–	–	2	–	1	–	–	3	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
FERGUS	–	–	–	–	–	13	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1	2	–	–	–	2	–	–	–	–	–
FLATHEAD	–	–	–	10	–	82	–	–	–	–	8	–	17	12	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	12	–	–	1	–	1
GALLATIN	–	–	–	7	–	101	–	–	–	–	4	–	17	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	2	–	–	–	3	–	–	–	–	–
GARFIELD	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
GLACIER	–	–	–	–	–	64	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
GOLDEN VALLEY	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
GRANITE	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
HILL	–	–	–	2	–	59	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	5	–	–	–	–	–
JEFFERSON	–	–	–	1	–	5	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–
JUDITH BASIN	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
LAKE	–	–	–	3	–	70	–	–	–	–	–	–	1	3	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
LEWIS & CLARK	–	–	–	3	–	71	1	–	2	–	19	–	3	1	–	–	–	2	6	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	18	1	–	–	–	–

* THE COUNTY REPORTED IS MOST OFTEN THE COUNTY OF RESIDENCE. WHEN THIS IS NOT AVAILABLE, THE COUNTY IN WHICH THE DISEASE IS DIAGNOSED IS USED.
** ONLY STATEWIDE TOTALS OF REPORTED CASES OF AIDS ARE SHOWN.

FREQUENCY OF REPORTABLE DISEASES BY COUNTY OF RESIDENCE*
MONTANA, 1994

1994 ANNUAL SUMMARY

	AIDS**	AMEBIASIS	BRUCELLOSIS	CAMPYLOBACTER	CHANCROID	CHLAMYDIA	COCCIDIO	CO. TICK FEVER	CRYPTOSPOR.	CYTOMEGALOVIRL.	E. COLI O157:H7	ENCEPHALITIS	GIARDIASIS	GONOCOCCAL DIS.	H. FLU B	H. FLU OTHER	HANTAVIRUS	HEPATITIS A	HEPATITIS B	HEPATITIS C	HEPATITIS NONAB	HEPATIT. UNSPEC.	KAWASAKI SYND.	LEGIONELLOSIS	LISTERIOSIS	MALARIA	MEASLES	MENINGIT. ASEPT.	MENING. BACT. UN.	MENINGOCOCCL. M.	MUMPS	ORNITHOSIS	PERTUSSIS	Q FEVER	RABIES, ANIMAL	REYE SYNDROME	ROCKY MT. SPOTD.	RUBELLA	SALMONELLOSIS	SHIGELLOSIS	SYPHILIS	TUBERCULOSIS	TULAREMIA	YERSINOSIS
LIBERTY	---	–	–	–	–	1		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
LINCOLN	---	–	–	–	–	16		–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
MCCONE	---	–	–	–	–	7		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
MADISON	---	–	–	–	–	–		–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	4	–	–	–	–	1
MEAGHER	---	–	–	1	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
MINERAL	---	–	–	–	–	8		–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
MISSOULA	---	–	–	14	–	135		1	1	–	6	–	19	2	–	–	–	–	1	–	4	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	15	1	–	4	–	–
MUSSELSHELL	---	–	–	–	–	2		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–
PARK	---	–	–	2	–	6		1	–	–	–	–	2	1	–	–	–	1	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–
PETROLEUM	---	–	–	–	–	1		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
PHILLIPS	---	–	–	–	–	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
PONDERA	---	–	–	–	–	4	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–
POWDER RIVER	---	–	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
POWELL	---	–	–	1	–	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	1	–	–	–	–
PRAIRIE	---	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
RAVALLI	---	–	–	1	–	19	–	–	–	–	1	–	1	3	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	4	–	1	–	–	–
RICHLAND	---	–	–	–	–	13	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	2	–	–
ROOSEVELT	---	–	–	–	–	39	–	–	–	–	1	–	2	7	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2	–	–
ROSEBUD	---	–	–	–	–	42	–	–	–	–	–	–	–	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
SANDERS	---	–	–	–	–	7	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–
SHERIDAN	---	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
SILVER BOW	---	–	–	1	–	46	–	1	–	1	–	–	7	2	–	–	–	2	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	1	–	–
STILLWATER	---	–	–	1	–	7	–	–	–	–	–	–	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–
SWEET GRASS	---	–	–	–	–	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
TETON	---	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
TOOLE	---	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
TREASURE	---	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VALLEY	---	–	–	1	–	6	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
WHEATLAND	---	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
WIBAUX	---	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
YELLOWSTONE	---	–	–	15	–	246	1	–	9	1	6	–	29	11	–	–	–	3	5	–	1	–	–	9	–	–	–	–	–	–	–	–	–	–	2	–	–	–	21	–	5	5	–	1
YELLOWSTONE PARK	---	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
TOTALS	44	–	–	78	–	1,433	3	6	15	2	52	–	137	87	1	–	1	25	21	–	13	–	1	16	–	–	–	–	–	6	–	–	–	1	22	–	4	–	145	4	9	25	–	3

* THE COUNTY REPORTED IS MOST OFTEN THE COUNTY OF RESIDENCE. WHEN THIS IS NOT AVAILABLE, THE COUNTY IN WHICH THE DISEASE IS DIAGNOSED IS USED.
** ONLY STATEWIDE TOTALS OF REPORTED CASES OF AIDS ARE SHOWN.

TABLE 32

REPORTED NEOPLASMS* BY ANATOMICAL SITE AND SEX
MONTANA RESIDENTS, 1994 DIAGNOSES

SITE	MALE	FEMALE	TOTAL
TOTAL, ALL SITES	1,755	1,746	3,501
Buccal Cavity and Pharynx	42	25	67
Lip	5	2	7
Tongue	8	4	12
Major Salivary gland	10	4	14
Floor of Mouth	4	2	6
Gum & Other Mouth	1	6	7
Nasopharynx	6	2	8
Tonsil	3	2	5
Oropharynx	0	0	0
Hypopharynx	4	1	5
Pharynx	1	2	3
Digestive System	334	299	633
Esophagus	22	11	33
Stomach	28	21	49
Small Intestine	9	4	13
Colon	136	161	297
Rectum & Rectosigmoid	74	39	113
Anus & Anocanal	4	7	11
Liver	14	6	20
Gallbladder	3	8	11
Other Biliary	9	5	14
Pancreas	32	30	62
Retroperitoneum	1	4	5
Peritoneum	1	3	4
Other Digestive Organs	1	0	1
Respiratory System	338	223	561
Nasal Cavity & Sinuses	3	2	5
Larynx	34	6	40
Lung & Bronchus	295	214	509
Trachea & Pleura	6	1	7
Bones & Joints	4	4	8
Soft Tissue	11	9	20
Skin	53	53	106
Melanoma	20	21	41
Other Skin Cancers	33	32	65
Breast	7	578	585
Eye	3	5	8

SITE	MALE	FEMALE	TOTAL
Female Genital System	0	254	254
Cervix Uteri	---	25	25
Cervix In-situ	---	53	53
Uterus	---	95	95
Ovary	---	61	61
Vagina	---	4	4
Vulva	---	13	13
Other Female Genital Organs	---	3	3
Male Genital System	557	0	557
Prostate	526	---	526
Testis	28	---	28
Penis	3	---	3
Urinary System	184	80	264
Bladder	137	45	182
Kidney & Renal Pelvis	40	30	70
Ureter	6	4	10
Other Urinary Organs	1	1	2
Brain & Other Nervous System	38	44	82
Brain	21	16	37
Benign Brain	9	18	27
Other Nervous System	3	3	6
Benign Other N.S.	5	7	12
Endocrine System	17	30	47
Thyroid Gland	11	24	35
Other Endocrine	2	1	3
Benign Endocrine	4	5	9
Lymphomas**	68	60	128
Hodgkin's Disease	9	13	22
Non-Hodgkin's Lymphomas	59	47	106
Multiple Myeloma	6	10	16
Leukemias	37	27	64
Acute Lymphocytic	6	3	9
Chronic Granulocytic	8	4	12
Acute Myeloid	7	7	14
Chronic Myeloid	5	4	9
Other Leukemia	11	9	20
Unknown and Ill-defined Sites	56	45	101

*Includes benign cases reported as of 4/1/96.

TABLE 33

MOST FREQUENTLY REPORTED NEOPLASMS* BY SITE, SEX, AND AGE
MONTANA RESIDENTS, 1994 DIAGNOSES

AGE AT DIAGNOSIS	PRIMARY CANCER SITES																							
	PROSTATE		BREAST		LUNG		COLON		BLADDER		RECTUM & RECTOSIG		UTERUS		NHL & HODGKINS*		OVARY		PANCREAS		OTHERS		ALL SITES	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
0-4	-	---	-	-	-	-	-	-	-	-	-	-	---	-	-	-	---	-	-	-	5	8	5	8
5-9	-	---	-	-	-	-	-	-	-	-	-	-	---	-	1	-	---	-	-	-	1	2	2	2
10-14	-	---	-	-	-	-	-	-	-	-	-	-	---	-	1	1	---	-	-	-	3	1	4	2
15-19	-	---	-	-	-	-	-	-	-	-	-	-	---	-	1	1	---	-	-	-	8	1	9	2
20-24	-	---	-	-	-	-	-	-	-	-	-	-	---	-	2	3	---	-	-	-	9	13	11	16
25-29	-	---	-	1	-	-	-	-	-	-	-	-	---	1	1	3	---	1	-	-	11	11	12	17
30-34	-	---	-	5	-	-	1	1	1	-	-	1	---	1	3	3	---	1	-	-	16	28	21	40
35-39	-	---	-	17	1	-	1	2	1	-	-	1	---	3	4	1	---	1	-	-	19	26	26	51
40-44	1	---	-	44	3	1	1	4	-	1	2	2	---	2	7	4	---	2	-	-	19	25	33	85
45-49	3	---	1	57	9	2	3	2	3	2	3	-	---	12	5	1	---	7	-	-	19	20	46	103
50-54	19	---	1	47	9	14	7	8	1	2	2	1	---	6	5	4	---	3	3	-	37	33	84	118
55-59	44	---	1	58	25	24	6	14	12	2	8	1	---	6	6	6	---	6	3	3	33	20	138	140
60-64	64	---	-	52	29	27	24	12	19	6	8	-	---	14	6	5	---	5	2	3	35	23	187	147
65-69	118	---	1	78	65	38	23	15	17	10	11	7	---	17	2	7	---	13	5	6	70	51	312	242
70-74	121	---	-	70	58	49	16	21	30	4	14	6	---	8	9	5	---	9	5	1	59	52	312	225
75-79	99	---	2	79	57	34	27	21	27	6	12	9	---	13	11	4	---	5	8	8	73	59	316	238
80-84	36	---	-	37	28	18	16	38	16	6	5	6	---	8	3	8	---	5	5	2	40	54	149	182
85+	21	---	1	33	12	8	11	23	10	6	9	5	---	4	1	4	---	3	1	7	22	35	88	128
TOTAL	526	---	7	578	296	215	136	161	137	45	74	39	---	95	68	60	---	61	32	30	479	462	1,755	1,746

* Non-Hodgkins Lymphoma (NHL) and Hodgkins Disease are not included in the anatomical site (e.g., lymphoma of the stomach is counted as a lymphoma, not stomach cancer).

TABLE 34

MOST FREQUENTLY REPORTED NEOPLASMS BY SITE, SEX, AND COUNTY OF RESIDENCE
MONTANA RESIDENTS, 1994 DIAGNOSES

COUNTY OF RESIDENCE	PRIMARY CANCER SITES																							
	PROSTATE		BREAST		LUNG		COLON		BLADDER		RECTUM & RECTOSIG		UTERUS		NHL & HODGKINS*		OVARY		PANCREAS		OTHERS		ALL SITES	
	M	F	M	F	M	F	M	F	F	M	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Beaverhead	8	—	-	4	4	1	1	6	1	-	-	2	—	-	1	-	—	1	-	1	6	8	21	23
Big Horn	4	—	-	5	4	1	-	5	3	1	-	2	—	-	2	-	—	2	-	-	3	5	16	21
Blaine	5	—	-	6	1	1	-	1	1	-	-	1	—	2	1	2	—	1	-	-	4	3	12	17
Broadwater	1	—	-	4	3	3	-	1	1	2	1	-	—	-	1	-	—	-	-	-	1	3	8	13
Carbon	5	—	-	6	1	3	2	1	3	-	2	-	—	1	-	1	—	-	1	-	8	7	22	19
Carter	-	—	-	-	2	-	-	-	-	-	-	-	—	-	-	-	—	-	-	-	2	-	4	-
Cascade	64	—	-	68	32	32	13	20	10	9	6	5	—	6	6	13	—	4	6	3	70	56	209	216
Chouteau	4	—	-	5	1	1	2	-	-	-	-	-	—	1	-	2	—	-	-	-	3	2	10	11
Custer	6	—	-	10	6	5	7	3	2	-	1	1	—	2	-	1	—	2	-	1	8	7	32	32
Daniels	2	—	-	2	3	-	-	-	-	-	1	-	—	-	1	1	—	-	-	-	1	3	8	6
Dawson	5	—	-	4	2	-	-	1	1	-	-	-	—	-	1	1	—	-	2	1	3	6	14	13
Deer Lodge	4	—	-	6	9	1	4	-	5	1	-	1	—	1	-	1	—	-	-	-	6	6	28	19
Fallon	-	—	-	3	-	-	1	-	-	-	2	-	—	-	-	-	—	-	-	-	1	1	4	4
Fergus	13	—	-	16	10	4	3	4	4	1	1	1	—	3	1	1	—	4	1	-	14	14	47	48
Flathead	36	—	2	44	21	11	15	16	4	2	3	-	—	19	5	4	—	8	2	2	25	12	113	118
Gallatin	24	—	-	22	11	7	5	7	4	1	5	-	—	-	3	6	—	2	1	1	23	16	76	62
Garfield	5	—	-	1	-	-	1	1	-	-	-	-	—	-	-	-	—	-	-	-	-	-	6	2
Glacier	9	—	-	6	7	-	-	-	5	1	1	-	—	-	-	-	—	-	-	1	4	2	26	12
Golden Valley	2	—	-	-	1	-	-	2	-	-	-	-	—	-	1	1	—	-	-	-	1	-	5	3
Granite	-	—	-	1	3	-	-	-	1	-	-	-	—	-	-	-	—	1	-	-	3	4	7	6
Hill	9	—	-	6	5	7	3	3	-	1	-	1	—	-	1	-	—	-	1	-	15	8	34	28
Jefferson	5	—	-	6	1	3	-	2	1	-	2	-	—	-	3	-	—	1	1	-	3	5	16	19
Judith Basin	1	—	-	2	2	-	-	1	2	-	-	-	—	1	-	-	—	-	-	-	3	2	8	6
Lake	16	—	-	11	6	2	3	4	3	2	4	-	—	5	4	-	—	2	1	1	12	17	51	44
Lewis & Clark	38	—	-	37	17	16	9	9	10	6	3	2	—	6	2	5	—	1	2	-	21	27	102	111
Liberty	3	—	-	3	-	-	-	-	-	-	-	-	—	-	-	1	—	1	-	-	1	2	4	7
Lincoln	8	—	1	18	10	4	4	2	5	-	2	1	—	3	1	1	—	1	-	1	5	7	36	38
Madison	11	—	-	1	-	2	1	1	2	-	-	-	—	-	-	1	—	2	1	-	2	3	17	10
McCone	6	—	-	1	1	1	2	1	-	-	-	-	—	-	1	-	—	-	-	-	3	-	13	3
Meagher	1	—	-	2	3	-	1	-	1	-	1	-	—	1	-	-	—	-	-	-	2	-	9	3
Mineral	5	—	-	-	3	2	-	1	1	-	-	1	—	1	-	-	—	-	-	-	3	2	12	7
Missoula	34	—	2	58	13	13	7	12	15	2	6	2	—	11	8	7	—	4	3	3	26	37	114	149
Musselshell	4	—	-	2	2	2	1	1	2	-	2	-	—	-	2	-	—	-	-	-	6	4	19	9
Park	7	—	-	7	9	6	2	5	2	-	1	1	—	-	2	2	—	1	-	-	10	11	33	33
Petroleum	-	—	-	-	1	-	-	-	-	-	1	-	—	-	-	-	—	-	-	-	-	1	2	1
Phillips	4	—	-	6	5	2	1	1	2	-	2	1	—	1	-	-	—	-	2	-	6	5	22	16
Pondera	3	—	-	6	1	-	2	4	-	-	2	1	—	2	1	-	—	-	-	-	7	6	16	21
Powder River	1	—	-	1	-	1	-	-	1	-	-	-	—	1	-	-	—	-	1	-	4	-	7	3
Powell	2	—	-	4	5	1	6	1	3	1	-	-	—	-	-	-	—	-	-	-	3	4	19	11
Prairie	-	—	-	-	-	-	-	-	-	1	-	-	—	-	-	-	—	1	-	-	2	1	2	3
Ravalli	16	—	-	19	10	6	6	5	7	-	2	4	—	1	1	1	—	3	-	1	17	15	59	55
Richland	6	—	-	1	3	3	-	-	1	-	1	1	—	1	1	-	—	-	-	1	2	4	16	11
Roosevelt	4	—	-	7	3	2	4	-	-	-	1	1	—	1	-	-	—	1	-	1	8	6	20	19
Rosebud	4	—	-	5	1	9	-	-	1	-	-	-	—	-	1	-	—	-	1	-	9	7	17	21
Sanders	5	—	-	2	2	4	-	1	1	1	-	-	—	1	-	-	—	-	-	-	3	6	11	15
Sheridan	3	—	-	3	2	2	1	-	-	-	1	-	—	-	-	-	—	-	-	1	3	1	10	7
Silver Bow	14	—	-	9	10	3	5	3	4	2	2	1	—	3	2	-	—	2	1	2	16	12	54	37
Stillwater	6	—	-	4	4	1	1	-	4	2	-	-	—	5	1	1	—	-	-	2	7	8	23	23
Sweet Grass	2	—	-	3	1	-	-	-	-	-	-	-	—	-	-	-	—	-	-	-	3	3	6	6
Teton	5	—	-	2	2	5	1	3	-	-	-	1	—	2	1	-	—	1	2	-	3	7	14	21
Toole	7	—	-	3	2	2	1	2	3	1	-	-	—	1	1	1	—	1	-	1	4	4	16	16
Treasure	2	—	-	1	-	-	-	1	-	-	-	-	—	-	-	-	—	-	-	-	1	-	3	2
Valley	10	—	-	10	3	4	1	1	2	1	2	-	—	1	-	-	—	1	-	-	7	6	25	24
Wheatland	-	—	-	4	-	1	-	2	-	-	1	-	—	1	-	-	—	1	-	-	-	2	1	11
Wibaux	-	—	-	-	-	-	-	-	2	-	-	1	—	1	-	-	—	-	-	-	2	-	4	2
Yellowstone	83	—	2	111	45	40	20	27	17	7	15	7	—	8	10	6	—	12	3	6	75	85	270	309
TOTAL	526	—	7	578	295	214	136	161	137	45	74	39	—	95	68	60	—	61	32	30	480	463	1,755	1,746

* Non-Hodgkins Lymphoma (NHL) and Hodgkins Disease are not included in the anatomical site (e.g., lymphoma of the stomach is counted as a lymphoma, not stomach cancer).